AIRMAN

SC

PARTS CATALOG

MOTOR COMPRESSOR

SAS55SD-5E/6E
SAS55S-5E/6E
SAS55RD-5E/6E
SAS55R-5E/6E
(50Hz/60Hz)

HOKUETSU INDUSTRIES CO., LTD.

適　用　型　式
ＦＯＲ　ＭＯＤＥＬ

型　　式 ＭＯＤＥＬ	適　用　号　機 ＳＥＲ．ＮＯ．
ＳＡＳ５５ＳＤ－５Ｅ [WITH AIR DRYER(A.C.C.S & TOUCHSCREEN)TYPE]	Ｌ４Ｅ５ＴＳ２００１～
ＳＡＳ５５Ｓ－５Ｅ [WITHOUT AIR DRYER(A.C.C.S & TOUCHSCREEN)TYPE]	Ｌ４Ｅ５ＷＳ２００１～
ＳＡＳ５５ＳＤ－６Ｅ [WITH AIR DRYER(A.C.C.S & TOUCHSCREEN)TYPE]	Ｌ４Ｅ６ＴＳ２００１～
ＳＡＳ５５Ｓ－６Ｅ [WITHOUT AIR DRYER(A.C.C.S & TOUCHSCREEN)TYPE]	Ｌ４Ｅ６ＷＳ２００１～
ＳＡＳ５５ＲＤ－５Ｅ [WITH AIR DRYER(REGULATOR & TOUCHSCREEN)TYPE]	Ｌ４Ｅ５ＴＲ２００１～
ＳＡＳ５５Ｒ－５Ｅ [WITHOUT AIR DRYER(REGULATOR & TOUCHSCREEN)TYPE]	Ｌ４Ｅ５ＷＲ２００１～
ＳＡＳ５５ＲＤ－６Ｅ [WITH AIR DRYER(REGULATOR & TOUCHSCREEN)TYPE]	Ｌ４Ｅ６ＴＲ２００１～
ＳＡＳ５５Ｒ－６Ｅ [WITHOUT AIR DRYER(REGULATOR & TOUCHSCREEN)TYPE]	Ｌ４Ｅ６ＷＲ２００１～
ＳＡＳ５５ＳＤ－５Ｅ [WITH AIR DRYER(A.C.C.S & CONTROLLER)TYPE]	Ｌ４Ｅ５ＡＳ００５１～
ＳＡＳ５５Ｓ－５Ｅ [WITHOUT AIR DRYER(A.C.C.S & CONTROLLER)TYPE]	Ｌ４Ｅ５－Ｓ００５１～
ＳＡＳ５５ＳＤ－６Ｅ [WITH AIR DRYER(A.C.C.S & CONTROLLER)TYPE]	Ｌ４Ｅ６ＡＳ００５１～
ＳＡＳ５５Ｓ－６Ｅ [WITHOUT AIR DRYER(A.C.C.S & CONTROLLER)TYPE]	Ｌ４Ｅ６－Ｓ００５１～
ＳＡＳ５５ＲＤ－５Ｅ [WITH AIR DRYER(REGULATOR & CONTROLLER)TYPE]	Ｌ４Ｅ５ＡＲ００５１～
ＳＡＳ５５Ｒ－５Ｅ [WITHOUT AIR DRYER(REGULATOR & CONTROLLER)TYPE]	Ｌ４Ｅ５－Ｒ００５１～
ＳＡＳ５５ＲＤ－６Ｅ [WITH AIR DRYER(REGULATOR & CONTROLLER)TYPE]	Ｌ４Ｅ６ＡＲ００５１～
ＳＡＳ５５Ｒ－６Ｅ [WITHOUT AIR DRYER(REGULATOR & CONTROLLER)TYPE]	Ｌ４Ｅ６－Ｒ００５１～

STANDARD PAINTING
標準塗装色









ご　使　用　の　前　に

1. このパーツカタログは、各構成装置毎に分解した部品図を記載し、各部品には見出し番号を付けてありますので、その番号により、部品番号・部品名称・一台分の数量を知ることができます。

2. 部品をご注文の際は、下記事項をお知らせ下さい。
   (1) 部品番号(Part No.)
   (2) 必要数量(Q'ty)
   (3) 部品名称(Part Name)
   (4) 機械型式(Model)および機械番号(Ser.No.)

3. パーツカタログの見方

(8) 備考 Remarks　S :STD. SC:w.AFTER COOLER SD:DRY AIR

52 - 00　LINING

(1) 見出番号 Ref.NO.	(2) 部品番号 Part NO.	(3) 互換性 Inter-change ability	(4) 部品名称 Part Name	(5) 数量 Q'ty	(6) 適用号機範囲 Applicable Ser.No.		(7) 変更 C/H	(8) 備考 Remarks
								S SC SD
	52900 04921		URETHANE FOAM KIT ウレタン フォーム キット					◎
	52900 05121		URETHANE FOAM KIT ウレタン フォーム キット (Const.No.1～21)					◎
	52900 06121		URETHANE FOAM KIT ウレタン フォーム キット (Const.No.1～9 & 11～24)					◎
1	52959 71350		Lining ﾗｲﾆﾝｸﾞ	1				
2	52959 97640		Lining ﾗｲﾆﾝｸﾞ	1				
3	52959 80220		Lining ﾗｲﾆﾝｸﾞ	1				
4	52959 71450		Lining ﾗｲﾆﾝｸﾞ	1				
5	52959 71550		Lining ﾗｲﾆﾝｸﾞ	1				
6	52959 30940		Lining ﾗｲﾆﾝｸﾞ	1				
7	52959 71650		Lining ﾗｲﾆﾝｸﾞ	2				

(1) 見　出　番　号(Ref.No.)
イラストから部品名称や部品番号を見つけ出す役目を果たすものです。
(ボルト・ナット等の部品は、イラストを省略して見出番号のみ記載してある場合がありますので注意してください。)
見出番号欄に1,1-1,1-2,……とあるのは、部品の変更過程を表します。
[1：初期, 1-1：1回目の変更, 1-2：2回目の変更……]

(2) 部　品　番　号(Part No.)
個々の部品特有の番号です。形状が同じ部品があっても番号が異なる場合、取付互換性がありませんので注意してください。

(3) 互　　換　　性(Interchangeability)
互換性欄に記載の記号の意味は次のとおりです。
Ａ ： 新部品は旧部品の代わりに使用できますが､旧部品を新部品の代わりに使用できません。
Ｂ ： 新、旧部品とも互換性なし
Ｃ ： 廃止
Ｄ ： 新規追加になった部品
Ｅ ： 新、旧部品とも互換性あり
Ｑ ： 数量変更
Ｘ ： セット部品に含まれていますが、この型式では使われていません。
Ｙ ： 選択可能部品
Ｚ ： 単品供給不可部品

(4) 部　品　名　称(Part Name)
個々の部品特有の名称です。

(5) 数　　量(Q'ty)
その機械1台分の使用個数を示します。

(6) 適用号機範囲(Applicable Ser.No.)
適用号機範囲には、その行に記載の部品が使用されている号機(Ser.No.)が表示してあります。
なお、号機の代わりに年月を記載したものは、その年月から変更になったことを表します。

(7) 変　　更(Change column)
記号 M1,M2,……Mn は部品番号の変更を示します。

(8) 備　　考(Remarks)
部品の仕様・メーカ部番等の情報を記載したり、部品が使われている型式を記号により明記しています。
[例. SC:w.AFTER COOLER (アフタクーラ付)]

4. 略号は次のことを表します。

A.C.C.S.	エアマン コンピュータ コントロール システム	L(Length)	長さ
		OPT.(Option)	オプション
ass'y(assembly)	組立品(アッセンブリ)	Press.(Pressure)	プレッシャ
C/H(Change column)	変更	P.U(PURGE UNLOADER)	パージアンローダ
Comp.(Compressor)	コンプレッサ	SPC/S. (Special specifications)	特殊仕様
Const.(Consisting of)	～で構成		
Cont.(Control)	コントロール	STD.(Standards)	標準(スタンダード)
Cyl.(Cylinder)	シリンダ	sw.(switch)	スイッチ
D(AIR DRYER)	エアドライヤ	T or t(Thickness)	厚さ
EXP.(Export)	輸出	w.(with)	～付
Incl.(Including)	～を含む	w/o(without)	～なし
INV.(INVERTER)	インバータ		

※ 当社では、常に製品の改良に取組んでおりますので、パーツカタログに記載されていない変更が生じている場合があります。必要に応じて、この様な変更を盛り込んだ改訂版を出しておりますので、不明な点がございましたら最寄りの支店･営業所またはサービスセンターにご相談ください。

N O T I C E

1. This parts catalog contains all the parts and assemblies of “AIRMAN” brand products. The complete unit is divided into several parts groups, the details of which are clearly illustrated, and completely listed. So desired part number, name and quantity can be easily determined referring to Ref.No.

2. When you place order for service parts, please be sure to advise us of the following information.
   (1) Part number.
   (2) Quantity required.
   (3) Part name.
   (4) Model name and Serial number.

3. How to read parts catalog.

(8) 備考 Remarks　S :STD. SC:w.AFTER COOLER SD:DRY AIR

52 - 00　LINING

(1) 見出番号 Ref.NO.	(2) 部品番号 Part NO.	(3) 互換性 Inter-change ability	(4) 部品名称 Part Name	(5) 数量 Q'ty	(6) 適用号機範囲 Applicable Ser.No.		(7) 変更 C/H	(8) 備考 Remarks		
								S	SC	SD
	52900 04921		URETHANE FOAM KIT ウレタン フォーム キット					◎		
	52900 05121		URETHANE FOAM KIT ウレタン フォーム キット (Const.No.1～21)						◎	
	52900 06121		URETHANE FOAM KIT ウレタン フォーム キット (Const.No.1～9 & 11～24)							◎
1	52959 71350		Lining ﾗｲﾆﾝｸﾞ	1						
2	52959 97640		Lining ﾗｲﾆﾝｸﾞ	1						
3	52959 80220		Lining ﾗｲﾆﾝｸﾞ	1						
4	52959 71450		Lining ﾗｲﾆﾝｸﾞ	1						
5	52959 71550		Lining ﾗｲﾆﾝｸﾞ	1						
6	52959 30940		Lining ﾗｲﾆﾝｸﾞ	1						
7	52959 71650		Lining ﾗｲﾆﾝｸﾞ	2						

(1) Ref.No.
Reference number (Ref.No.) is to be used for locating the part number and name from the illustrations. (However some parts such as bolts and nuts etc., are not illustrated but their reference numbers only listed.)
Ref.No.1, 1-1, 1-2,…… shows history of part modifications.
[These reference numbers mean 1: primary period, 1-1: first alteration, 1-2: second alteration and 1-3……follows]

(2) Part No.
Every part has its own proper number. Even if a part has the same shape as an other part and if its number different, it is not interchangeable at all in many cases.

(3) Interchangeability
A, B, C, D, E, Q, X, Y and Z in column “Interchangeability” show the following.
A: A new part can replace an old part, but an old part cannot replace a new part.
B : Not interchangeable.
C : Disused.
D : Newly added.
E : Compatible with eachother.
Q : Quantity per unit changed.
X : Included in this set of parts, this part is not used for this model.
Y : Part to be selected.
Z : This part can not be supplied as an individual part.

(4) Part name
Every part has its own proper name.

(5) Q'ty
The number shown in the column of Q'TY indicates the quantity of parts used per one unit machine.

(6) Applicable Ser.No. (Serial Number)
Ser.No. shows the machine number to which the part is applicable.
Month and year stated in column "Ser.No." show the month and year from which the part is applicable.

(7) Change column
M1, M2,…… Mn mentioned in the column indicate the change of part number and the serial number of the unit, the part of which was modified.

(8) Remarks
This column "Remarks" mentions in mark or signal the specifications of each part, original part number of manufacturer, model name of the part for which is used and etc.
[Example. SC:w.AFTER COOLER]

4. Abbreviations used in this catalog.

A.C.C.S.	AIRMAN Computer control system	L	Length
ass'y	assembly	OPT.	Option
C/H	Change column	Press.	Pressure
Comp.	Compressor	P.U	PURGE UNLOADER
Const.	Consisting of	SPC/S.	Special specifications
Cont.	Control	STD.	Standards
Cyl.	Cylinder	sw.	switch
D	AIR DRYER	T or t	Thickness
EXP.	Export	w.	with
Incl.	Including	w/o	without
INV.	INVERTER		

NOTE : We are always engaged in improving our products. So there may be some changes of the product which are not yet mentioned in this parts catalog. Therefore, in necessary case, we issue a revision in which such changes ars added. When you have any question on the parts catalog, please ask your nearest dealer or directly us.

目　　次
CONTENTS

図番号 FIG.NO.	図名称 FIG.NAME		頁 PAGE
21 - 00	AIR END	ｴｱ ｴﾝﾄﾞ	21 - 1
22 - 00	UNLOADER	ｱﾝﾛｰﾀﾞ	22 - 1
31 - 00	MOUNTING & INTAKE	ﾏｳﾝﾃｨﾝｸﾞ,ｲﾝﾃｰｸ	31 - 1
33 - 00	SERVICE AIR LINE	ｻｰﾋﾞｽ ｴｱ ﾗｲﾝ	33 - 1
36 - 00	AIR LINE(A.C.C.S.) & OIL LINE	ｴｱ ﾗｲﾝ(A.C.C.S.),ｵｲﾙ ﾗｲﾝ	36 - 1
36 - 01	AIR LINE(REGULATOR) & OIL LINE	ｴｱ ﾗｲﾝ(ﾚｷﾞｭﾚｰﾀ),ｵｲﾙ ﾗｲﾝ	36 - 4
39 - 00	NAME PLATE	ﾈｰﾑ ﾌﾟﾚｰﾄ	39 - 1
45 - 00	MOTOR & ELECTRIC(TOUCHSCREEN TYPE)	ﾓｰﾀ,ｴﾚｸﾄﾘｯｸ(ﾀｯﾁﾊﾟﾈﾙ仕様)	45 - 1
45 - 01	MOTOR & ELECTRIC(CONTROLLER TYPE)	ﾓｰﾀ,ｴﾚｸﾄﾘｯｸ(ｺﾝﾄﾛｰﾗ仕様)	45 - 5
51 - 00	FRAME & BONNET	ﾌﾚｰﾑ,ﾎﾞﾝﾈｯﾄ	51 - 1
52 - 00	LINING	ﾗｲﾆﾝｸﾞ	52 - 1
OPTIONAL PARTS			
OP1- 00	TAPE HEATER SET(TOUCHSCREEN TYPE)	寒冷地仕様(ﾀｯﾁﾊﾟﾈﾙ仕様)	OP1- 1
OP2- 00	REMOTE MONITORING UNIT(TOUCHSCREEN TYPE)	遠隔監視仕様(ﾀｯﾁﾊﾟﾈﾙ仕様)	OP2- 1

型 式 名 の 見 方
HOW TO READ MODELS

Ｓ Ａ Ｓ ５５ Ｓ Ｄ － ５ Ｅ
① ② ③ ④ ⑤ ⑥

① SAS : STATIONARY AIR-COOLED SCREW COMPRESSOR
② 55 : MOTOR OUTPUT(kW)
③ S : 2-POINT CONTROL
R : REGULATOR CONTROL
④ D : AIR DRYER BUILT-IN TYPE
w/o D : WITHOUT AIR DRYER
⑤ 5 : 50Hz TYPE
6 : 60Hz TYPE
⑥ E : MODEL CHANGE MARK

① SAS : 定置式,空冷油冷式 ｽｸﾘｭ ｺﾝﾌﾟﾚｯｻ
② 55 : ﾓｰﾀ出力(kW)
③ S : 二位置制御
R : ﾚｷﾞｭﾚｰﾀ制御
④ D : ｴｱ ﾄﾞﾗｲﾔ付
無 : ｴｱ ﾄﾞﾗｲﾔ無し
⑤ 5 : 50Hz仕様
6 : 60Hz仕様
⑥ E : ﾓﾃﾞﾙﾁｪﾝｼﾞ記号


101
103
104
30
29
102
8
1
9
19
18
5
6
33
38
27
4
3
2
35
34
45
44
47
46
47
28
17
24
31
40
42
41
21
20
4
26
36
37
23
22
25
24
106
109
108
105
109
107
7
24
19
43
5
4
14
13
16
10
12
11
42
15
41
42
39
71
32
72
40
42
41

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	21000 45410		COMPRESSION GROUP (Const.No.1～47)	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ		～2033	～2037	～2033	～2037			
	21000 51010	B	COMPRESSION GROUP (Const.No.1～43,45 & 47)	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ		2034～	2038～	2034～	2038～		M679	
1	21201 45803		Cylinder	ｼﾘﾝﾀﾞ	1	～2020	～2017	～2020	～2017			
1 -1	21201 48800	A	Cylinder	ｼﾘﾝﾀﾞ	1	2021～	2018～	2021～	2018～		M618	
2	33238 02000		Plug	ﾌﾟﾗｸﾞ	1							Incl.No.3
3	03402 25024		O-ring	O-ﾘﾝｸﾞ	1							
4	03620 60002		Plug	ﾌﾟﾗｸﾞ	7	～2020	～2017	～2020	～2017			
4 -1	03620 60002	Q	Plug	ﾌﾟﾗｸﾞ	8	-	～2019	-	～2019		M618	
4 -2	03620 60002	Q	Plug	ﾌﾟﾗｸﾞ	10	2021～	2020～	2021～	2020～		M631	
5	03620 60003		Plug	ﾌﾟﾗｸﾞ	2							
6	03620 60004		Plug	ﾌﾟﾗｸﾞ	1							
7	21214 18900		Casing,power side	ﾊﾟﾜｰ ｻｲﾄﾞ ｹｰｼﾝｸﾞ	1	～2020	～2019	～2020	～2019			
7 -1	21214 20900	B	Casing,power side	ﾊﾟﾜｰ ｻｲﾄﾞ ｹｰｼﾝｸﾞ	1	-	～2021	-	～2021		M631	
7 -2	21214 21300	A	Casing,power side	ﾊﾟﾜｰ ｻｲﾄﾞ ｹｰｼﾝｸﾞ	1	2021～	2022～	2021～	2022～		M637	
8	21221 05300		O-ring	O-ﾘﾝｸﾞ	1							
9	22314 06400		O-ring	O-ﾘﾝｸﾞ	2							
10	21212 20800		Cover,oil seal	ｵｲﾙ ｼｰﾙ ｶﾊﾞｰ	1							
11	21212 20901		Cover,oil seal	ｵｲﾙ ｼｰﾙ ｶﾊﾞｰ	1							
12	21211 13302		Oil seal	ｵｲﾙ ｼｰﾙ	1							
13	21465 07400		Collar	ｶﾗｰ	1							
14	21463 24700		Spacer	ｽﾍﾟｰｻ	1							
15	02280 10035		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	6							
16	03402 15110		O-ring	O-ﾘﾝｸﾞ	1							
17	21217 35401		Casing,discharge	ﾃﾞｨｽﾁｬｰｼﾞ ｹｰｼﾝｸﾞ	1							
18	21221 05200		O-ring	O-ﾘﾝｸﾞ	1							
19	03316 14028		Pin	ﾋﾟﾝ	4							
20	21218 36100		End cover	ｴﾝﾄﾞ ｶﾊﾞｰ	1							
21	03402 15125		O-ring	O-ﾘﾝｸﾞ	1							
22	21218 36200		End cover	ｴﾝﾄﾞ ｶﾊﾞｰ	1							
23	03402 15105		O-ring	O-ﾘﾝｸﾞ	1							
24	02280 10030		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	26							
25	03115 40010		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	7							
26	02280 10045		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	2							
27	21461 36900		Rotor,male	ｵｽﾛｰﾀ	1	～2011	～2010	～2011	～2010			
27 -1	21461 39200	B	Rotor,male	ｵｽﾛｰﾀ	1	2012～	2011～	2012～	2011～		M594	
28	21462 27200		Rotor,female	ﾒｽﾛｰﾀ	1							
	A pair of rotor (male & female) should be ordered. / ロータは、オス・メス一対でご注文下さい											
29	21406 43800		Bearing	ﾍﾞｱﾘﾝｸﾞ	1							
30	03413 20160		Snap ring	ｽﾅｯﾌﾟ ﾘﾝｸﾞ	1							
31	21470 17600		Bearing,complete	ﾍﾞｱﾘﾝｸﾞ ｺﾝﾌﾟﾘｰﾄ	1							
32	21463 24900		Spacer	ｽﾍﾟｰｻ	1	～2011	～2010	～2011	～2010			
32 -1	21463 26300	B	Spacer	ｽﾍﾟｰｻ	1	2012～	2011～	2012～	2011～		M594	
33	03413 40040		Snap ring	ｽﾅｯﾌﾟ ﾘﾝｸﾞ	1							
34	03413 20080		Snap ring	ｽﾅｯﾌﾟ ﾘﾝｸﾞ	1							
35	21406 28400		Bearing	ﾍﾞｱﾘﾝｸﾞ	1	～2013	～2012	～2013	～2012			
35 -1	21406 45400	A	Bearing	ﾍﾞｱﾘﾝｸﾞ	1	2014～	2013～	2014～	2013～		M597	
36	21470 17700		Bearing,complete	ﾍﾞｱﾘﾝｸﾞ ｺﾝﾌﾟﾘｰﾄ	1							
37	21468 01300		Plate	ﾌﾟﾚｰﾄ	1							
38	03306 14050		Key	ｷｰ	1	～2011	～2010	～2011	～2010			
38 -1	03306 16050	B	Key	ｷｰ	1	2012～	2011～	2012～	2011～		M594	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
39	21468 03500		Plate	ﾌﾟﾚｰﾄ	1							
40	21468 19901		Plate	ﾌﾟﾚｰﾄ	2							
41	02280 10040		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	8							
42	03115 30010		Lock washer	ﾛｯｸ ﾜｯｼｬ	14							
43	21207 03800		Nozzle	ﾉｽﾞﾙ	1							
44	22123 04600	D	Orifice	ｵﾘﾌｨｽ	1	2021～	2018～	2021～	2018～		M625	
44 -1	22123 04600	C	Orifice	ｵﾘﾌｨｽ	1	2034～	2038～	2034～	2038～		M679	
45	22200 18200	D	Check valve ass'y	ﾁｪｯｸ ﾊﾞﾙﾌﾞ	1	2021～	2018～	2021～	2018～		M625	
45 -1	22200 18800	A	Check valve ass'y	ﾁｪｯｸ ﾊﾞﾙﾌﾞ	1	2025～	2032～	2025～	2032～		M643	
45 -2	22200 18200	A	Check valve ass'y	ﾁｪｯｸ ﾊﾞﾙﾌﾞ	1	2034～	2037～	2034～	2037～		M666	
46	37127 16700	D	Pipe	ﾊﾟｲﾌﾟ	1	-	2018～	-	2018～		M625	
46 -1	37127 17500	B	Pipe	ﾊﾟｲﾌﾟ	1	2021～	2020～	2021～	2020～		M631	
46 -2	37127 17500	C	Pipe	ﾊﾟｲﾌﾟ	1	2034～	2038～	2034～	2038～		M679	
47	03734 70022	D	Nipple	ﾆｯﾌﾟﾙ	2	2021～	2018～	2021～	2018～		M625	
47 -1	03734 20020	B	Nipple	ﾆｯﾌﾟﾙ	2	2034～	2038～	2034～	2038～		M679	
	21000 36710		COMPRESSION GROUP	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ		～2011		～2011				0.7MPa
	21000 43210	B	COMPRESSION GROUP	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ		2012～		2012～			M594	0.7MPa
	21000 37710		COMPRESSION GROUP	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ		～2011		～2011				0.85MPa
	21000 43410	B	COMPRESSION GROUP	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ		2012～		2012～			M594	0.85MPa
	21000 38510		COMPRESSION GROUP	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ		～2011		～2011				0.93/0.9MPa
	21000 43610	B	COMPRESSION GROUP	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ		2012～		2012～			M594	0.93/0.9MPa
	21000 36810		COMPRESSION GROUP	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ			～2010		～2010			0.7MPa
	21000 43310	B	COMPRESSION GROUP	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ			2011～		2011～		M594	0.7MPa
	21000 37810		COMPRESSION GROUP	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ			～2010		～2010			0.85MPa
	21000 43510	B	COMPRESSION GROUP	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ			2011～		2011～		M594	0.85MPa
	21000 38610		COMPRESSION GROUP	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ			～2010		～2010			0.93/0.9MPa
	21000 43710	B	COMPRESSION GROUP	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ			2011～		2011～		M594	0.93/0.9MPa
			(Const.No.71～72)									
71	21467 46900		Gear,driven	ﾄﾞﾘﾌﾞﾝ ｷﾞﾔ	1	～2011		～2011				0.7MPa
71 -1	21467 53000	B	Gear,driven	ﾄﾞﾘﾌﾞﾝ ｷﾞﾔ	1	2012～		2012～			M594	0.7MPa
71	21467 48800		Gear,driven	ﾄﾞﾘﾌﾞﾝ ｷﾞﾔ	1	～2011		～2011				0.85MPa
71 -1	21467 53200	B	Gear,driven	ﾄﾞﾘﾌﾞﾝ ｷﾞﾔ	1	2012～		2012～			M594	0.85MPa
71	21467 49300		Gear,driven	ﾄﾞﾘﾌﾞﾝ ｷﾞﾔ	1	～2011		～2011				0.93/0.9MPa
71 -1	21467 53400	B	Gear,driven	ﾄﾞﾘﾌﾞﾝ ｷﾞﾔ	1	2012～		2012～			M594	0.93/0.9MPa
71	21467 47600		Gear,driven	ﾄﾞﾘﾌﾞﾝ ｷﾞﾔ	1		～2010		～2010			0.7MPa
71 -1	21467 53100	B	Gear,driven	ﾄﾞﾘﾌﾞﾝ ｷﾞﾔ	1		2011～		2011～		M594	0.7MPa
71	21467 48900		Gear,driven	ﾄﾞﾘﾌﾞﾝ ｷﾞﾔ	1		～2010		～2010			0.85MPa
71 -1	21467 53300	B	Gear,driven	ﾄﾞﾘﾌﾞﾝ ｷﾞﾔ	1		2011～		2011～		M594	0.85MPa
71	21467 49400		Gear,driven	ﾄﾞﾘﾌﾞﾝ ｷﾞﾔ	1		～2010		～2010			0.93/0.9MPa
71 -1	21467 53500	B	Gear,driven	ﾄﾞﾘﾌﾞﾝ ｷﾞﾔ	1		2011～		2011～		M594	0.93/0.9MPa
72	21469 36700		Gear,drive	ﾄﾞﾗｲﾌﾞ ｷﾞﾔ	1	◎		◎				0.7MPa
72	21469 38400		Gear,drive	ﾄﾞﾗｲﾌﾞ ｷﾞﾔ	1	◎		◎				0.85MPa
72	21469 38900		Gear,drive	ﾄﾞﾗｲﾌﾞ ｷﾞﾔ	1	◎		◎				0.93/0.9MPa
72	21469 37200		Gear,drive	ﾄﾞﾗｲﾌﾞ ｷﾞﾔ	1		◎		◎			0.7MPa
72	21469 38500		Gear,drive	ﾄﾞﾗｲﾌﾞ ｷﾞﾔ	1		◎		◎			0.85MPa
72	21469 39000		Gear,drive	ﾄﾞﾗｲﾌﾞ ｷﾞﾔ	1		◎		◎			0.93/0.9MPa

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	22 - 00		VALVE GROUP バﾙﾌﾞ ｸﾞﾙｰﾌﾟ								
101	22100 45004		Unloader ass'y ｱﾝﾛｰﾀﾞ	1	～0080	～0070					See page 22-1
101 -1	22100 47102	B	Unloader ass'y ｱﾝﾛｰﾀﾞ	1	0081～	0071～				M519	See page 22-1
101	22100 45104		Unloader ass'y ｱﾝﾛｰﾀﾞ	1			～0080	～0070			See page 22-1
101 -1	22100 47202	B	Unloader ass'y ｱﾝﾛｰﾀﾞ	1			0081～	0071～		M519	See page 22-1
102	03402 15150		O-ring O-ﾘﾝｸﾞ	1							
103	02280 10030		Socket bolt ｿｹｯﾄ ﾎﾞﾙﾄ	4							
104	03115 30010		Lock washer ﾛｯｸ ﾜｯｼｬ	4							
105	22311 10202		Discharge elbow ﾃﾞｨｽﾁｬｰｼﾞ ｴﾙﾎﾞ	1							
106	03402 25095		O-ring O-ﾘﾝｸﾞ	1							
107	02280 10120		Socket bolt ｿｹｯﾄ ﾎﾞﾙﾄ	2							
108	02280 10035		Socket bolt ｿｹｯﾄ ﾎﾞﾙﾄ	2							
109	03115 40010		Spring washer ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	4							


17
16
12
14
15
11
13
A
7
34
17
35
1
2
38
8
6
5
3
4
10
9
20
B
C
A
37
15
21
36
22
33
32
19
B
18
19
19
C
18
19
31
30
29
28
27
26
25
24
23

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	22100 45004		UNLOADER ASS'Y	ｱﾝﾛｰﾀﾞ	～0080	～0070					
	22100 47102	B	UNLOADER ASS'Y	ｱﾝﾛｰﾀﾞ	0081～	0071～				M519	
	22100 45104		UNLOADER ASS'Y	ｱﾝﾛｰﾀﾞ			～0080	～0070			
	22100 47202	B	UNLOADER ASS'Y	ｱﾝﾛｰﾀﾞ			0081～	0071～		M519	
1	22111 32302		Body	ﾎﾞﾃﾞｨ	1 ～0073	～0060					
1 -1	22111 32902	B	Body	ﾎﾞﾃﾞｨ	1 ～2058	0061～				M505	
1 -2	22111 33900	B	Body	ﾎﾞﾃﾞｨ	1 2059～	****～				M699	
1	22111 31602		Body	ﾎﾞﾃﾞｨ	1		～0073	～0060			
1 -1	22111 33002	B	Body	ﾎﾞﾃﾞｨ	1		～2058	～2059		M505	
1 -2	22111 34000	B	Body	ﾎﾞﾃﾞｨ	1		2059～	2060～		M699	
2	23124 14100		Bushing	ﾌﾞｯｼﾝｸﾞ	1						
3	22130 10000		Piston	ﾋﾟｽﾄﾝ	1						
4	21441 05400		O-ring	O-ﾘﾝｸﾞ	1						
5	21441 05300		O-ring	O-ﾘﾝｸﾞ	1						
6	22144 11600		Spring	ｽﾌﾟﾘﾝｸﾞ	1						
7	22150 15700		Valve	ﾊﾞﾙﾌﾞ	1						
8	22144 15200		Spring	ｽﾌﾟﾘﾝｸﾞ	1						
9	22115 13701		Cover	ｶﾊﾞｰ	1 ～2056	～2068	～2056	～2059			
9 -1	22115 16300	B	Cover	ｶﾊﾞｰ	1 2057～	2069～	2057～	2060～		M692	
10	03402 15135		O-ring	O-ﾘﾝｸﾞ	1						
11	22115 13803		Cover	ｶﾊﾞｰ	1 ～0064	～0057	～0064	～0057			
11 -1	22115 15101	B	Cover	ｶﾊﾞｰ	1 0065～	0058～	0065～	0058～		M498	
12	22123 03700		Orifice	ｵﾘﾌｨｽ	1 ◎	◎					
12	22123 04300		Orifice	ｵﾘﾌｨｽ	1		◎	◎			
13	03402 15170		O-ring	O-ﾘﾝｸﾞ	1						
14	02280 10035		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	4						
15	03115 30010		Lock washer	ﾛｯｸ ﾜｯｼｬ	7						
16	36388 01203		Pipe	ﾊﾟｲﾌﾟ	1 ～2056	～2068	～2056	～2059			
16 -1	36388 04900	B	Pipe	ﾊﾟｲﾌﾟ	1 2057～	2069～	2057～	2060～		M692	
17	03734 53020		Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	2						
18	36352 11301		Pipe	ﾊﾟｲﾌﾟ	2 ～2056	～2068	～2056	～2059			
18 -1	36352 12900	B	Pipe	ﾊﾟｲﾌﾟ	2 2057～	2069～	2057～	2060～		M692	
19	03734 52021		Nipple	ﾆｯﾌﾟﾙ	4						
20	03734 46032		Nipple	ﾆｯﾌﾟﾙ	1						
21	03734 44002		Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1						
22	03734 45003		Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1 ～0080	～0070	～0080	～0070			
22 -1	37185 24400	B	Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1 0081～	0071～	0081～	0071～		M519	
23	22144 10600		Spring	ｽﾌﾟﾘﾝｸﾞ	2						
24	36429 01300		Needle valve	ﾆｰﾄﾞﾙ ﾊﾞﾙﾌﾞ	2 ～0059	～0057	～0054	～0057			
24 -1	36429 01600	A	Needle valve	ﾆｰﾄﾞﾙ ﾊﾞﾙﾌﾞ	2 0060～	0058～	0055～	0058～		M500	
25	03402 25008		O-ring	O-ﾘﾝｸﾞ	2						
26	36428 01100		Valve seat	ﾊﾞﾙﾌﾞ ｼｰﾄ	2						
27	36623 00900		Piston,auto-relief	ﾋﾟｽﾄﾝ	2						
28	03402 25021		O-ring	O-ﾘﾝｸﾞ	2						
29	21221 02100		O-ring	O-ﾘﾝｸﾞ	2						
30	36621 01900		Cover,auto-relief	ｶﾊﾞｰ	2						
31	02270 04012		Socket bolt,w/w	ﾜｯｼｬ付ｿｹｯﾄ ﾎﾞﾙﾄ	8						
32	03620 60002		Plug	ﾌﾟﾗｸﾞ	2 ◎	◎					
32	03620 60002		Plug	ﾌﾟﾗｸﾞ	3		～0073	～0060			
32 -1	03620 60002	Q	Plug	ﾌﾟﾗｸﾞ	2		0074～	0061～		M505	
33	03620 60002	C	Plug	ﾌﾟﾗｸﾞ	1 0074～	0061～				M505	
33	03734 21020		Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1		◎	◎			

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
34	03620 60002		Plug	ﾌﾟﾗｸﾞ	1	◎	◎					
34	03734 20020		Nipple	ﾆｯﾌﾟﾙ	1			◎	◎			
35	03620 60002	C	Plug	ﾌﾟﾗｸﾞ	1	0055～	0058～	0051～	0051～		M479	
35 -1	03620 60002	D	Plug	ﾌﾟﾗｸﾞ	1	0065～	0058～	0065～	0058～		M498	
36	03734 20020		Nipple	ﾆｯﾌﾟﾙ	1	—	—	◎	◎			
37	02280 10035		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	3	～2056	～2068	～2056	～2059			
37 -1	02280 10040	B	Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	3	2057～	2069～	2057～	2060～		M692	
38	23124 17200	D	Bushing	ﾌﾞｯｼﾝｸﾞ	1	2059～	****～	2059～	2060～		M699	


37
36
31
41
40
42
33
34
32
35
38
39
6
7
1
5
6
7
3
5
5
2
5
4

31 - 00　MOUNTING & INTAKE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	31 - 00		MOUNTING GROUP　マウンティング グループ								
1	31130 23000		Vibration isolator ass'y　防振ゴム	2							
2	31130 28700		Vibration isolator ass'y　防振ゴム	2							
3	31110 13110		Bracket　ブラケット	1							
4	31110 13010		Bracket　ブラケット	1							
5	02201 10020		Flange bolt　フランジ付ボルト	18							
6	02915 20012		Nut,w/w　ワッシャ付ナット	4							
7	45214 01300		Washer　ワッシャ	4							
	32 - 00		INTAKE GROUP　インテーク グループ								
31	32100 43300		Air filter ass'y　エア フィルタ	1							Const.No.32～36
32	32143 15400		Element　エレメント	1							
33	32147 03100		O-ring　O-リング	1							
34	32142 10700		Cup　カップ	1							
	39148 05300		Plate(top)　プレート	1							
35	32151 01600		Vacuator valve　バキュエータ バルブ	1							
36	32214 01100		Nipple　ニップル	1							
37	32148 03000		Filter,service indicator　インジケータ	1							
38	32240 47400		Bracket　ブラケット	1							
39	02201 10020		Flange bolt　フランジ付ボルト	6							
40	32331 88102		Hose　ホース	1							
41	03511 20150		Hose clip　ホース クリップ	1							
42	03511 20160		Hose clip　ホース クリップ	1							


- WITHOUT AIR DRYER TYPE -
176
179
173
175
178
174
125
126
121
127
86
88
87
124
123
122
129
128
83
180
181
D
132
130
131
C
B
84
85
12
11
10
9
A
8
165
166
163
167
168
164
177
179
176
175
179
173
170
174
171
178
161
162
169
172
186
183
191
185
184
187
186
188
190
189
190
182
37
39
40
34
35
38
89
90
31
C
44
43
78
72
73
74
75
76
77
82
80
79
91
81
71
B
41
42
32
46
45
36
47
33
17
18
4
5
1
3
13
15
14
7
6
2
16

33 - 00　SERVICE AIR LINE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	33 - 00		RECEIVER GROUP	ﾚｼｰﾊﾞ ｸﾞﾙｰﾌﾟ								
1	33100 85513		Receiver tank	ﾚｼｰﾊﾞ ﾀﾝｸ	1	～2046	～2056	～2046	～2056			
1 -1	33100 04320	A	Receiver tank	ﾚｼｰﾊﾞ ﾀﾝｸ	1	2047～	2057～	2047～	2057～		M694	
2	31130 10800		Vibration isolator ass'y	防振ｺﾞﾑ	4	～0054	～0054	～0054	～0054			
2 -1	31130 10700	B	Vibration isolator ass'y	防振ｺﾞﾑ	4	0055～	0055～	0055～	0055～		M485	
3	02915 00010		Hexagon flange nuts	ﾌﾗﾝｼﾞ付ﾅｯﾄ	4							
4	33231 02500		Cap	ｷｬｯﾌﾟ	1							
5	03402 25030		O-ring	O-ﾘﾝｸﾞ	1							
6	33200 05000		Gauge ass'y	ｹﾞｰｼﾞ	1	～0054	～0057	～0054	～0057			Incl.Gauge glass & Bolt
6 -1	33200 04900	B	Gauge ass'y	ｹﾞｰｼﾞ	1	0055～	0058～	0055～	0058～		M481	Incl.Gauge glass & Bolt
	33234 08100		Gauge glass	ｹﾞｰｼﾞ ｸﾞﾗｽ	1							
	33201 02400	C	Bolt	ﾎﾞﾙﾄ	2	0055～	0058～	0055～	0058～		M481	
	33201 01500	D	Bolt	ﾎﾞﾙﾄ	2	0055～	0058～	0055～	0058～		M481	
7	03402 25016		O-ring	O-ﾘﾝｸﾞ	4							
8	33310 64000		Pipe,discharge	ﾃﾞｨｽﾁｬｰｼﾞ ﾊﾟｲﾌﾟ	1							(flexible)
9	03402 25095		O-ring	O-ﾘﾝｸﾞ	2							
10	02135 12040		Bolt	ﾎﾞﾙﾄ	8							
11	03115 02012		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	8							
12	03116 12012		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	8							
13	03728 06130		Gas pipe	ｶﾞｽ ﾊﾟｲﾌﾟ	1							
14	03735 13006		Valve	ﾊﾞﾙﾌﾞ	1							
15	03620 41006		Plug	ﾌﾟﾗｸﾞ	1							
16	31121 05600		Shim	ｼﾑ	1	～0054	～0054	～0054	～0054			
16 -1	02201 08020	B	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	8	0055～	0055～	0055～	0055～		M485	
17	33238 01900	D	Plug	ﾌﾟﾗｸﾞ	1	0074～	0061～	0074～	0061～		M509	Incl.No.18
18	03402 25014	D	O-ring	O-ﾘﾝｸﾞ	1	0074～	0061～	0074～	0061～		M509	
	34 - 00		SEPARATOR GROUP	ｾﾊﾟﾚｰﾀ ｸﾞﾙｰﾌﾟ								
31	34210 33800		Casing,separator	ｾﾊﾟﾚｰﾀ ｹｰｼﾝｸﾞ	2							
32	03402 25145		O-ring	O-ﾘﾝｸﾞ	2							
33	36141 18500		Gauge,air press.	ﾀﾝｸ内圧力計	1							C
34	34224 03000		Element	ｴﾚﾒﾝﾄ	2							Incl.Seal
	34235 08800		Seal	ｼｰﾙ	2							
35	03729 12140		Gas pipe	ｶﾞｽ ﾊﾟｲﾌﾟ	2							
36	36132 08400		Gauge panel	ｹﾞｰｼﾞ ﾊﾟﾈﾙ	1							C
37	34250 30503		Cover,separator	ｾﾊﾟﾚｰﾀ ｶﾊﾞｰ	2							
38	03402 15145		O-ring	O-ﾘﾝｸﾞ	2							
39	02283 10035		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	16							
40	03115 31010		Lock washer	ﾛｯｸ ﾜｯｼｬ	16							
41	03620 60001		Plug	ﾌﾟﾗｸﾞ	3							
42	03620 60003		Plug	ﾌﾟﾗｸﾞ	2							
43	33238 01800		Plug	ﾌﾟﾗｸﾞ	2							Incl.No.44
44	03402 25011		O-ring	O-ﾘﾝｸﾞ	2							
45	36385 06400		Pipe	ﾊﾟｲﾌﾟ	1							C
46	03620 60001		Plug	ﾌﾟﾗｸﾞ	1							T
46	03734 53010		Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	2							C
47	02201 06016		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2							C

備　考 T:Touchscreen type
Remarks C:Controller type

33 - 00　SERVICE AIR LINE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	35 - 00		SERVICE HEADER GROUP ｻｰﾋﾞｽ ﾍｯﾀﾞ ｸﾞﾙｰﾌﾟ								
71	35301 22800		Body	ﾎﾞﾃﾞｨ	1						
72	03402 25045		O-ring	O-ﾘﾝｸﾞ	2						
73	03402 15090		O-ring	O-ﾘﾝｸﾞ	1						
74	22144 17000		Spring	ｽﾌﾟﾘﾝｸﾞ	1						
75	35303 09800		Piston	ﾋﾟｽﾄﾝ	1						
76	35303 08700		Piston	ﾋﾟｽﾄﾝ	1						(ﾊﾞﾙﾌﾞ)
77	35301 22700		Body	ﾎﾞﾃﾞｨ	1						
78	03402 15050		O-ring	O-ﾘﾝｸﾞ	2						
79	02283 10130		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	2						
80	02283 10110		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	4						
81	02283 10030		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	6						
82	03115 31010		Lock washer	ﾛｯｸ ﾜｯｼｬ	12						
83	37160 71820		Pipe	ﾊﾟｲﾌﾟ	1						
84	03402 15060		O-ring	O-ﾘﾝｸﾞ	1						
85	02248 10035		Bolt,w/w	ﾜｯｼｬ付ﾎﾞﾙﾄ	4						
86	03402 15075		O-ring	O-ﾘﾝｸﾞ	1						
87	02238 12035		Bolt,w/w	ﾜｯｼｬ付ﾎﾞﾙﾄ	4						
88	03116 12012		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	4						
89	35200 15200		Safety valve ass'y	安全弁	2	～2046	～2056	～2046	～2056		(1.0MPa)
89 -1	35200 23600	A	Safety valve ass'y	安全弁	2	2047～	2057～	2047～	2057～	M694	(1.0MPa)
90	03731 21006		Elbow	ｴﾙﾎﾞ	2						
91	03620 60003		Plug	ﾌﾟﾗｸﾞ	1						
	38 - 00		COOLING GROUP	ｸｰﾘﾝｸﾞ ｸﾞﾙｰﾌﾟ							
121	38200 44902		Oil cooler	ｵｲﾙ ｸｰﾗ	1	～0094	～0086	～0094	～0086		
121 -1	38200 47900	B	Oil cooler	ｵｲﾙ ｸｰﾗ	1	0095～	0087～	0095～	0087～	M556	
122	35483 13200		Stop valve	ｽﾄｯﾌﾟ ﾊﾞﾙﾌﾞ	1						
123	37731 06600		Nipple	ﾆｯﾌﾟﾙ	1						Incl.No.124
124	03402 25014		O-ring	O-ﾘﾝｸﾞ	2						
125	02138 06120	C	Bolt	ﾎﾞﾙﾄ	2	0095～	0087～	0095～	0087～	M556	
126	38420 56700	C	Bracket	ﾌﾞﾗｹｯﾄ	2	0095～	0087～	0095～	0087～	M556	(washer t=2.3)
127	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	1	～0094	～0086	～0094	～0086		
127 -1	02201 08020	Q	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	3	0095～	0087～	0095～	0087～	M556	
128	37116 40000		Pipe	ﾊﾟｲﾌﾟ	1						T
128	37116 33901		Pipe	ﾊﾟｲﾌﾟ	1	～0104	～0095	～0104	～0095		C
128 -1	37116 39400	B	Pipe	ﾊﾟｲﾌﾟ	1	0105～	0096～	0105～	0096～	M576	C
129	03734 70040		Nipple	ﾆｯﾌﾟﾙ	1	～0104	～0095	～0104	～0095		
129 -1	03734 52040	B	Nipple	ﾆｯﾌﾟﾙ	1	0105～	0096～	0105～	0096～	M576	
130	03734 70032		Nipple	ﾆｯﾌﾟﾙ	1	～0104	～0095	～0104	～0095		
130 -1	03734 52032	B	Nipple	ﾆｯﾌﾟﾙ	1	0105～	0096～	0105～	0096～	M576	
131	37189 42100		Bushing	ﾌﾞｯｼﾝｸﾞ	1						T
132	03620 60002		Plug	ﾌﾟﾗｸﾞ	1						T

33 - 00　SERVICE AIR LINE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	70 - 00		AIR CONDITIONING GROUP　ｴｱ ｺﾝﾃﾞｨｼｮﾆﾝｸﾞ ｸﾞﾙｰﾌﾟ								
161	38930 33502		Air dryer(ACS55VG)　ｴｱ ﾄﾞﾗｲﾔ	1	～2033	～2036	～2033	～2036			Const.No.162～170
161 -1	38930 34500	B	Air dryer(ACS55VG-B)　ｴｱ ﾄﾞﾗｲﾔ	1	2034～	2037～	2034～	2037～		M651	Const.No.162～170
161	52540 73500		Support　ｻﾎﾟｰﾄ	1							w/o D
162	0A002851000		Compressor　冷凍機	1							
163	03102908010		Condenser　凝縮器	1							
164	03108604010		Heat exchanger　熱交換器	1							
165	04108703020		Pressure switch　ﾌｧﾝｺﾝﾄﾛｰﾙ圧力ｽｲｯﾁ	1							
166	0A003606010		Pressure switch　高圧圧力ｽｲｯﾁ	1							
167	0A002849000		Capacity control valve　ｷｬﾊﾟｼﾃｨ ｺﾝﾄﾛｰﾙ ﾊﾞﾙﾌﾞ	1							
168	0A003131000		Thermo switch　ｻｰﾓ ｽｲｯﾁ	1							
169	0A001749000		Fan motor　ﾌｧﾝ ﾓｰﾀ	1	～0104	～0094	～0104	～0094			
169 -1	0A004640000	B	Fan motor　ﾌｧﾝ ﾓｰﾀ	1	～2033	～2036	～2033	～2036		M574	
169 -2	0A003994020	B	Fan motor　ﾌｧﾝ ﾓｰﾀ	1	2034～	2037～	2034～	2037～		M651	
170	02A30025030		Gauge　蒸発圧力計	1							
171	02201 08020		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	5							
172	03407 65407		Seal rubber　ｼｰﾙ ﾗﾊﾞｰ	1							
173	52728 93400		Cushion rubber　ｸｯｼｮﾝ ﾗﾊﾞｰ	1							
174	37160 19820		Pipe　ﾊﾟｲﾌﾟ	1							w.D
174	37160 72720		Pipe　ﾊﾟｲﾌﾟ	1							w/o D
175	35470 46600		Bracket　ﾌﾞﾗｹｯﾄ	1							w.D
175	35470 48600		Bracket　ﾌﾞﾗｹｯﾄ	1							w/o D
176	02401 66012		Screw　ｽｸﾘｭ	2							w.D
176	02201 06016		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2							w/o D
177	45214 02700		Washer　ﾜｯｼｬ	4							w.D
178	03830 06010		U-bolt　U-ﾎﾞﾙﾄ	1							
179	02915 00006		Hexagon flange nuts　ﾌﾗﾝｼﾞ付ﾅｯﾄ	4							w.D
179	02915 00006		Hexagon flange nuts　ﾌﾗﾝｼﾞ付ﾅｯﾄ	2							w/o D
180	37160 93110		Pipe　ﾊﾟｲﾌﾟ	1							w.D(flexible)
181	03734 43160		Nipple　ﾆｯﾌﾟﾙ	1							w.D
182	03841 20025		Nylon tube,w/n　ﾅｯﾄ付ﾅｲﾛﾝﾁｭｰﾌﾞ	1							w.D
183	52728 38410		Cushion rubber　ｸｯｼｮﾝ ﾗﾊﾞｰ	1							w.D
184	46811 30800		Solenoid valve　電磁弁	1							w.D(dryer drain)
	46860 02500		Service parts　ｻｰﾋﾞｽ ﾊﾟｰﾂ	1							w.D(coil ass'y)
	46860 02600		Service parts　ｻｰﾋﾞｽ ﾊﾟｰﾂ	1							w.D(o-ring etc)
	21221 05400		O-ring　O-ﾘﾝｸﾞ	1							w.D
185	35470 46402		Bracket　ﾌﾞﾗｹｯﾄ	1							w.D
186	02201 06016		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	5							w.D
186	02201 06016		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	3							w/o D
187	03735 13002		Valve　ﾊﾞﾙﾌﾞ	1							w.D
188	03731 45002		Nipple　ﾆｯﾌﾟﾙ	1							w.D
189	03732 20402		Bush　ﾌﾞｯｼｭ	1							w.D
190	03734 20020		Nipple　ﾆｯﾌﾟﾙ	2							w.D
191	03403 00703	D	Grommet　ｸﾞﾛﾒｯﾄ	1	2020～	2017～	2020～	2017～		M608	w.D


42
58
44
42
44
43
36
41
42
43
44
42
37
38
B
C
40
31
44
32
60
38
59
33
39
7
8
4
B
35
51
53
52
46
45
47
A
C
9
3
5
6
6
2
1
61
See page 21-1
No. 45, 47
46
47
45
34
62
64
65
66
55
67
68
63
57
56
A
50
48
49
~M679
34
54
55
57
56

36 - 00　AIR LINE (A.C.C.S.) & OIL LINE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	—	—	—	変更 C/H	備考 Remarks
	36 - 00		CONTROL GROUP　ｺﾝﾄﾛｰﾙ ｸﾞﾙｰﾌﾟ								
1	37110 10200		Hose　ﾎｰｽ	1	～0080	～0070					
1 -1	37110 12800	B	Hose　ﾎｰｽ	1	0081～	0071～				M519	
2	03734 44003		Nipple elbow　ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1	～0080	～0070					
2 -1	37185 24400	B	Nipple elbow　ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1	0081～	0071～				M519	
3	37510 38903		Bracket　ﾌﾞﾗｹｯﾄ	1							
4	02201 08012		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2							
5	36368 11002		Pipe　ﾊﾟｲﾌﾟ	1							
6	03734 53031		Nipple elbow　ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	2							
7	37110 11800		Hose　ﾎｰｽ	1							
8	03734 43030		Nipple　ﾆｯﾌﾟﾙ	1							
9	03731 44003		Nipple　ﾆｯﾌﾟﾙ	1							
	37 - 00		OIL LINE GROUP　ｵｲﾙ ﾗｲﾝ ｸﾞﾙｰﾌﾟ								
31	37438 09700		Filter cartridge　ﾌｨﾙﾀ ｶｰﾄﾘｯｼﾞ	1							
32	37411 07501		Body　ﾎﾞﾃﾞｨ	1	～2033	～2036					
32 -1	37411 08100	B	Body　ﾎﾞﾃﾞｨ	1	2034～	2037～				M641	
33	03734 83106		Nipple　ﾆｯﾌﾟﾙ	1							Incl.No.38
34	03851 20020	C	Nylon tube,w/n　ﾅｯﾄ付ﾅｲﾛﾝﾁｭｰﾌﾞ	1	2021～	2018～				M625	
34 -1	03841 20021	D	Nylon tube,w/n　ﾅｯﾄ付ﾅｲﾛﾝﾁｭｰﾌﾞ	1	2034～	2038～				M679	
35	02201 08012		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2							
36	37114 27500		Pipe　ﾊﾟｲﾌﾟ	1	～0094	～0086					
36 -1	37114 29000	B	Pipe　ﾊﾟｲﾌﾟ	1	0095～	0087～				M556	
37	GD920 12500		Nipple　ﾆｯﾌﾟﾙ	1							Incl.No.38
38	03402 25024		O-ring　O-ﾘﾝｸﾞ	2							
39	37110 07400		Hose　ﾎｰｽ	1							
40	03734 85080		Nipple elbow　ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1							Incl.No.44
41	37111 25900		Pipe　ﾊﾟｲﾌﾟ	1	～0094	～0086					
41 -1	37111 27800	B	Pipe　ﾊﾟｲﾌﾟ	1	0095～	0087～				M556	
42	37187 01100		O-ring　O-ﾘﾝｸﾞ	4							
43	03734 76080		Nipple elbow　ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	2							Incl.No.44
44	03402 25029		O-ring　O-ﾘﾝｸﾞ	4							
45	37189 36600		Bushing　ﾌﾞｯｼﾝｸﾞ	2							
46	03402 25011		O-ring　O-ﾘﾝｸﾞ	2							
47	37580 02000		Strainer　ｽﾄﾚｰﾅ	2							
48	36395 06702		Pipe　ﾊﾟｲﾌﾟ	1							
49	03734 53022		Nipple elbow　ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1							
50	03734 52022		Nipple　ﾆｯﾌﾟﾙ	1							
51	37189 33500		Bushing　ﾌﾞｯｼﾝｸﾞ	1							
52	37110 10400		Hose　ﾎｰｽ	1							
53	03734 43020		Nipple　ﾆｯﾌﾟﾙ	1							
54	03734 20020	C	Nipple　ﾆｯﾌﾟﾙ	1	2021～	2018～				M625	
55	37700 01000	C	Tank　ﾀﾝｸ	1	2021～	2018～				M625	
55 -1	38590 05300	D	Reserve tank ass'y　回収ﾎﾞﾄﾙｾｯﾄ	1	2034～	2038～				M679	Const.No.63～68
56	37540 24200	C	Bracket　ﾌﾞﾗｹｯﾄ	1	2021～	2018～				M625	
56 -1	37540 25200	D	Bracket　ﾌﾞﾗｹｯﾄ	1	2034～	2038～				M679	
57	52318 00700	C	Clip　ｸﾘｯﾌﾟ	2	2021～	2018～				M625	
57 -1	52318 00500	D	Clip　ｸﾘｯﾌﾟ	2	2034～	2038～				M679	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	—	—	—	変更 C/H	備考 Remarks
58	03734 76080		Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1	～0094	～0086				Incl.No.44
58 -1	03734 75080	B	Nipple	ﾆｯﾌﾟﾙ	1	0095～	0087～			M556	Incl.No.44
59	33238 03700	D	Plug	ﾌﾟﾗｸﾞ	1	2034～	2037～			M641	Incl.No.60
60	03402 25008	D	O-ring	O-ﾘﾝｸﾞ	1	2034～	2037～			M641	
61	03841 20044	D	Nylon tube,w/n	ﾅｯﾄ付ﾅｲﾛﾝﾁｭｰﾌﾞ	1	2034～	2038～			M679	
62	03734 21020	D	Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1	2034～	2038～			M679	
63	37700 02600	D	Tank	ﾀﾝｸ	1	2034～	2038～			M679	
64	37734 01300	D	Nipple	ﾆｯﾌﾟﾙ	1	2034～	2038～			M679	
65	37734 03900	D	Nipple	ﾆｯﾌﾟﾙ	1	2034～	2038～			M679	
66	03841 20005	D	Nylon tube,w/n	ﾅｯﾄ付ﾅｲﾛﾝﾁｭｰﾌﾞ	1	2034～	2038～			M679	
67	37189 45600	D	Bushing	ﾌﾞｯｼﾝｸﾞ	1	2034～	2038～			M679	
68	37580 01900	D	Strainer	ｽﾄﾚｰﾅ	1	2034～	2038～			M679	


See page 21-1
No. 45, 47
~M679

36 - 01　AIR LINE (REGULATOR) & OIL LINE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. —	—	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	36 - 01		CONTROL GROUP　ｺﾝﾄﾛｰﾙ ｸﾞﾙｰﾌﾟ								
1	37110 10200		Hose　ﾎｰｽ	1			～0080	～0070			
1 -1	37110 12800	B	Hose　ﾎｰｽ	1			0081～	0071～		M519	
2	03734 44003		Nipple elbow　ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1			～0080	～0070			
2 -1	37185 24400	B	Nipple elbow　ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1			0081～	0071～		M519	
3	37510 39500		Bracket　ﾌﾞﾗｹｯﾄ	1							
4	02201 08012		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2							
5	36400 22701		Regulator ass'y　ﾚｷﾞｭﾚｰﾀ	1							Incl.Diaphragm
	36437 02101		Diaphragm　ﾀﾞｲｱﾌﾗﾑ	1							
6	02201 06016		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2							
7	37110 01400		Hose　ﾎｰｽ	1							
8	03734 47032		Nipple elbow　ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1							
9	36369 01201		Pipe　ﾊﾟｲﾌﾟ	1							
10	37189 38500		Bushing　ﾌﾞｯｼﾝｸﾞ	2							
11	03620 60002		Plug　ﾌﾟﾗｸﾞ	2							
12	37189 01400		Bushing　ﾌﾞｯｼﾝｸﾞ	1							
13	36395 07300		Pipe　ﾊﾟｲﾌﾟ	1							
14	03734 53031		Nipple elbow　ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1							
15	36344 13500		Pipe　ﾊﾟｲﾌﾟ	1							
16	03734 52031		Nipple　ﾆｯﾌﾟﾙ	1							
17	03734 53020		Nipple elbow　ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	4							
18	03732 20302		Bush　ﾌﾞｯｼｭ	1							
19	46450 30110		Bracket　ﾌﾞﾗｹｯﾄ	1							
20	02138 16030		Bolt　ﾎﾞﾙﾄ	1							
21	03115 02016		Spring washer　ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	1							
22	03116 12016		Plain washer　ﾌﾟﾚｰﾝ ﾜｯｼｬ	1							
23	46811 13300		Solenoid valve　電磁弁	1							
	46860 01000		Service parts　ｻｰﾋﾞｽ ﾊﾟｰﾂ	1							
24	02138 05012		Bolt　ﾎﾞﾙﾄ	4							
25	03115 02005		Spring washer　ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	4							
26	03116 12005		Plain washer　ﾌﾟﾚｰﾝ ﾜｯｼｬ	4							
27	03840 20022		Nylon tube,w/n　ﾅｯﾄ付ﾅｲﾛﾝﾁｭｰﾌﾞ	1							
28	03840 20017		Nylon tube,w/n　ﾅｯﾄ付ﾅｲﾛﾝﾁｭｰﾌﾞ	1							
29	03734 21020		Nipple elbow　ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	2							
30	03734 20020		Nipple　ﾆｯﾌﾟﾙ	1							
31	03840 20020		Nylon tube,w/n　ﾅｯﾄ付ﾅｲﾛﾝﾁｭｰﾌﾞ	1							
	37 - 01		OIL LINE GROUP　ｵｲﾙ ﾗｲﾝ ｸﾞﾙｰﾌﾟ								
61	37438 09700		Filter cartridge　ﾌｨﾙﾀ ｶｰﾄﾘｯｼﾞ	1							
62	37411 07501		Body　ﾎﾞﾃﾞｨ	1			～2033	～2036			
62 -1	37411 08100	B	Body　ﾎﾞﾃﾞｨ	1			2034～	2037～		M641	
63	03734 83106		Nipple　ﾆｯﾌﾟﾙ	1							Incl.No.68
64	03851 20020	C	Nylon tube,w/n　ﾅｯﾄ付ﾅｲﾛﾝﾁｭｰﾌﾞ	1			2021～	2018～		M625	
64 -1	03841 20021	D	Nylon tube,w/n　ﾅｯﾄ付ﾅｲﾛﾝﾁｭｰﾌﾞ	1			2034～	2038～		M625	
65	02201 08012		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2							
66	37114 27500		Pipe　ﾊﾟｲﾌﾟ	1			～0094	～0086			
66 -1	37114 29000	B	Pipe　ﾊﾟｲﾌﾟ	1			0095～	0087～		M556	
67	GD920 12500		Nipple　ﾆｯﾌﾟﾙ	1							Incl.No.68
68	03402 25024		O-ring　O-ﾘﾝｸﾞ	2							
69	37110 07400		Hose　ﾎｰｽ	1							
70	03734 85080		Nipple elbow　ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1							Incl.No.74

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. —	—	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
71	37111 25900		Pipe	ﾊﾟｲﾌﾟ	1		～0094	～0086			
71 -1	37111 27800	B	Pipe	ﾊﾟｲﾌﾟ	1		0095～	0087～		M556	
72	37187 01100		O-ring	O-ﾘﾝｸﾞ	4						
73	03734 76080		Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	2						Incl.No.74
74	03402 25029		O-ring	O-ﾘﾝｸﾞ	4						
75	37189 36600		Bushing	ﾌﾞｯｼﾝｸﾞ	2						
76	03402 25011		O-ring	O-ﾘﾝｸﾞ	2						
77	37580 02000		Strainer	ｽﾄﾚｰﾅ	2						
78	36395 06702		Pipe	ﾊﾟｲﾌﾟ	1						
79	03734 53022		Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1						
80	03734 52022		Nipple	ﾆｯﾌﾟﾙ	1						
81	37189 33500		Bushing	ﾌﾞｯｼﾝｸﾞ	1						
82	37110 10400		Hose	ﾎｰｽ	1						
83	03734 43020		Nipple	ﾆｯﾌﾟﾙ	1						
84	03734 20020	C	Nipple	ﾆｯﾌﾟﾙ	1		2021～	2018～		M625	
85	37700 01000	C	Tank	ﾀﾝｸ	1		2021～	2018～		M625	
85 -1	38590 05300	D	Reserve tank ass'y	回収ﾎﾞﾄﾙｾｯﾄ	1		2034～	2038～		M679	Const.No.93～98
86	37540 24200	C	Bracket	ﾌﾞﾗｹｯﾄ	1		2021～	2018～		M625	
86 -1	37540 25200	D	Bracket	ﾌﾞﾗｹｯﾄ	1		2034～	2038～		M679	
87	52318 00700	C	Clip	ｸﾘｯﾌﾟ	2		2021～	2018～		M625	
87 -1	52318 00500	D	Clip	ｸﾘｯﾌﾟ	2		2034～	2038～		M679	
88	03734 76080		Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1		～0094	～0086			Incl.No.74
88 -1	03734 75080	B	Nipple	ﾆｯﾌﾟﾙ	1		0095～	0087～		M556	Incl.No.74
89	33238 03700	D	Plug	ﾌﾟﾗｸﾞ	1		2034～	2037～		M641	Incl.No.90
90	03402 25008	D	O-ring	O-ﾘﾝｸﾞ	1		2034～	2037～		M641	
91	03841 20044	D	Nylon tube,w/n	ﾅｯﾄ付ﾅｲﾛﾝﾁｭｰﾌﾞ	1		2034～	2038～		M679	
92	03734 21020	D	Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1		2034～	2038～		M679	
93	37700 02600	D	Tank	ﾀﾝｸ	1		2034～	2038～		M679	
94	37734 01300	D	Nipple	ﾆｯﾌﾟﾙ	1		2034～	2038～		M679	
95	37734 03900	D	Nipple	ﾆｯﾌﾟﾙ	1		2034～	2038～		M679	
96	03841 20005	D	Nylon tube,w/n	ﾅｯﾄ付ﾅｲﾛﾝﾁｭｰﾌﾞ	1		2034～	2038～		M679	
97	37189 45600	D	Bushing	ﾌﾞｯｼﾝｸﾞ	1		2034～	2038～		M679	
98	37580 01900	D	Strainer	ｽﾄﾚｰﾅ	1		2034～	2038～		M679	




1
17
15
18


2
21
11
9
5
26
20
28
25
10
8
3
19
4
24
7
6
13


- CONTROLLER TYPE -
11
5


12
16
27


23


22
14

備　考 T:Touchscreen type
Remarks C:Controller type

39 - 00　NAME PLATE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	39 - 00		ACCESSORY GROUP　ｱｸｾｻﾘ ｸﾞﾙｰﾌﾟ								
	39600 01740		Instruction manual　取扱説明書		～2007	～2006				T	(Japanese)
	39600 07240	A	Instruction manual　取扱説明書		～2020	～2017				M596 T	(Japanese)
	39600 18940	B	Instruction manual　取扱説明書		—	—				M625 T	(Japanese)
	39600 16040	B	Instruction manual　取扱説明書		～2032	～2033				M598 T	(Japanese)
	39600 59440	B	Instruction manual　取扱説明書		～2033	～2036				M653 T	(Japanese)
	39600 56240	B	Instruction manual　取扱説明書		—	～2037				M651 T	(Japanese)
	39600 86441	B	Instruction manual　取扱説明書		～2056	～2064				M679 T	(Japanese)
	39600 35851	B	Instruction manual　取扱説明書		2057～	2065～				M717 T	(Japanese)
	39600 01840		Instruction manual　取扱説明書				～2007	～2006		T	(Japanese)
	39600 07340	A	Instruction manual　取扱説明書				～2020	～2017		M596 T	(Japanese)
	39600 19040	B	Instruction manual　取扱説明書				—	—		M625 T	(Japanese)
	39600 16140	B	Instruction manual　取扱説明書				～2032	～2033		M598 T	(Japanese)
	39600 59640	B	Instruction manual　取扱説明書				～2033	～2036		M653 T	(Japanese)
	39600 56540	B	Instruction manual　取扱説明書				—	～2037		M651 T	(Japanese)
	39600 86641	B	Instruction manual　取扱説明書				～2056	～2064		M679 T	(Japanese)
	39600 36051	B	Instruction manual　取扱説明書				2057～	2065～		M717 T	(Japanese)
	39600 65536		Instruction manual　取扱説明書		～2020	～2017				C	(Japanese)
	39600 18541	B	Instruction manual　取扱説明書		～2033	～2036				M625 C	(Japanese)
	39600 55840	B	Instruction manual　取扱説明書		—	～2037				M651 C	(Japanese)
	39600 71740	B	Instruction manual　取扱説明書		—	—				M664 C	(Japanese)
	39600 86040	B	Instruction manual　取扱説明書		～2056	～2064				M679 C	(Japanese)
	39600 41650	B	Instruction manual　取扱説明書		2057～	2065～				M716 C	(Japanese)
	39600 74036		Instruction manual　取扱説明書		～2020	～2017				C	(English)
	39600 18841	B	Instruction manual　取扱説明書		～2033	～2036				M625 C	(English)
	39600 56140	B	Instruction manual　取扱説明書		—	～2037				M651 C	(English)
	39600 72040	B	Instruction manual　取扱説明書		—	—				M664 C	(English)
	39600 86340	B	Instruction manual　取扱説明書		～2056	～2064				M679 C	(English)
	39600 41950	B	Instruction manual　取扱説明書		2057～	2065～				M716 C	(English)
	39600 71136		Instruction manual　取扱説明書				～2020	～2017		C	(Japanese)
	39600 18741	B	Instruction manual　取扱説明書				～2033	～2036		M625 C	(Japanese)
	39600 56040	B	Instruction manual　取扱説明書				—	～2037		M651 C	(Japanese)
	39600 71940	B	Instruction manual　取扱説明書				—	—		M664 C	(Japanese)
	39600 86240	B	Instruction manual　取扱説明書				～2056	～2064		M679 C	(Japanese)
	39600 41850	B	Instruction manual　取扱説明書				2057～	2065～		M716 C	(Japanese)
1	39103 09411		Plate(SER.NO.)　ﾌﾟﾚｰﾄ	1							
	03260 03010		Blind rivet　ﾘﾍﾞｯﾄ	4							
2	39178 22540		Plate(AIRMAN SAS55-E)　ﾌﾟﾚｰﾄ	1	～2020	～2017	～2020	～2017		T	
2 -1	39178 06450	B	Plate(AIRMAN SAS55-E)　ﾌﾟﾚｰﾄ	1	2021～	2018～	2021～	2018～		M598 T	
2	39178 22540		Plate(AIRMAN SAS55-E)　ﾌﾟﾚｰﾄ	1						C	
3	39178 98330		Plate(PROAIR AS)　ﾌﾟﾚｰﾄ	1							
4	39153 67003		Plate(notice)　ﾌﾟﾚｰﾄ	1						w.D	(Japanese)
4	39153 51501		Plate(notice)　ﾌﾟﾚｰﾄ	1						w/o D	(Japanese)
4	39153 69500		Plate(notice)　ﾌﾟﾚｰﾄ	1							(English)
5	39178 79840		Plate(in-pane)　ﾌﾟﾚｰﾄ	1	～2020	～2017	～2020	～2017		T	(Japanese)
5 -1	39178 01850	B	Plate(in-pane)　ﾌﾟﾚｰﾄ	1	2021～	2018～	2021～	2018～		M596 T	(Japanese)
5	39178 15742		Plate(in-pane)　ﾌﾟﾚｰﾄ	1	～2056	～2064	～2056	～2064		C	(Japanese)
5 -1	39178 56950	B	Plate(in-pane)　ﾌﾟﾚｰﾄ	1	2057～	2065～	2057～	2065～		M716 C	(Japanese)
5	39178 27542		Plate(in-pane)　ﾌﾟﾚｰﾄ	1	～2056	～2064	—	—		C	(English)
5 -1	39178 57150	B	Plate(in-pane)　ﾌﾟﾚｰﾄ	1	2057～	2065～	—	—		M716 C	(English)

39 - 00　NAME PLATE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
6	39176 10510		Plate(comp.oil)	プレート	1	～2033	～2037	～2033	～2037			(Japanese)
6 -1	39176 23410	A	Plate(comp.oil)	プレート	1	2034～	2038～	2034～	2038～		M681	(Japanese)
6	39179 01700		Plate(genuine oil)	プレート	1	～2033	～2037	～2033	～2037			(English)
6 -1	39176 23710	A	Plate(genuine oil)	プレート	1	2034～	2038～	2034～	2038～		M681	(English)
7	39176 04310		Plate(caution.strainer)	プレート	1							(Japanese)
7	39176 11910		Plate(caution.strainer)	プレート	1							(English)
8	39178 22640		Plate(line)	プレート	1							
9	39178 22740		Plate(line)	プレート	1							
10	39178 22840		Plate(line)	プレート	1							
11	39178 80140		Plate(line)	プレート	1	～2020	～2017	～2020	～2017			T
11 -1	39178 06550	B	Plate(line)	プレート	1	2021～	2018～	2021～	2018～		M598	T
11	39178 22440		Plate(line)	プレート	1							C
12	39173 00400		Plate,complete	プレート(1セット)	1	～0071	～0058	～0071	～0058			w.D (Japanese)
12 -1	39173 06200	A	Plate,complete	プレート(1セット)	1	0072～	0059～	0072～	0059～		M504	w.D (Japanese)
12	39173 06500		Plate,complete	プレート(1セット)	1							w.D (English)
			(Const.No.13～15)									
12	39173 00400		Plate,complete	プレート(1セット)	1	～0071	～0058	～0071	～0058			w/o D (Japanese)
12 -1	39173 06200	A	Plate,complete	プレート(1セット)	1	0072～	0059～	0072～	0059～		M504	w/o D (Japanese)
12	39173 06500		Plate,complete	プレート(1セット)	1							w/o D (English)
			(Const.No.13～14)									
13	＊ ＊ ＊	Z	Plate	プレート	1							(39173 00400,
			(caution,electric shock)									06200)
13	＊ ＊ ＊	Z	Plate	プレート	1							(39173 06500)
			(caution,electric shock)									
14	＊ ＊ ＊	Z	Plate(caution.rotation)	プレート(spare:2)	3	～0071	～0058	～0071	～0058			(39173 00400)
14 -1	＊ ＊ ＊	Z,Q	Plate(caution.rotation)	プレート	1	0072～	0059～	0072～	0059～		M504	(39173 06200)
14	＊ ＊ ＊	Z	Plate	プレート	1							(39173 06500)
			(caution,entanglement)									
15	＊ ＊ ＊	Z	Plate	プレート	1							w.D(39173 00400,
			(caution,compressed air)									06200)
15	＊ ＊ ＊	Z	Plate	プレート	1							w.D(39173 06500)
			(caution,compressed air)									
16	39173 05300		Plate,complete	プレート(1セット)	1	～0071	～0058	～0071	～0058			w.D (Japanese)
16 -1	39173 06300	A	Plate,complete	プレート(1セット)	1	～2045	～2053	～2045	～2053		M504	w.D (Japanese)
			(Const.No.17～18)									
16 -2	39173 08900	A	Plate,complete	プレート(1セット)	1	2046～	2054～	2046～	2054～		M688	w.D (Japanese)
			(Const.No.17～18 & 28)									
16	39173 06600		Plate,complete	プレート(1セット)	1	～2045	～2053	～2045	～2053			w.D (English)
			(Const.No.17～18)									
16 -1	39173 08900	A	Plate,complete	プレート(1セット)	1	2046～	2054～	2046～	2054～		M688	w.D (English)
			(Const.No.17～18 & 28)									
16	39173 05300		Plate,complete	プレート(1セット)	1	～0071	～0058	～0071	～0058			w/o D (Japanese)
16 -1	39173 06300	A	Plate,complete	プレート(1セット)	1	～2045	～2053	～2045	～2053		M504	w/o D (Japanese)
			(Const.No.17)									
16 -2	39173 08900	A	Plate,complete	プレート(1セット)	1	2046～	2054～	2046～	2054～		M688	w/o D (Japanese)
			(Const.No.17 & 28)									
16	39173 06600		Plate,complete	プレート(1セット)	1	～2045	～2053	～2045	～2053			w/o D (English)
			(Const.No.17)									
16 -1	39173 08900	A	Plate,complete	プレート(1セット)	1	2046～	2054～	2046～	2054～		M688	w/o D (English)
			(Const.No.17 & 28)									
17	＊ ＊ ＊	Z	Plate	プレート	1							(39173 05300,
			(compressed air outlet)									06300,08900)
17	＊ ＊ ＊	Z	Plate	プレート	1							(39173 06600,
			(compressed air outlet)									08900)

39 - 00　NAME PLATE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
18	＊ ＊ ＊	Z	Plate(dryer drain)	ﾌﾟﾚｰﾄ	1							w.D(39173 05300, 06300,08900)
18	＊ ＊ ＊	Z	Plate(dryer drain)	ﾌﾟﾚｰﾄ	1							w.D(39173 06600) 08900)
19	39178 22940		Plate(press.range)	ﾌﾟﾚｰﾄ	1							w.D
20	39178 99930		Plate(oil cooler drain)	ﾌﾟﾚｰﾄ	1	～2037	～2045	～2037	～2045			(Japanese)
20 -1	39178 24550	B	Plate(OPEN-CLOSE)	ﾌﾟﾚｰﾄ	1	2038～	2046～	2038～	2046～		M659	(Japanese)
20	39178 00440		Plate(oil cooler drain)	ﾌﾟﾚｰﾄ	1	～2037	～2045	～2037	～2045			(English)
20 -1	39178 24550	B	Plate(OPEN-CLOSE)	ﾌﾟﾚｰﾄ	1	2038～	2046～	2038～	2046～		M659	(English)
21	39178 16240		Plate(S-TYPE)	ﾌﾟﾚｰﾄ	1	◎	◎					
21	39178 16340		Plate(R-TYPE)	ﾌﾟﾚｰﾄ	1			◎	◎			
22	39138 00700		Plate(arrow)	ﾌﾟﾚｰﾄ	1							(Japanese)
22	39138 00200		Plate(arrow)	ﾌﾟﾚｰﾄ	1							
23	39176 30700		Plate(earth)	ﾌﾟﾚｰﾄ	1							
24	39178 45140	D	Plate(Made in JAPAN)	ﾌﾟﾚｰﾄ	1	0084～	0075～	0084～	0075～		M538	(English)
24 -1	39178 84340	A	Plate(Made in JAPAN)	ﾌﾟﾚｰﾄ	1	0105～	0095～	0105～	0095～		M581	(English)
25	39178 80240	C	Plate(line)	ﾌﾟﾚｰﾄ	1	2021～	2018～	2021～	2018～		M598	T
26	39178 61910	D	Plate(RESET)	ﾌﾟﾚｰﾄ	1	2021	2018～	2021	2018～		M598	T
26 -1	39178 04250	A	Plate(EMERGENCY STOP)	ﾌﾟﾚｰﾄ	1	2022～	2028～	2022～	2028～		M639	T
27	39173 02401	D	Plate,complete	ﾌﾟﾚｰﾄ(1ｾｯﾄ)	1	2038～	2046～	2038～	2046～		M659	
27 -1	39173 02401	C	Plate,complete	ﾌﾟﾚｰﾄ(1ｾｯﾄ)	1	2046～	2054～	2046～	2054～		M688	
			(Const.No.28)									
28	＊ ＊ ＊	Z,D	Plate(oil cooler drain)	ﾌﾟﾚｰﾄ	1	2038～	2046～	2038～	2046～		M659	(39173 02401, 08900)


- 400/440V TYPE -
VIEW-A

45 - 00　MOTOR & ELECTRIC(TOUCHSCREEN TYPE)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	45 - 00		MOTOR GROUP　ﾓｰﾀ ｸﾞﾙｰﾌﾟ								
1	45101 22711		Motor　ﾓｰﾀ	1							200/220V
1	45101 17311		Motor　ﾓｰﾀ	1							400/440V
	21472 18900		Bearing(6315UU)　ﾍﾞｱﾘﾝｸﾞ	1							(Air-end side)
	21472 20300		Bearing(6312UUAC)　ﾍﾞｱﾘﾝｸﾞ	1							(End cover side)
2	02138 16065		Bolt　ﾎﾞﾙﾄ	8							
3	03115 02016		Spring washer　ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	8							
4	02912 08016		Nut　ﾅｯﾄ	8							
5	52350 11530		Cover　ｶﾊﾞｰ	1							
6	38490 31701		Cooling fan　ｸｰﾘﾝｸﾞ ﾌｧﾝ	1							200/220V
6	38490 31901		Cooling fan　ｸｰﾘﾝｸﾞ ﾌｧﾝ	1							400/440V
7	02201 08020		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4							
8	02915 00008		Hexagon flange nuts　ﾌﾗﾝｼﾞ付ﾅｯﾄ	4							
9	02201 06016		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	9							
10	06540 10140		Corrugated tube　ｺﾙｹﾞｰﾄ ﾁｭｰﾌﾞ	1							
	46 - 00		ELECTRIC GROUP　ｴﾚｸﾄﾘｯｸ ｸﾞﾙｰﾌﾟ								
51	46230 10130		Star-delta starter　始動盤	1	～2020	～2017	～2020	～2017			200/220V
			(Const.No.52～64)								
51 -1	46230 17032	B	Star-delta starter　始動盤	1	～2056	～2064	～2056	～2064		M598	200/220V
51 -2	46230 29630	B	Star-delta starter　始動盤	1	—	～2067	—	～2067		M717	200/220V
51 -3	46230 22033	B	Star-delta starter　始動盤	1	2057～	2068～	2057～	2068～		M708	200/220V
			(Const.No.52～62 & 64)								
51	46230 14730		Star-delta starter　始動盤	1	～2020	～2017	～2020	～2017			400/440V
			(Const.No.52～66)								
51 -1	46230 17132	B	Star-delta starter　始動盤	1	～2056	～2064	～2056	～2064		M598	400/440V
51 -2	46230 29730	B	Star-delta starter　始動盤	1	—	～2067	—	～2067		M717	400/440V
51 -3	46230 28230	B	Star-delta starter　始動盤	1	2057～	2068～	2057～	2068～		M708	400/440V
			(Const.No.52～62 & 64～66)								
52	46131 21500		Contactor(delta etc.)　電磁接触器	2							200/220V
52	46131 25600		Contactor(delta etc.)　電磁接触器	2							400/440V
53	46131 25600		Contactor(star)　電磁接触器	1							200/220V
53	46131 25800		Contactor(star)　電磁接触器	1							400/440V
54	46159 18100		Thermal relay　ｻｰﾏﾙ ﾘﾚｰ	1							200/220V
54	46159 18200		Thermal relay　ｻｰﾏﾙ ﾘﾚｰ	1							400/440V
55	46140 16100		Magnetic switch　電磁開閉器	1							(dryer[main])
56	46140 16000		Magnetic switch　電磁開閉器	1							(dryer[fan])
57	46177 08000		Relay　ﾘﾚｰ	4							200/220V
57	46177 08000		Relay　ﾘﾚｰ	3							400/440V
58	46933 02700		Fuse holder　ﾋｭｰｽﾞ ﾎﾙﾀﾞ	2							
	46934 03000		Fuse(5A)　ﾋｭｰｽﾞ	2							
59	46942 15000		Transformer　変圧器	1							
60	38490 30800		Cooling fan　ｸｰﾘﾝｸﾞ ﾌｧﾝ	1							
61	46151 09200		Current trans　変流器	1							200/220V
61	46151 09100		Current trans　変流器	1							400/440V
62	46151 10700		Transducer　変換器	1							
63	44311 00510	C	Terminal plate　端子台	1	2021～	2018～	2021～	2018～		M598	
64	44311 97500		Terminal plate　端子台	1	～2056	～2067	～2056	～2067			200/220V
64 -1	44311 90000	B	Terminal plate　端子台	1	2057～	2068～	2057～	2068～		M708	200/220V
64	44311 01710		Terminal plate　端子台	1	～2056	～2067	～2056	～2067			400/440V
64 -1	44311 12510	B	Terminal plate　端子台	1	2057～	2068～	2057～	2068～		M708	400/440V

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
65	46942 15100		Transformer	変圧器	1							400/440V
66	46942 15200		Transformer	変圧器	1							400/440V
67	46879 76301		Controller complete	制御ｺﾝﾄﾛｰﾗ	1	～2020	～2017	～2020	～2017			
67 -1	46879 83802	B	Controller complete	制御ｺﾝﾄﾛｰﾗ	1	～2056	～2064	～2056	～2064		M598	
67 -2	46879 97800	B	Controller complete	制御ｺﾝﾄﾛｰﾗ	1	—	～2067	—	～2067		M717	
67 -3	46879 86304	B	Controller complete	制御ｺﾝﾄﾛｰﾗ	1	2057～	2068～	2057～	2068～		M708	
68	46480 91800		Cover	ｶﾊﾞｰ	1							
69	46480 71300		Cover	ｶﾊﾞｰ	1							
70	46480 71400		Cover	ｶﾊﾞｰ	1							
71	02202 06012		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	13							
72	03407 66811		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1							
73	03403 00512		Grommet	ｸﾞﾛﾒｯﾄ	1							
74	44311 86800		Terminal plate	端子台	1							
75	44328 20600		Pressure switch	ﾌﾟﾚｯｼｬ ｽｲｯﾁ	3							
76	44270 02500		Bolt	ﾎﾞﾙﾄ	1							(for earth)
77	03403 00703		Grommet	ｸﾞﾛﾒｯﾄ	4							
78	03403 01022		Grommet	ｸﾞﾛﾒｯﾄ	1							
79	44364 08200		Thermo sensor	ｻｰﾓ ｾﾝｻ	2							
80	44364 06800		Thermo sensor	ｻｰﾓ ｾﾝｻ	1							
81	46172 01000		Clip	ｸﾘｯﾌﾟ	1							
82	02345 64012		Screw	ｽｸﾘｭ	1							
83	03116 12004		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	1							
84	46811 29300		Solenoid valve	電磁弁	1							(control)
	46860 01600		Service parts	ｻｰﾋﾞｽ ﾊﾟｰﾂ	1							(coil)
	46860 01700		Service parts	ｻｰﾋﾞｽ ﾊﾟｰﾂ	1							(kit)
85	37181 06600		Clip	ｸﾘｯﾌﾟ	1							
86	44490 82540		Wiring harness(main)	ﾜｲﾔﾊｰﾈｽ(ﾒｲﾝ)	1	～2020	～2017	～2020	～2017			
86 -1	44490 11951	B	Wiring harness(main)	ﾜｲﾔﾊｰﾈｽ(ﾒｲﾝ)	1	～2056	～2067	～2056	～2067		M598	
86 -2	44490 35551	B	Wiring harness(main)	ﾜｲﾔﾊｰﾈｽ(ﾒｲﾝ)	1	2057～	2068～	2057～	2068～		M708	
87	44490 35442		Wiring harness(sub)	ﾜｲﾔﾊｰﾈｽ(ｻﾌﾞ)	1							
88	46879 77000		Controller complete	ﾌｧﾝ用ｲﾝﾊﾞｰﾀ	1							200/220V
88	46879 82400		Controller complete	ﾌｧﾝ用ｲﾝﾊﾞｰﾀ	1							400/440V
89	39178 77540		Plate	ﾌﾟﾚｰﾄ	1							(seal)
90	46450 26110		Bracket	ﾌﾞﾗｹｯﾄ	1							
91	46750 22610		Control panel	ｺﾝﾄﾛｰﾙ ﾊﾟﾈﾙ	1	～2020	～2017	～2020	～2017			
91 -1	46750 26210	B	Control panel	ｺﾝﾄﾛｰﾙ ﾊﾟﾈﾙ	1	～2032	～2033	～2032	～2033		M598	
91 -2	46750 29010	B	Control panel	ｺﾝﾄﾛｰﾙ ﾊﾟﾈﾙ	1	～2056	～2064	～2056	～2064		M653	
91 -3	46750 39910	B	Control panel	ｺﾝﾄﾛｰﾙ ﾊﾟﾈﾙ	1	2057～	2065～	2057～	2065～		M717	
92	46879 76402		Controller complete	ﾀｯﾁ ﾊﾟﾈﾙ	1	～2020	～2017	～2020	～2017			(Battery:CR2032)
92 -1	46879 83901	B	Controller complete	ﾀｯﾁ ﾊﾟﾈﾙ	1	～2056	～2064	～2056	～2064		M598	(Battery:CR2032)
92 -2	46879 97900	B	Controller complete	ﾀｯﾁ ﾊﾟﾈﾙ	1	2057～	2065～	2057～	2065～		M717	(Battery:CR2032)
	46871 01500	D	P-ROM	SDｶｰﾄﾞ	1	2024～	2031～	2024～	2031～		M644	(SD-CARD)
93	44480 92800		Cable	ｹｰﾌﾞﾙ	1	～2032	～2033	～2032	～2033			
93 -1	44480 07411	B	Cable	ｹｰﾌﾞﾙ	1	2033～	2034～	2033～	2034～		M653	
94	36120 29300		Plate	ﾌﾟﾚｰﾄ	1							
95	52728 49410		Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	1							
96	46640 22000		Wiring board	基盤	1	～2020	～2017	～2020	～2017			
96 -1	46640 23200	B	Wiring board	基盤	1	2021～	2018～	2021～	2018～		M598	
97	46470 20110		Box	ﾎﾞｯｸｽ	1	～2020	～2017	～2020	～2017			
97 -1	46470 30710	B	Box	ﾎﾞｯｸｽ	1	2021～	2018～	2021～	2018～		M598	
98	36120 27800		Plate	ﾌﾟﾚｰﾄ	1							
99	44220 23200		Cover	ｶﾊﾞｰ	1							
100	52350 44530		Cover	ｶﾊﾞｰ	1							

見出番号	部品番号	互換性 Inter-changeability	部品名称		数量	適用号機範囲 Applicable Ser.No.					変更	備考
Ref.NO.	Part NO.		Part Name		Q'ty	55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	C/H	Remarks
101	32163 20900		Filter	ﾌｨﾙﾀ	1							
102	02248 06016		Bolt,w/w	ﾜｯｼｬ付ﾎﾞﾙﾄ	4							
103	02201 06016		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	14							
104	44290 58500		Guide	ｶﾞｲﾄﾞ	1							
105	46942 12000		Transformer	変圧器	1	～2034	～2020	～2034	～2020			400/440V(w.D)
105 -1	46942 16100	B	Transformer	変圧器	1	2035～	2021～	2035～	2021～		M609	400/440V(w.D)
106	44480 38000		Cable(～Transformer)	ｹｰﾌﾞﾙ	1							400/440V(w.D)
107	44480 38100		Cable(Transformer～)	ｹｰﾌﾞﾙ	1							400/440V(w.D)
108	46450 30911		Bracket	ﾌﾞﾗｹｯﾄ	1	～2034	～2020	～2034	～2020			400/440V(w.D)
108 -1	46450 55610	B	Bracket	ﾌﾞﾗｹｯﾄ	1	-	～2036	-	～2036		M609	400/440V(w.D)
108 -2	46450 64810	B	Bracket	ﾌﾞﾗｹｯﾄ	1	2035～	2037～	2035～	2037～		M651	400/440V(w.D)
109	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	6							400/440V(w.D)
110	02915 00008		Hexagon flange nuts	ﾌﾗﾝｼﾞ付ﾅｯﾄ	6							400/440V(w.D)
111	44220 28500		Cover	ｶﾊﾞｰ	1	～2034	～2020	～2034	～2020			400/440V(w.D)
111 -1	44220 32500	B	Cover	ｶﾊﾞｰ	1	2035～	2021～	2035～	2021～		M609	400/440V(w.D)
112	44336 03801	D	Botton switch(Incl.Cap)	非常停止ﾎﾞﾀﾝ	1	2021～	2018～	2021～	2018～		M598	(emergency stop)
	44382 01301	D	Cap	ｷｬｯﾌﾟ	1	2021～	2018～	2021～	2018～		M598	
	46412 05800	D	Connector	接続ｺﾈｸﾀ	1	2021～	2018～	2021～	2018～		M598	
113	46412 05900	D	Connector	USBｺﾈｸﾀ	1	2021～	2018～	2021～	2018～		M598	
114	03424 80238		Clip	ｸﾘｯﾌﾟ	3							
115	03424 80239		Clip	ｸﾘｯﾌﾟ	10							
116	44243 05500		Holder	ﾎﾙﾀﾞ	7	～2020	～2017	～2020	～2017			
117	03425 00001		Vinyl clip	ﾋﾞﾆｰﾙ ｸﾘｯﾌﾟ	10	～2020	～2017	～2020	～2017			
118	46870 82700	D	Controller	遠隔監視ﾕﾆｯﾄ	1	2033～2045	2034～2054	2033～2045	2034～2054		M653	
119	46470 35110	D	Box	ﾎﾞｯｸｽ	1	2033～2045	2034～2054	2033～2045	2034～2054		M653	
120	46470 35210	D	Box	ﾎﾞｯｸｽ	1	2033～2045	2034～2054	2033～2045	2034～2054		M653	
121	02345 63008	D	Screw	ｽｸﾘｭ	4	2033～2045	2034～2054	2033～2045	2034～2054		M653	
122	03116 12003	D	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	4	2033～2045	2034～2054	2033～2045	2034～2054		M653	
123	45215 03100	D	Nut	ﾅｯﾄ	8	2033～2045	2034～2054	2033～2045	2034～2054		M653	
124	45215 03200	D	Nut	ﾅｯﾄ	4	2033～2045	2034～2054	2033～2045	2034～2054		M653	



2005-13

45 - 01　MOTOR & ELECTRIC(CONTROLLER TYPE)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	45 - 00		MOTOR GROUP	ﾓｰﾀ ｸﾞﾙｰﾌﾟ								
1	45101 15210		Motor	ﾓｰﾀ	1	～0094	～0086	～0094	～0086			200/220V
1 -1	45101 22711	B	Motor	ﾓｰﾀ	1	0095～	0087～	0095～	0087～		M553	200/220V
	21472 18900		Bearing(6315UU)	ﾍﾞｱﾘﾝｸﾞ	1							(Air-end side)
	21472 19000		Bearing(6312UU)	ﾍﾞｱﾘﾝｸﾞ	1	～0100	～0091	～0100	～0091			(End cover side)
	21472 20300	B	Bearing(6312UUAC)	ﾍﾞｱﾘﾝｸﾞ	1	0101～	0092～	0101～	0092～		M562	(End cover side)
1	45101 17311		Motor	ﾓｰﾀ	1							400/440V
	21472 18900		Bearing(6315UU)	ﾍﾞｱﾘﾝｸﾞ	1							(Air-end side)
	21472 19000		Bearing(6312UU)	ﾍﾞｱﾘﾝｸﾞ	1	～2001	～0093	～2001	～0093			(End cover side)
	21472 20300	B	Bearing(6312UUAC)	ﾍﾞｱﾘﾝｸﾞ	1	2002～	0094～	2002～	0094～		M562-1	(End cover side)
2	02138 16065		Bolt	ﾎﾞﾙﾄ	8							
3	03115 02016		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	8							
4	02912 08016		Nut	ﾅｯﾄ	8							
5	52350 11530		Cover	ｶﾊﾞｰ	1							
6	38490 31701		Cooling fan	ｸｰﾘﾝｸﾞ ﾌｧﾝ	1							200/220V
6	38490 31901		Cooling fan	ｸｰﾘﾝｸﾞ ﾌｧﾝ	1							400/440V
7	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4							
8	02915 00008		Hexagon flange nuts	ﾌﾗﾝｼﾞ付ﾅｯﾄ	4							
9	02201 06016		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	9							
10	06540 10140		Corrugated tube	ｺﾙｹﾞｰﾄ ﾁｭｰﾌﾞ	1							
	46 - 00		ELECTRIC GROUP	ｴﾚｸﾄﾘｯｸ ｸﾞﾙｰﾌﾟ								
51	46230 96522		Star-delta starter	始動盤	1	～0094	～0086	～0094	～0086			200/220V
51 -1	46230 09132	B	Star-delta starter	始動盤	1	0095～	0087～	0095～	0087～		M553	200/220V
			(Const.No.52～59 & 89)									
51	46230 00335		Star-delta starter	始動盤	1							400/440V
			(Const.No.52～61 & 89)									
52	46131 21500		Contactor(delta etc.)	電磁接触器	2							200/220V
52	46131 25600		Contactor(delta etc.)	電磁接触器	2							400/440V
53	46131 25600		Contactor(star)	電磁接触器	1							200/220V
53	46131 25800		Contactor(star)	電磁接触器	1							400/440V
54	46159 16400		Thermal relay	ｻｰﾏﾙ ﾘﾚｰ	1	～0094	～0086	～0094	～0086			200/220V
54 -1	46159 18100	B	Thermal relay	ｻｰﾏﾙ ﾘﾚｰ	1	0095～	0087～	0095～	0087～		M553	200/220V
54	46159 14800		Thermal relay	ｻｰﾏﾙ ﾘﾚｰ	1	～0094	～0086	～0094	～0086			400/440V
54 -1	46159 18200	B	Thermal relay	ｻｰﾏﾙ ﾘﾚｰ	1	0095～	0087～	0095～	0087～		M553	400/440V
55	46140 16100		Magnetic switch	電磁開閉器	1							(dryer[main])
56	46140 16000		Magnetic switch	電磁開閉器	1							(dryer[fan])
57	46177 08000		Relay	ﾘﾚｰ	2	～2000	～2000	～2000	～2000			
57 -1	46177 08000	Q	Relay	ﾘﾚｰ	1	～2021	～2027	～2021	～2027		M588	
57 -2	46177 08000	Q	Relay	ﾘﾚｰ	2	2022～	2028～	2022～	2028～		M638	
58	46933 02700		Fuse holder	ﾋｭｰｽﾞ ﾎﾙﾀﾞ	2							
	46934 03000		Fuse(5A)	ﾋｭｰｽﾞ	2							
59	44311 86900		Terminal plate	端子台	1							200/220V
59	44311 88500		Terminal plate	端子台	1							400/440V
60	46942 15100		Transformer	変圧器	1	～2022	～2020	～2022	～2020			400/440V
60 -1	46942 16800	B	Transformer	変圧器	1	2023～	2021～	2023～	2021～		M633	400/440V
61	46942 15200		Transformer	変圧器	1	～2022	～2020	～2022	～2020			400/440V
61 -1	46942 16500	B	Transformer	変圧器	1	2023～	2021～	2023～	2021～		M633	400/440V
62	46879 69302		Controller complete	ﾌｧﾝ用ｲﾝﾊﾞｰﾀ	1							200/220V
62	46879 71501		Controller complete	ﾌｧﾝ用ｲﾝﾊﾞｰﾀ	1							400/440V

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
63	46870 60305		Controller	ｺﾝﾄﾛｰﾗ	1	～2056	～2064					
63 -1	46870 99001	B	Controller	ｺﾝﾄﾛｰﾗ	1	2057～	2065～				M716	
63	46870 60405		Controller	ｺﾝﾄﾛｰﾗ	1			～2056	～2064			
63 -1	46870 99101	B	Controller	ｺﾝﾄﾛｰﾗ	1			2057～	2065～		M716	
64	44490 35042		Wiring harness(main)	ﾜｲﾔﾊｰﾈｽ(ﾒｲﾝ)	1							
65	44490 35442		Wiring harness(sub)	ﾜｲﾔﾊｰﾈｽ(ｻﾌﾞ)	1							
66	46450 26110		Bracket	ﾌﾞﾗｹｯﾄ	1							
67	44328 20600		Pressure switch	ﾌﾟﾚｯｼｬ ｽｲｯﾁ	2							
68	46480 78800		Cover	ｶﾊﾞｰ	1	～0100	～0091	～0100	～0091			
68 -1	46480 91800	B	Cover	ｶﾊﾞｰ	1	0101～	0092～	0101～	0092～		M571	
69	46480 71300		Cover	ｶﾊﾞｰ	1							
70	46480 71400		Cover	ｶﾊﾞｰ	1							
71	02202 06012		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	13							
72	03407 66811		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1							
73	03403 00512		Grommet	ｸﾞﾛﾒｯﾄ	1							
74	44311 86800		Terminal plate	端子台	1							
75	02201 06016		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	9							
76	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	1	～0073	～0060	～0073	～0060			(for earth)
76 -1	44270 02500	B	Bolt	ﾎﾞﾙﾄ	1	0074～	0061～	0074～	0061～		M512	(for earth)
77	03403 00703		Grommet	ｸﾞﾛﾒｯﾄ	4							
78	03403 01022		Grommet	ｸﾞﾛﾒｯﾄ	1							
79	44364 08200		Thermo sensor	ｻｰﾓ ｾﾝｻ	2							
80	44364 06800		Thermo sensor	ｻｰﾓ ｾﾝｻ	1							
81	46172 01000		Clip	ｸﾘｯﾌﾟ	1							
82	02345 64012		Screw	ｽｸﾘｭ	1							
83	03116 12004		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	1							
84	46811 29300		Solenoid valve	電磁弁	1							(control)
	46860 01600		Service parts	ｻｰﾋﾞｽ ﾊﾟｰﾂ	1							(coil)
	46860 01700		Service parts	ｻｰﾋﾞｽ ﾊﾟｰﾂ	1							(kit)
85	37181 06600		Clip	ｸﾘｯﾌﾟ	1							
86	03424 80239		Clip	ｸﾘｯﾌﾟ	14	～0080	～0070	～0080	～0070			
86 -1	03424 80239	Q	Clip	ｸﾘｯﾌﾟ	10	0081～	0071～	0081～	0071～		M519	
87	44243 05500		Holder	ﾎﾙﾀﾞ	11	～0080	～0070	～0080	～0070			
87 -1	44243 05500	Q	Holder	ﾎﾙﾀﾞ	7	0081～	0071～	0081～	0071～		M519	
88	03425 00001		Vinyl clip	ﾋﾞﾆｰﾙ ｸﾘｯﾌﾟ	10							
89	38490 30800		Cooling fan	ｸｰﾘﾝｸﾞ ﾌｧﾝ	1							
90	52350 90620		Cover	ｶﾊﾞｰ	1	～0100	～0091	～0100	～0091			
90 -1	52350 44530	B	Cover	ｶﾊﾞｰ	1	0101～	0092～	0101～	0092～		M571	
	02201 06016	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	5	0101～	0092～	0101～	0092～		M571	
91	32163 20900		Filter	ﾌｨﾙﾀ	1							
92	46942 11200		Transformer	変圧器	1	～0071	～0058	～0071	～0058			400/440V(w.D)
92 -1	46942 12000	B	Transformer	変圧器	1	～2034	～2020	～2034	～2020		M499	400/440V(w.D)
92 -2	46942 16100	B	Transformer	変圧器	1	2035～	2021～	2035～	2021～		M609	400/440V(w.D)
93	44480 38000		Cable(～Transformer)	ｹｰﾌﾞﾙ	1							400/440V(w.D)
94	44480 38100		Cable(Transformer～)	ｹｰﾌﾞﾙ	1							400/440V(w.D)
95	46450 26210		Bracket	ﾌﾞﾗｹｯﾄ	1	～0071	～0058	～0071	～0058			400/440V(w.D)
95 -1	46450 30911	B	Bracket	ﾌﾞﾗｹｯﾄ	1	～2034	～2020	～2034	～2020		M499	400/440V(w.D)
95 -2	46450 55610	B	Bracket	ﾌﾞﾗｹｯﾄ	1	-	～2036	-	～2036		M609	400/440V(w.D)
95 -3	46450 64810	B	Bracket	ﾌﾞﾗｹｯﾄ	1	2035～	2037～	2035～	2037～		M651	400/440V(w.D)
96	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	6							400/440V(w.D)
97	02915 00008		Hexagon flange nuts	ﾌﾗﾝｼﾞ付ﾅｯﾄ	6							400/440V(w.D)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-changeability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
98	44220 28500	D	Cover カバー	1	0072～	0059～	0072～	0059～		M499	400/440V(w.D)
98 -1	44220 32500	B	Cover カバー	1	2035～	2021～	2035～	2021～		M609	400/440V(w.D)
99	44290 58500	D	Guide ガイド	1	0081～	0071～	0081～	0071～		M519	
100	03424 80238	D	Clip クリップ	3	0081～	0071～	0081～	0071～		M519	
101	39178 77540	D	Plate プレート	1	0097～	0088～	0097～	0088～		M568	(seal)
102	02248 06016		Bolt,w/w ワッシャ付ボルト	4							


- WITHOUT AIR DRYER TYPE -
- CONTROLLER TYPE -

51 - 00　FRAME & BONNET

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	51 - 00		FRAME GROUP　ﾌﾚｰﾑ ｸﾞﾙｰﾌﾟ								
1	51100 60940		Frame　ﾌﾚｰﾑ	1	～0054	～0054	～0054	～0054			
1 -1	51100 73543	B	Frame　ﾌﾚｰﾑ	1	～2033	～2037	～2033	～2037		M485	
1 -2	51100 14650	B	Frame　ﾌﾚｰﾑ	1	～2058	～2073	～2058	～2073		M679	
1 -3	51100 28150	B	Frame　ﾌﾚｰﾑ	1	2059～	2074～	2059～	2074～		M738	
2	03407 65505		Seal rubber　ｼｰﾙ ﾗﾊﾞｰ	1							
3	51174 08500		Plate　ﾌﾟﾚｰﾄ	4							
4	52318 00700		Clip　ｸﾘｯﾌﾟ	8	～0059	～0057	～0059	～0057			(rivet)
4 -1	02710 00616	B	Tapping bolt　ﾀｯﾋﾟﾝｸﾞ ﾎﾞﾙﾄ	8	0060～	0058～	0060～	0058～		M492	
5	03403 10017		Grommet　ｸﾞﾛﾒｯﾄ	4							
6	03116 12006	D	Plain washer　ﾌﾟﾚｰﾝ ﾜｯｼｬ	8	0060～	0058～	0060～	0058～		M492	
7	03403 10014	D	Grommet　ｸﾞﾛﾒｯﾄ	8	2012～	2011～	2012～	2011～		M590	
	52 - 00		BONNET GROUP　ﾎﾞﾝﾈｯﾄ ｸﾞﾙｰﾌﾟ								
21	52400 44621		Side cover　ｻｲﾄﾞ ｶﾊﾞｰ	1							
22	52400 45320		Side cover　ｻｲﾄﾞ ｶﾊﾞｰ	1	～0093	～0081	～0093	～0081			
22 -1	52400 78320	B	Side cover　ｻｲﾄﾞ ｶﾊﾞｰ	1	0094～	0082～	0094～	0082～		M545	
23	51606 29900		Plate　ﾌﾟﾚｰﾄ	1							
24	52540 69700		Support　ｻﾎﾟｰﾄ	1							
25	52540 70100		Support　ｻﾎﾟｰﾄ	1							
26	52370 07010		Duct　ﾀﾞｸﾄ	1							
27	03407 66831		Seal rubber　ｼｰﾙ ﾗﾊﾞｰ	1							
28	03407 66864		Seal rubber　ｼｰﾙ ﾗﾊﾞｰ	2							
29	52350 03830		Cover　ｶﾊﾞｰ	1	～0093	～0081	～0093	～0081			
29 -1	52350 38430	B	Cover　ｶﾊﾞｰ	1	0094～	0082～	0094～	0082～		M545	
30	32163 21400		Filter　ﾌｨﾙﾀ	2	～0093	～0081	～0093	～0081			
30 -1	32163 19000	B	Filter　ﾌｨﾙﾀ	1	0094～	0082～	0094～	0082～		M545	
31	52400 93020		Side cover　ｻｲﾄﾞ ｶﾊﾞｰ	1							T (w.D)
31	52400 93720		Side cover　ｻｲﾄﾞ ｶﾊﾞｰ	1							T (w/o D)
31	52400 44520		Side cover　ｻｲﾄﾞ ｶﾊﾞｰ	1							C (w.D)
31	52400 59720		Side cover　ｻｲﾄﾞ ｶﾊﾞｰ	1							C (w/o D)
32	52746 02900		Cap　ｷｬｯﾌﾟ	2	～2033	～2038	～2033	～2038			
32 -1	52746 06300	B	Cap　ｷｬｯﾌﾟ	2	2034～	2039～	2034～	2039～		M676	
33	52746 02800		Cap　ｷｬｯﾌﾟ	2	～2033	～2038	～2033	～2038			
33 -1	52746 06200	B	Cap　ｷｬｯﾌﾟ	2	2034～	2039～	2034～	2039～		M676	
34	52400 50720		Side cover　ｻｲﾄﾞ ｶﾊﾞｰ	1	～0093	～0081	～0093	～0081			(w.D)
34 -1	52400 78420	B	Side cover　ｻｲﾄﾞ ｶﾊﾞｰ	1	0094～	0082～	0094～	0082～		M545	(w.D)
34	52400 60220		Side cover　ｻｲﾄﾞ ｶﾊﾞｰ	1	～0093	～0081	～0093	～0081			(w/o D)
34 -1	52400 78520	B	Side cover　ｻｲﾄﾞ ｶﾊﾞｰ	1	0094～	0082～	0094～	0082～		M545	(w/o D)
35	51601 68801		Plate　ﾌﾟﾚｰﾄ	2							(w.D)
35	51601 68801		Plate　ﾌﾟﾚｰﾄ	1							(w/o D)
36	52350 03730		Cover　ｶﾊﾞｰ	1	～0093	～0081	～0093	～0081			(w.D)
36 -1	52350 38630	B	Cover　ｶﾊﾞｰ	1	0094～	0082～	0094～	0082～		M545	(w.D)
36	52350 16130		Cover　ｶﾊﾞｰ	1	～0093	～0081	～0093	～0081			(w/o D)
36 -1	52350 38730	B	Cover　ｶﾊﾞｰ	1	0094～	0082～	0094～	0082～		M545	(w/o D)
37	32163 21300		Filter　ﾌｨﾙﾀ	2	～0093	～0081	～0093	～0081			(w.D)
37 -1	32163 24200	B	Filter　ﾌｨﾙﾀ	2	0094～	0082～	0094～	0082～		M545	(w.D)
37	32163 21300		Filter　ﾌｨﾙﾀ	1	～0093	～0081	～0093	～0081			(w/o D)
37 -1	32163 24200	B	Filter　ﾌｨﾙﾀ	1	0094～	0082～	0094～	0082～		M545	(w/o D)

51 - 00　FRAME & BONNET

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
38	52710 04900		Latch ass'y ﾗｯﾁ	5	～0093	～0081	～0093	～0081			
38 -1	52710 08100	B	Latch ass'y ﾗｯﾁ	4	0094～	0082～	0094～	0082～		M545	
39	52540 69600		Support ｻﾎﾟｰﾄ	1							
40	52370 06910		Duct ﾀﾞｸﾄ	1							
41	52350 06330		Cover ｶﾊﾞｰ	1							
42	52400 44720		Side cover ｻｲﾄﾞ ｶﾊﾞｰ	1							
43	52400 44920		Side cover ｻｲﾄﾞ ｶﾊﾞｰ	1							
44	52400 44821		Side cover ｻｲﾄﾞ ｶﾊﾞｰ	1	～2058	～2073	～2058	～2073			
44 -1	52400 23030	B	Side cover ｻｲﾄﾞ ｶﾊﾞｰ	1	2059～	2074～	2059～	2074～		M738	
45	52400 45020		Side cover ｻｲﾄﾞ ｶﾊﾞｰ	1	～2058	～2073	～2058	～2073			
45 -1	52400 23130	B	Side cover ｻｲﾄﾞ ｶﾊﾞｰ	1	2059～	2074～	2059～	2074～		M738	
46	52400 46120		Side cover ｻｲﾄﾞ ｶﾊﾞｰ	1	～2058	～2073	～2058	～2073			
46 -1	52400 23230	B	Side cover ｻｲﾄﾞ ｶﾊﾞｰ	1	2059～	2074～	2059～	2074～		M738	
47	51606 30000		Plate ﾌﾟﾚｰﾄ	1	～2058	～2073	～2058	～2073			
47 -1	51606 53100	B	Plate ﾌﾟﾚｰﾄ	1	2059～	2074～	2059～	2074～		M738	
48	52100 29430		Cover ｶﾊﾞｰ	1							
49	52100 76630		Cover ｶﾊﾞｰ	1	～2020	～2017	～2020	～2017			T
49 -1	52100 89230	B	Cover ｶﾊﾞｰ	1	2021～	2018～	2021～	2018～		M598	T
49	52100 29532		Cover ｶﾊﾞｰ	1							C
50	52746 02101		Cap ｷｬｯﾌﾟ	1							C
51	03407 66935		Seal rubber ｼｰﾙ ﾗﾊﾞｰ	4							
52	52300 50121		Top cover ﾄｯﾌﾟ ｶﾊﾞｰ	1							(w.D)
52	52300 57920		Top cover ﾄｯﾌﾟ ｶﾊﾞｰ	1							(w/o D)
53	52300 52222		Top cover ﾄｯﾌﾟ ｶﾊﾞｰ	1							
54	52300 50322		Top cover ﾄｯﾌﾟ ｶﾊﾞｰ	1							
55	03407 66842		Seal rubber ｼｰﾙ ﾗﾊﾞｰ	2							
56	52540 69802		Support ｻﾎﾟｰﾄ	1							
57	51601 68900		Plate ﾌﾟﾚｰﾄ	1							
58	51601 69000		Plate ﾌﾟﾚｰﾄ	6							
59	51606 30200		Plate ﾌﾟﾚｰﾄ	2							
60	02401 66040		Screw ｽｸﾘｭ	21	～2058	～2073	～2058	～2073			
60 -1	02401 66040	Q	Screw ｽｸﾘｭ	23	2059～	2074～	2059～	2074～		M738	
61	02401 66012		Screw ｽｸﾘｭ	27							
62	52360 32201		Duct ﾀﾞｸﾄ	1							
63	52746 02700		Cap ｷｬｯﾌﾟ	18							
64	03407 66847		Seal rubber ｼｰﾙ ﾗﾊﾞｰ	1							
65	52450 57530		Door ﾄﾞｱ	1							
66	51606 30400		Plate ﾌﾟﾚｰﾄ	1							
67	52450 57430		Door ﾄﾞｱ	1							
68	51606 30300		Plate ﾌﾟﾚｰﾄ	1							
69	38465 20800		Cushion rubber ｸｯｼｮﾝ ﾗﾊﾞｰ	1							
70	52450 57330		Door ﾄﾞｱ	1							
71	38465 20700		Cushion rubber ｸｯｼｮﾝ ﾗﾊﾞｰ	1							
72	52746 02501		Cap ｷｬｯﾌﾟ	3							
73	52746 02601		Cap ｷｬｯﾌﾟ	3							
74	52416 18600		Window glass ｳｲﾝﾄﾞ ｸﾞﾗｽ	1							
75	38465 20900		Cushion rubber ｸｯｼｮﾝ ﾗﾊﾞｰ	1							
76	03407 66946		Seal rubber ｼｰﾙ ﾗﾊﾞｰ	6							
77	03407 68049		Seal rubber ｼｰﾙ ﾗﾊﾞｰ	1							
78	03407 68101		Seal rubber ｼｰﾙ ﾗﾊﾞｰ	1							
79	03407 68086		Seal rubber ｼｰﾙ ﾗﾊﾞｰ	1							
80	52710 07300		Latch ass'y ﾗｯﾁ	6							
81	52530 42700		Support ｻﾎﾟｰﾄ	1							

51 - 00　FRAME & BONNET

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
82	03424 80237		Clip	ｸﾘｯﾌﾟ	12							
83	02401 66050		Screw	ｽｸﾘｭ	12							(w.D)
83	02401 66050		Screw	ｽｸﾘｭ	13							(w/o D)
84	45214 02700		Washer	ﾜｯｼｬ	40	～2058	～2073	～2058	～2073			(w.D)
84 -1	45214 02700	Q	Washer	ﾜｯｼｬ	42	2059～	2074～	2059～	2074～		M738	(w.D)
84	45214 02700		Washer	ﾜｯｼｬ	41	～2058	～2073	～2058	～2073			(w/o D)
84 -1	45214 02700	Q	Washer	ﾜｯｼｬ	43	2059～	2074～	2059～	2074～		M738	(w/o D)
85	02201 08012		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	3							
86	GE240 00100		Rubber cushion	ﾗﾊﾞｰ ｸｯｼｮﾝ	1							
87	52728 44810		Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	4							
88	52728 44710		Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	4							
89	02201 06016		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	46	～2058	～2073	～2058	～2073			
89 -1	02201 06016	Q	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	50	2059～	2074～	2059～	2074～		M738	
90	52380 08100		Cover	ｶﾊﾞｰ	1							(w/o D)
91	37181 06600		Clip	ｸﾘｯﾌﾟ	4							
92	03403 00222		Grommet	ｸﾞﾛﾒｯﾄ	1							T
93	52230 44800	D	Cover	ｶﾊﾞｰ	1	2021～	2018～	2021～	2018～		M598	T
94	03407 67611	D	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	2021～	2018～	2021～	2018～		M598	T
95	31122 11500	D	Shim	ｼﾑ	2	2021～	2018～	2021～	2018～		M598	T
96	02915 00006	D	Hexagon flange nuts	ﾌﾗﾝｼﾞ付ﾅｯﾄ	4	2021～	2018～	2021～	2018～		M598	T
97	03424 80237	C	Clip	ｸﾘｯﾌﾟ	8	2034～	2039～	2034～	2039～		M676	
98	52746 07100	D	Cap	ｷｬｯﾌﾟ	8	2034～	2039～	2034～	2039～		M676	
99	52530 51000	D	Support	ｻﾎﾟｰﾄ	1	2059～	2074～	2059～	2074～		M738	
100	51606 30000		Plate	ﾌﾟﾚｰﾄ	1	～2058	～2073	～2058	～2073			
100 -1	51606 53200	B	Plate	ﾌﾟﾚｰﾄ	1	2059～	2074～	2059～	2074～		M738	

38 - 00　COOLING GROUP　ｸｰﾘﾝｸﾞ ｸﾞﾙｰﾌﾟ

121	52510 91800		Support,cooler	ｸｰﾗ ｻﾎﾟｰﾄ	1	～2058	～2071	～2058	～2071			
121 -1	52510 00810	B	Support,cooler	ｸｰﾗ ｻﾎﾟｰﾄ	1	2059～	2072～	2059～	2072～		M714	
122	03407 66937		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2							
123	03407 66906		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2							
124	03403 10017		Grommet	ｸﾞﾛﾒｯﾄ	3	～2058	～2071	～2058	～2071			
124 -1	03403 10017	Q	Grommet	ｸﾞﾛﾒｯﾄ	4	2059～	2072～	2059～	2072～		M714	
125	52510 91101		Support,cooler	ｸｰﾗ ｻﾎﾟｰﾄ	1	～2058	～2071	～2058	～2071			
125 -1	52510 92001	B	Support,cooler	ｸｰﾗ ｻﾎﾟｰﾄ	1	2059～	2072～	2059～	2072～		M714	
126	03403 00512		Grommet	ｸﾞﾛﾒｯﾄ	1							
127	52210 44400		Cover	ｶﾊﾞｰ	2							
128	52530 43001		Support,cooler	ｸｰﾗ ｻﾎﾟｰﾄ	3	～2058	～2071	～2058	～2071			
128 -1	52530 44402	B	Support,cooler	ｸｰﾗ ｻﾎﾟｰﾄ	3	2059～	2072～	2059～	2072～		M714	
129	52530 43500		Support,cooler	ｸｰﾗ ｻﾎﾟｰﾄ	1	～2058	～2071	～2058	～2071			
129 -1	52530 44500	B	Support,cooler	ｸｰﾗ ｻﾎﾟｰﾄ	1	2059～	2072～	2059～	2072～		M714	
130	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	18							
131	38450 92400		Guard,fan	ﾌｧﾝ ｶﾞｰﾄﾞ	1	～2058	～2071	～2058	～2071			
131 -1	38450 18010	B	Guard,fan	ﾌｧﾝ ｶﾞｰﾄﾞ	1	2059～	2072～	2059～	2072～		M714	
132	38540 23802		Bracket	ﾌﾞﾗｹｯﾄ	1							
133	02201 06016		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	38	～2058	～2071	～2058	～2071			
133 -1	02201 06016	Q	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	42	2059～	2072～	2059～	2072～		M714	
134	03403 00703		Grommet	ｸﾞﾛﾒｯﾄ	3							
135	38450 95500	D	Guard,fan	ﾌｧﾝ ｶﾞｰﾄﾞ	1	2059～	2072～	2059～	2072～		M714	

51 - 00　FRAME & BONNET

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	70 - 00		AIR CONDITIONING GROUP　ｴｱ ｺﾝﾃﾞｨｼｮﾆﾝｸﾞ ｸﾞﾙｰﾌﾟ								
171	52540 69401		Support　ｻﾎﾟｰﾄ	1							
172	03403 00512		Grommet　ｸﾞﾛﾒｯﾄ	1							
173	52540 69500		Support　ｻﾎﾟｰﾄ	1							
174	02201 08020		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	5							
175	02201 06016		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4							
176	52350 04330		Cover　ｶﾊﾞｰ	1							
177	02202 06012		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4							
178	03403 00222		Grommet　ｸﾞﾛﾒｯﾄ	1							


37
107
109
108
13
12
12
6
7
110
101
8
3
4
2
5
30
19
20
32
36
25
24
28
35
29
23
14
24
31
22
17
27
15
18
27
26
34
21
9
10
9
11
11
33
103
16
1
106
105
102
104

52 - 00　LINING

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	52900 63820		URETHANE FOAM KIT	ウレタン フォーム キット		～2058	～2071	～2058	～2071			T (w.D)
	52900 87720	B	URETHANE FOAM KIT	ウレタン フォーム キット		—	～2073	—	～2073		M714	T (w.D)
	52900 91720	B	URETHANE FOAM KIT	ウレタン フォーム キット		2059～	2074～	2059～	2074～		M738	T (w.D)
			(Const.No.1～37 & 101～110)									
	52900 65920		URETHANE FOAM KIT	ウレタン フォーム キット		～2058	～2071	～2058	～2071			T (w/o D)
	52900 87820	B	URETHANE FOAM KIT	ウレタン フォーム キット		—	～2073	—	～2073		M714	T (w/o D)
	52900 91820	B	URETHANE FOAM KIT	ウレタン フォーム キット		2059～	2074～	2059～	2074～		M738	T (w/o D)
			(Const.No.1～8,10～33,35～37 & 101～110)									
	52900 33321		URETHANE FOAM KIT	ウレタン フォーム キット		～2058	～2071	～2058	～2071			C (w.D)
	52900 87520	B	URETHANE FOAM KIT	ウレタン フォーム キット		—	～2073	—	～2073		M714	C (w.D)
	52900 91520	B	URETHANE FOAM KIT	ウレタン フォーム キット		2059～	2074～	2059～	2074～		M738	C (w.D)
			(Const.No.1～37 & 101～110)									
	52900 36521		URETHANE FOAM KIT	ウレタン フォーム キット		～2058	～2071	～2058	～2071			C (w/o D)
	52900 87620	B	URETHANE FOAM KIT	ウレタン フォーム キット		—	～2073	—	～2073		M714	C (w/o D)
	52900 91620	B	URETHANE FOAM KIT	ウレタン フォーム キット		2059～	2074～	2059～	2074～		M738	C (w/o D)
			(Const.No.1～8,10～32,35～37 & 101～110)									
1	52959 04260		Lining	ﾗｲﾆﾝｸﾞ	1							
2	52959 04360		Lining	ﾗｲﾆﾝｸﾞ	1							
3	52959 09830		Lining	ﾗｲﾆﾝｸﾞ	1	～0093	～0081	～0093	～0081			
3 -1	52959 30460	B	Lining	ﾗｲﾆﾝｸﾞ	1	0094～	0082～	0094～	0082～		M545	
4	52959 04460		Lining	ﾗｲﾆﾝｸﾞ	1							
5	52959 04560		Lining	ﾗｲﾆﾝｸﾞ	1							
6	52959 04660		Lining	ﾗｲﾆﾝｸﾞ	1							
7	52959 04760		Lining	ﾗｲﾆﾝｸﾞ	1							
8	52959 04860		Lining	ﾗｲﾆﾝｸﾞ	1							
9	52959 06160		Lining	ﾗｲﾆﾝｸﾞ	2							(w.D)
10	52959 05060		Lining	ﾗｲﾆﾝｸﾞ	1							(w.D)
10	52959 68930		Lining	ﾗｲﾆﾝｸﾞ	1							(w/o D)
11	52959 60540		Lining	ﾗｲﾆﾝｸﾞ	2							
12	52959 07430		Lining	ﾗｲﾆﾝｸﾞ	2							
13	52959 85520		Lining	ﾗｲﾆﾝｸﾞ	10							
14	52959 05260		Lining	ﾗｲﾆﾝｸﾞ	1							
15	52959 05360		Lining	ﾗｲﾆﾝｸﾞ	1							
16	52959 55740		Lining	ﾗｲﾆﾝｸﾞ	1							
17	52959 05460		Lining	ﾗｲﾆﾝｸﾞ	1							
18	52959 05150		Lining	ﾗｲﾆﾝｸﾞ	1							
19	52959 09840		Lining	ﾗｲﾆﾝｸﾞ	12							
20	52959 41340		Lining	ﾗｲﾆﾝｸﾞ	1							
21	52931 35730		Lining	ﾗｲﾆﾝｸﾞ	1							T
21	52959 05660		Lining	ﾗｲﾆﾝｸﾞ	1							C (w.D)
21	52959 11060		Lining	ﾗｲﾆﾝｸﾞ	1							C (w/o D)
22	52959 06260		Lining	ﾗｲﾆﾝｸﾞ	1							
23	52959 05860		Lining	ﾗｲﾆﾝｸﾞ	1	～2058	～2071	～2058	～2071			
23 -1	52959 12860	B	Lining	ﾗｲﾆﾝｸﾞ	1	2059～	2072～	2059～	2072～		M714	
24	52959 28650		Lining	ﾗｲﾆﾝｸﾞ	2	～2058	～2071	～2058	～2071			
24 -1	52959 12960	B	Lining	ﾗｲﾆﾝｸﾞ	2	2059～	2072～	2059～	2072～		M714	
25	52959 05960		Lining	ﾗｲﾆﾝｸﾞ	1	～2058	～2071	～2058	～2071			
25 -1	52959 13060	B	Lining	ﾗｲﾆﾝｸﾞ	1	2059～	2072～	2059～	2072～		M714	
26	52959 70340		Lining	ﾗｲﾆﾝｸﾞ	1							
27	52959 72620		Lining	ﾗｲﾆﾝｸﾞ	2							
28	52931 06630		Lining	ﾗｲﾆﾝｸﾞ	1							
29	52931 07430		Lining	ﾗｲﾆﾝｸﾞ	1							
30	52931 06830		Lining	ﾗｲﾆﾝｸﾞ	1							

52 - 00　LINING

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
31	52931 06930		Lining ﾗｲﾆﾝｸﾞ	1	～2058	～2071	～2058	～2071			
31 -1	52931 10530	B	Lining ﾗｲﾆﾝｸﾞ	1	2059～	2072～	2059～	2072～		M714	
32	52959 05560		Lining ﾗｲﾆﾝｸﾞ	1							
33	52931 07130		Lining ﾗｲﾆﾝｸﾞ	1							(w.D)
33	52959 48360		Lining ﾗｲﾆﾝｸﾞ	1							T (w/o D)
34	52931 07530		Lining ﾗｲﾆﾝｸﾞ	1	～0093	～0081	～0093	～0081			(w.D)
34 -1	52931 25830	B	Lining ﾗｲﾆﾝｸﾞ	1	0094～	0082～	0094～	0082～		M545	(w.D)
35	52959 49030		Lining ﾗｲﾆﾝｸﾞ	1	～2058	～2071	～2058	～2071			
35 -1	52931 63630	B	Lining ﾗｲﾆﾝｸﾞ	1	2059～	2072～	2059～	2072～		M714	
36	52959 38140		Lining ﾗｲﾆﾝｸﾞ	1							
37	52959 06860		Lining ﾗｲﾆﾝｸﾞ	1							
101	52977 88500		Lining ﾗｲﾆﾝｸﾞ	2	～2058	～2073	～2058	～2073			
101 -1	52977 72510	B	Lining ﾗｲﾆﾝｸﾞ	2	2059～	2074～	2059～	2074～		M738	
102	52977 88600		Lining ﾗｲﾆﾝｸﾞ	1							
103	52977 46900		Lining ﾗｲﾆﾝｸﾞ	10							
104	52978 40900		Lining ﾗｲﾆﾝｸﾞ	1							
105	52978 41000		Lining ﾗｲﾆﾝｸﾞ	1							
106	52978 41100		Lining ﾗｲﾆﾝｸﾞ	1							
107	52968 24900		Lining ﾗｲﾆﾝｸﾞ	1							
108	52968 25000		Lining ﾗｲﾆﾝｸﾞ	1							
109	52968 25400		Lining ﾗｲﾆﾝｸﾞ	1							
110	52977 88500		Lining ﾗｲﾆﾝｸﾞ	2	～2058	～2073	～2058	～2073			
110 -1	52977 72610	B	Lining ﾗｲﾆﾝｸﾞ	2	2059～	2074～	2059～	2074～		M738	

OPTIONAL PARTS

OP1 - 00　TAPE HEATER SET (TOUCHSCREEN TYPE)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	OPNSC 26100		TAPE HEATER SET　寒冷地仕様		◎	◎					
	OPNSC 26700		TAPE HEATER SET　寒冷地仕様				◎	◎			w.D
	OPNSC 29100		TAPE HEATER SET　寒冷地仕様				◎	◎			w/o D
1	37182 04400		Cushion rubber　ｸｯｼｮﾝ ﾗﾊﾞｰ	1							
2	37182 04700		Cushion rubber　ｸｯｼｮﾝ ﾗﾊﾞｰ	1							
3	46850 01700		Heater　ﾋｰﾀ	2	◎	◎					
3	46850 01700		Heater　ﾋｰﾀ	4			◎	◎			w.D
3	46850 01700		Heater　ﾋｰﾀ	3			◎	◎			w/o D
4	42329 05900		Belt　ﾍﾞﾙﾄ	1							
5	42329 06000		Belt　ﾍﾞﾙﾄ	1							
6	05610 01035		Terminal　ﾀｰﾐﾅﾙ	4	◎	◎					
6	05610 01035		Terminal　ﾀｰﾐﾅﾙ	8			◎	◎			w.D
6	05610 01035		Terminal　ﾀｰﾐﾅﾙ	6			◎	◎			w/o D
7	05812 12400		Cable　ｹｰﾌﾞﾙ	1	◎	◎					
7	05812 12400		Cable　ｹｰﾌﾞﾙ	3			◎	◎			
8	05644 20001		Connecting sleeve　ｺﾈｸﾃｨﾝｸﾞ ｽﾘｰﾌﾞ	2	◎	◎					
8	05644 20001		Connecting sleeve　ｺﾈｸﾃｨﾝｸﾞ ｽﾘｰﾌﾞ	6			◎	◎			
9	06520 10020		Insulating cap(red)　ｲﾝｼｭﾚｰﾃｨﾝｸﾞ ｷｬｯﾌﾟ	2	◎	◎					
9	06520 10020		Insulating cap(red)　ｲﾝｼｭﾚｰﾃｨﾝｸﾞ ｷｬｯﾌﾟ	4			◎	◎			w.D
9	06520 10020		Insulating cap(red)　ｲﾝｼｭﾚｰﾃｨﾝｸﾞ ｷｬｯﾌﾟ	3			◎	◎			w/o D
10	06520 20020		Insulating cap(white)　ｲﾝｼｭﾚｰﾃｨﾝｸﾞ ｷｬｯﾌﾟ	2	◎	◎					
10	06520 20020		Insulating cap(white)　ｲﾝｼｭﾚｰﾃｨﾝｸﾞ ｷｬｯﾌﾟ	4			◎	◎			w.D
10	06520 20020		Insulating cap(white)　ｲﾝｼｭﾚｰﾃｨﾝｸﾞ ｷｬｯﾌﾟ	3			◎	◎			w/o D



OPTIONAL PARTS

OP2 - 00　REMOTE MONITORING UNIT (TOUCHSCREEN TYPE)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. 55SD-5E	55SD-6E	55RD-5E	55RD-6E	—	変更 C/H	備考 Remarks
	OPNSC 26400		REMOTE MONITORING UNIT	遠隔監視仕様		～2020	～2017	～2020	～2017			Const.No.1～3
	OPNSC 27000	B	REMOTE MONITORING UNIT	遠隔監視仕様		～2032	～2033	～2032	～2033		M598	Const.No.1～3
	OPNSC 28100	B	REMOTE MONITORING UNIT	遠隔監視仕様		～2045	～2054	～2045	～2054		M653	Const.No.3～4
	OPNSC 29000	B	REMOTE MONITORING UNIT	遠隔監視仕様		2046～	2055～	2046～	2055～		M687	Const.No.3～11
1	46870 75800	C	Controller	遠隔監視ﾕﾆｯﾄ	1	2033～	2034～	2033～	2034～		M653	
	02345 63008	C	Screw	ｽｸﾘｭ	2	2033～	2034～	2033～	2034～		M653	
2	44480 96301		Cable	ｹｰﾌﾞﾙ	1	～2020	～2017	～2020	～2017			
2 -1	44480 00310	B	Cable	ｹｰﾌﾞﾙ	1	2021～	2018～	2021～	2018～		M598	
2 -2	44480 00310	C	Cable	ｹｰﾌﾞﾙ	1	2033～	2034～	2033～	2034～		M653	
3	46414 02400		Bushing	ﾌﾞｯｼﾝｸﾞ	1							
4	44480 08810	D	Cable	遠隔監視用ｱﾝﾃﾅ	1	2033～	2034～	2033～	2034～		M653	
5	46870 82700	D	Controller	遠隔監視ﾕﾆｯﾄ	1	2046～	2055～	2046～	2055～		M687	
6	46470 35110	D	Box	ﾎﾞｯｸｽ	1	2046～	2055～	2046～	2055～		M687	
7	46470 35210	D	Box	ﾎﾞｯｸｽ	1	2046～	2055～	2046～	2055～		M687	
8	02345 63008	D	Screw	ｽｸﾘｭ	4	2046～	2055～	2046～	2055～		M687	
9	03116 12003	D	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	4	2046～	2055～	2046～	2055～		M687	
10	45215 03100	D	Nut	ﾅｯﾄ	8	2046～	2055～	2046～	2055～		M687	
11	45215 03200	D	Nut	ﾅｯﾄ	4	2046～	2055～	2046～	2055～		M687	





STAR-DELTA STARTER



DETAIL-CONTROLLER

2015年　5月 20日　初版

2024年　5月 29日　改訂

発行　**北越工業株式会社**

新潟本社･工場
新潟県燕市下粟生津3074

（無断複写･転載を禁ず）

HOKUETSU INDUSTRIES CO., LTD.

8TH FLOOR SHINJUKU SAN-EI BLDG,
22-2 NISHI-SHINJUKU 1-CHOME,SHINJUKU-KU
TOKYO 160-0023 JAPAN
TEL:81-3-3348-7281
FAX:81-3-3348-7289
URL:http//www.airman.co.jp

Copyright(C)2015 HOKUETSU INDUSTRIES CO., LTD. All Rights Reserved.

2405-24
CAT.NO.39590 60000

AIRMAN
HOKUETSU INDUSTRIES CO., LTD.