PDSG750VRS-4C5

Manual de partes

Alpha C
Un lazo para toda la vida.

AIRMAN®

適　用　型　式
ＦＯＲ　ＭＯＤＥＬ

型　　式 ＭＯＤＥＬ	適　用　号　機 ＳＥＲ．ＮＯ．
ＰＤＳＧ７５０Ｓ－４Ｃ５	７４－４Ｃ５００５１～
ＰＤＳＧ７５０ＳＤ－４Ｃ５ [DRY AIR TYPE]	７４Ａ４Ｃ５００５１～

原 動 機 型 式 ENGINE MODEL	HINO J08E-UK-HOCA
Fan belt	HINO SZ910-49259
Eng.oil filter cartridge	HINO S1560-72190
Fuel filter set	HINO 23304-EV120
Pre filter set	HINO 23304-EV140

STANDARD PAINTING
標準塗装色

-STANDARD TYPE-



-DRY AIR TYPE-



ご　使　用　の　前　に

1. このパーツカタログは、各構成装置毎に分解した部品図を記載し、各部品には見出し番号を付けてありますので、その番号により、部品番号・部品名称・一台分の数量を知ることができます。

2. 部品をご注文の際は、下記事項をお知らせ下さい。
   (1) 部品番号(Part No.)
   (2) 必要数量(Q'ty)
   (3) 部品名称(Part Name)
   (4) 機械型式(Model)および機械番号(Ser.No.)

3. パーツカタログの見方

(8) 備考 Remarks　S :STD. SC:w.AFTER COOLER SD:DRY AIR

52 - 00　LINING

(1) 見出番号 Ref.NO.	(2) 部品番号 Part NO.	(3) 互換性 Inter-change ability	(4) 部品名称 Part Name	(5) 数量 Q'ty	(6) 適用号機範囲 Applicable Ser.No.		(7) 変更 C/H	(8) 備考 Remarks
								S SC SD
	52900 04921		URETHANE FOAM KIT ウレタン フォーム キット					◎
	52900 05121		URETHANE FOAM KIT ウレタン フォーム キット (Const.No.1～21)					◎
	52900 06121		URETHANE FOAM KIT ウレタン フォーム キット (Const.No.1～9 & 11～24)					◎
1	52959 71350		Lining ﾗｲﾆﾝｸﾞ	1				
2	52959 97640		Lining ﾗｲﾆﾝｸﾞ	1				
3	52959 80220		Lining ﾗｲﾆﾝｸﾞ	1				
4	52959 71450		Lining ﾗｲﾆﾝｸﾞ	1				
5	52959 71550		Lining ﾗｲﾆﾝｸﾞ	1				
6	52959 30940		Lining ﾗｲﾆﾝｸﾞ	1				
7	52959 71650		Lining ﾗｲﾆﾝｸﾞ	2				

(1) 見　出　番　号(Ref.No.)
イラストから部品名称や部品番号を見つけ出す役目を果たすものです。
(ボルト・ナット等の部品は、イラストを省略して見出番号のみ記載してある場合がありますので注意してください。)
見出番号欄に1,1-1,1-2,……とあるのは、部品の変更過程を表します。
[1：初期, 1-1：1回目の変更, 1-2：2回目の変更……]

(2) 部　品　番　号(Part No.)
個々の部品特有の番号です。形状が同じ部品があっても番号が異なる場合、取付互換性がありませんので注意してください。

(3) 互　　換　　性(Interchangeability)
互換性欄に記載の記号の意味は次のとおりです。
Ａ ： 新部品は旧部品の代わりに使用できますが､旧部品を新部品の代わりに使用できません。
Ｂ ： 新、旧部品とも互換性なし
Ｃ ： 廃止
Ｄ ： 新規追加になった部品
Ｅ ： 新、旧部品とも互換性あり
Ｑ ： 数量変更
Ｘ ： セット部品に含まれていますが、この型式では使われていません。
Ｙ ： 選択可能部品
Ｚ ： 単品供給不可部品

(4) 部　品　名　称(Part Name)
個々の部品特有の名称です。

(5) 数　　量(Q'ty)
その機械1台分の使用個数を示します。

(6) 適用号機範囲(Applicable Ser.No.)
適用号機範囲には、その行に記載の部品が使用されている号機(Ser.No.)が表示してあります。
なお、号機の代わりに年月を記載したものは、その年月から変更になったことを表します。

(7) 変　　更(Change column)
記号 M1,M2,……Mn は部品番号の変更を示します。

(8) 備　　考(Remarks)
部品の仕様・メーカ部番等の情報を記載したり、部品が使われている型式を記号により明記しています。
[例. SC:w.AFTER COOLER (アフタクーラ付)]

4. 略号は次のことを表します。

ass'y(assembly)	組立品(アッセンブリ)	o & p(overrun & parking brake)	オーバーラン、パーキング ブレーキ
C/H(Change column)	変更		
Comp.(Compressor)	コンプレッサ	OPT.(Option)	オプション
Const.(Consisting of)	～で構成	Press.(Pressure)	プレッシャ
Cont.(Control)	コントロール	SPC/S. (Special specifications)	特殊仕様
Cyl.(Cylinder)	シリンダ		
Eng.(Engine)	エンジン	STD.(Standards)	標準(スタンダード)
EXP.(Export)	輸出	T or t(Thickness)	厚さ
Incl.(Including)	～を含む	w.(with)	～付
L(Length)	長さ	w/o(without)	～なし

※ 当社では、常に製品の改良に取組んでおりますので、パーツカタログに記載されていない変更が生じている場合があります。必要に応じて、この様な変更を盛り込んだ改訂版を出しておりますので、不明な点がございましたら最寄りの支店･営業所またはサービスセンターにご相談ください。
※ エンジン部品は、別冊のエンジンパーツカタログをご参照ください。

N O T I C E

1. This parts catalog contains all the parts and assemblies of “AIRMAN” brand products. The complete unit is divided into several parts groups, the details of which are clearly illustrated, and completely listed. So desired part number, name and quantity can be easily determined referring to Ref.No.

2. When you place order for service parts, please be sure to advise us of the following information.
   (1) Part number.
   (2) Quantity required.
   (3) Part name.
   (4) Model name and Serial number.

3. How to read parts catalog.

(8) 備考 Remarks　S :STD. SC:w.AFTER COOLER SD:DRY AIR

52 - 00　LINING

(1) 見出番号 Ref.NO.	(2) 部品番号 Part NO.	(3) 互換性 Inter-change ability	(4) 部品名称 Part Name	(5) 数量 Q'ty	(6) 適用号機範囲 Applicable Ser.No.		(7) 変更 C/H	(8) 備考 Remarks		
								S	SC	SD
	52900 04921		URETHANE FOAM KIT ウレタン フォーム キット					◎		
	52900 05121		URETHANE FOAM KIT ウレタン フォーム キット (Const.No.1～21)						◎	
	52900 06121		URETHANE FOAM KIT ウレタン フォーム キット (Const.No.1～9 & 11～24)							◎
1	52959 71350		Lining ﾗｲﾆﾝｸﾞ	1						
2	52959 97640		Lining ﾗｲﾆﾝｸﾞ	1						
3	52959 80220		Lining ﾗｲﾆﾝｸﾞ	1						
4	52959 71450		Lining ﾗｲﾆﾝｸﾞ	1						
5	52959 71550		Lining ﾗｲﾆﾝｸﾞ	1						
6	52959 30940		Lining ﾗｲﾆﾝｸﾞ	1						
7	52959 71650		Lining ﾗｲﾆﾝｸﾞ	2						

(1) Ref.No.
Reference number (Ref.No.) is to be used for locating the part number and name from the illustrations. (However some parts such as bolts and nuts etc., are not illustrated but their reference numbers only listed.)
Ref.No.1, 1-1, 1-2,…… shows history of part modifications.
[These reference numbers mean 1: primary period, 1-1: first alteration, 1-2: second alteration and 1-3……follows]

(2) Part No.
Every part has its own proper number. Even if a part has the same shape as an other part and if its number different, it is not interchangeable at all in many cases.

(3) Interchangeability
A, B, C, D, E, Q, X, Y and Z in column “Interchangeability” show the following.
A: A new part can replace an old part, but an old part cannot replace a new part.
B : Not interchangeable.
C : Disused.
D : Newly added.
E : Compatible with eachother.
Q : Quantity per unit changed.
X : Included in this set of parts, this part is not used for this model.
Y : Part to be selected.
Z : This part can not be supplied as an individual part.

(4) Part name
Every part has its own proper name.

(5) Q'ty
The number shown in the column of Q'TY indicates the quantity of parts used per one unit machine.

(6) Applicable Ser.No. (Serial Number)
Ser.No. shows the machine number to which the part is applicable.
Month and year stated in column "Ser.No." show the month and year from which the part is applicable.

(7) Change column
M1, M2,…… Mn mentioned in the column indicate the change of part number and the serial number of the unit, the part of which was modified.

(8) Remarks
This column "Remarks" mentions in mark or signal the specifications of each part, original part number of manufacturer, model name of the part for which is used and etc.
[Example. SC:w.AFTER COOLER]

4. Abbreviations used in this catalog.

ass'y	assembly	L	Length
C/H	Change column	o & p	overrun & parking brake
Comp.	Compressor	OPT.	Option
Const.	Consisting of	Press.	Pressure
Cont.	Control	SPC/S.	Special specifications
Cyl.	Cylinder	STD.	Standards
Eng.	Engine	T or t	Thickness
EXP.	Export	w.	with
Incl.	Including	w/o	without

NOTE:※We are always engaged in improving our products. So there may be some changes of the product which are not yet mentioned in this parts catalog. Therefore, in necessary case, we issue a revision in which such changes ars added. When you have any question on the parts catalog, please ask your nearest dealer or directly us.
※For engine parts, please refer to separate engine parts catalog.

目　　次
CONTENTS

図番号 FIG.NO.	図名称 FIG.NAME		頁 PAGE
21 - 00	AIR END	ｴｱ ｴﾝﾄﾞ	21 - 1
22 - 00	UNLOADER	ｱﾝﾛｰﾀﾞ	22 - 1
31 - 00	MOUNTING & INTAKE	ﾏｳﾝﾃｨﾝｸﾞ,ｲﾝﾃｰｸ	31 - 1
33 - 00	RECEIVER,SEPARATOR & SERVICE HEADER	ﾚｼｰﾊﾞ,ｾﾊﾟﾚｰﾀ,ｻｰﾋﾞｽ ﾍｯﾀﾞ	33 - 1
33 - 01	PRESSURE CONTROL VALVE	圧力ｺﾝﾄﾛｰﾙ ﾊﾞﾙﾌﾞ	33 - 4
35 - 00	SERVICE HEADER(DRY AIR TYPE)	ｻｰﾋﾞｽ ﾍｯﾀﾞ(ﾄﾞﾗｲ ｴｱ仕様)	35 - 1
36 - 00	AIR LINE	ｴｱ ﾗｲﾝ	36 - 1
36 - 01	VACUUM RELIEF VALVE	ﾊﾞｷｭｰﾑ ﾚﾘｰﾌ ﾊﾞﾙﾌﾞ	36 - 5
36 - 02	AUTO-RELIEF VALVE(～M12)	ｵｰﾄ ﾚﾘｰﾌ ﾊﾞﾙﾌﾞ(～M12)	36 - 6
36 - 03	VACUUM RELIEF VALVE(M12～)	ﾊﾞｷｭｰﾑ ﾚﾘｰﾌ ﾊﾞﾙﾌﾞ(M12～)	36 - 7
37 - 00	OIL LINE	ｵｲﾙ ﾗｲﾝ	37 - 1
38 - 00	COOLING	ｸｰﾘﾝｸﾞ	38 - 1
39 - 00	NAME PLATE	ﾈｰﾑ ﾌﾟﾚｰﾄ	39 - 1
41 - 00	ENGINE & EXHAUST	ｴﾝｼﾞﾝ,ｴｷｿﾞｰｽﾄ	41 - 1
43 - 00	FUEL LINE	ﾌｭｴﾙ ﾗｲﾝ	43 - 1
44 - 00	ELECTRIC	ｴﾚｸﾄﾘｯｸ	44 - 1
51 - 00	FRAME & BONNET	ﾌﾚｰﾑ,ﾎﾞﾝﾈｯﾄ	51 - 1
52 - 00	LINING	ﾗｲﾆﾝｸﾞ	52 - 1
54 - 00	RUNNING,BRAKE & STEERING	ﾗﾝﾆﾝｸﾞ,ﾌﾞﾚｰｷ,ｽﾃｱﾘﾝｸﾞ	54 - 1

型 式 名 の 見 方
HOW TO READ MODELS

ＰＤ	Ｓ	Ｇ	７５０	Ｓ	□	－	４	Ｃ	５
①	②	③	④	⑤	⑥		⑦	⑧	⑨

① PD : PORTABLE DIESEL ENGINE
② S : SCREW(OIL-INJECTION)
③ G : 1.40MPa
④ 750 : Free air delivery(cfm)
⑤ S : SILENT TYPE
⑥ No mark : STANDARD TYPE
D : DRY AIR TYPE
⑦ 4 : TRAILER-MOUNTED TYPE
⑧ MODEL CHANGE MARK
⑨ VARIATION MARK

① PD : 可搬式,ﾃﾞｨｰｾﾞﾙｴﾝｼﾞﾝ
② S : ｽｸﾘｭ(ｵｲﾙｲﾝｼﾞｪｸｼｮﾝ)
③ G : 1.40MPa
④ 750 : 吐出空気量(cfm)
⑤ S : 防音型
⑥ 無し : 標準仕様
D : ﾄﾞﾗｲｴｱ仕様
⑦ 4 : ﾄﾚｰﾗ
⑧ ﾓﾃﾞﾙﾁｪﾝｼﾞ記号
⑨ ﾊﾞﾘｴｰｼｮﾝ記号


73
74
71
72
64
52
42
47
53
1
2
3
46
45
48
49
53
52
26
25
27
16
15
17
23
12
18
20
19
14
29
30
28
51
24
62
11
13
12
41
A
130
61
4
135
134
53
49
5
44
55
56
A
60
63
54
57
58
59
43
50
21
22
9
8
6
10
23
126
136
31
7
31
32
123
129
128
125
122
124
121
127
131
133
132

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. G750S	G750SD	変更 C/H	備考 Remarks
	21000 34710		COMPRESSION GROUP コンプレッション グループ (Const.No.1～30)		～0332	～0332		
	21000 47210	B	COMPRESSION GROUP コンプレッション グループ (Const.No.1～7 & 9～32)		0333～	0333～ M529		
1	03307 18080		Key キー	1				
2	21461 36501		Rotor,male オスロータ	1				
3	21462 26901		Rotor,female メスロータ	1				
	A pair of rotor (male & female) should be ordered. / ロータは、オス・メス一対でご注文下さい							
4	21411 09900		Shaft シャフト	1	～0332	～0332		
4 -1	21411 11000	B	Shaft シャフト	1	0333～	0333～ M529		
5	21207 03800		Nozzle ノズル	1				
6	21211 13401		Oil seal オイル シール	1				
7	21212 19700		Cover,oil seal オイル シール カバー	1	～0332	～0332		
7 -1	21212 23700	B	Cover,oil seal オイル シール カバー	1	0333～	0333～ M529		
8	03413 20115	C	Snap ring スナップ リング	1	0333～	0333～ M529		
9	03402 15180		O-ring Oーリング	1				
10	02280 12040		Socket bolt ソケット ボルト	6				
11	21468 21200		Plate プレート	1				
12	02280 12040		Socket bolt ソケット ボルト	13				
13	03115 30012		Lock washer ロック ワッシャ	3				
14	21468 19901		Plate プレート	1				
15	02280 10040		Socket bolt ソケット ボルト	4				
16	03115 30010		Lock washer ロック ワッシャ	4				
17	21218 35300		End cover エンド カバー	1				
18	03402 15135		O-ring Oーリング	1				
19	21218 35400		End cover エンド カバー	1				
20	03402 15125		O-ring Oーリング	1				
21	03410 06318		Bearing ベアリング	1				
22	03413 10090		Snap ring スナップ リング	1				
23	03115 40012		Spring washer スプリング ワッシャ	16				
24	03413 20150		Snap ring スナップ リング	1				
25	21470 17000		Bearing,complete ベアリング,コンプリート	1				
26	21463 14100		Spacer スペーサ	1				
27	21468 20001		Plate プレート	1				
28	21406 43100		Bearing,rotor ロータ ベアリング	2	～0297	～0297		
28 -1	21406 45200	A	Bearing,rotor ロータ ベアリング	2	0298～	0298～ M480		
29	21470 17100		Bearing,complete ベアリング,コンプリート	1				
31	03620 60001	D	Plug プラグ	2	0333～	0333～ M529		
32	03402 25014	D	O-ring Oーリング	1	0333～	0333～ M529		
	21000 34611		COMPRESSION GROUP コンプレッション グループ (Const.No.41～53 & 64)		～0332	～0332		
	21000 47710	B	COMPRESSION GROUP コンプレッション グループ (Const.No.1～60,63 & 64)		0333～	0333～ M529		
41	21201 45301		Cylinder シリンダ	1	～0332	～0332		
41 -1	21201 48600	B	Cylinder シリンダ	1	0333～	0333～ M529		
42	03620 41006		Plug プラグ	1	～'17.5	～'17.5		
42 -1	03620 70006	E	Plug プラグ	1	'17.6～	'17.6～ M709		
43	21214 18200		Casing,power side パワー サイド ケーシング	1	～0332	～0332		
43 -1	21214 21100	B	Casing,power side パワー サイド ケーシング	1	0333～	0333～ M529		
44	21221 04300		O-ring Oーリング	1				

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. G750S	G750SD	変更 C/H	備考 Remarks
45	21217 35600		Casing,discharge	ﾃﾞｨｽﾁｬｰｼﾞ ｹｰｼﾝｸﾞ	1				
46	03402 15290		O-ring	O-ﾘﾝｸﾞ	1				
47	03402 25020		O-ring	O-ﾘﾝｸﾞ	3				
48	03316 14028		Pin	ﾋﾟﾝ	4				
49	02280 12040		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	25				
50	02280 12050		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	1				
51	21406 37400		Bearing,rotor	ﾛｰﾀ ﾍﾞｱﾘﾝｸﾞ	1	～0311	～0311		
51 -1	21406 45300	A	Bearing,rotor	ﾛｰﾀ ﾍﾞｱﾘﾝｸﾞ	1	0312～	0312～ M486		
52	03620 60002		Plug	ﾌﾟﾗｸﾞ	8				
53	03620 60003		Plug	ﾌﾟﾗｸﾞ	4				
54	37127 17700	D	Pipe	ﾊﾟｲﾌﾟ	1	0333～	0333～ M529		
55	22200 17200	D	Check valve ass'y	ﾁｪｯｸ ﾊﾞﾙﾌﾞ	1	0333～	0333～ M529		
56	03734 78020	D	Nipple	ﾆｯﾌﾟﾙ	1	0333～	0333～ M529		
57	37580 01900	D	Strainer	ｽﾄﾚｰﾅ	1	0333～	0333～ M529		
58	37189 34400	D	Bushing	ﾌﾞｯｼﾝｸﾞ	1	0333～	0333～ M529		
59	03734 71020	D	Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1	0333～	0333～ M529		
60	37181 08500	D	Clip	ｸﾘｯﾌﾟ	1	0333～	0333～ M529		
	21000 34810		COMPRESSION GROUP (Const.No.61～62)	ｺﾝﾌﾟﾚｯｼｮﾝ ｸﾞﾙｰﾌﾟ					
61	21469 35200		Gear,drive	ﾄﾞﾗｲﾌﾞ ｷﾞﾔ	1				
	Shaft & gear should be ordered in pairs. / シャフトとギヤは、一対でご注文下さい								
62	21467 45600		Gear,driven	ﾄﾞﾘﾌﾞﾝ ｷﾞﾔ	1				
63	02248 08016	D	Bolt,w/w	ﾜｯｼｬ付ﾎﾞﾙﾄ	1	0333～	0333～ M529		
64	03620 41006		Plug	ﾌﾟﾗｸﾞ	1	～'17.5	～'17.5		
64 -1	03620 60006	E	Plug	ﾌﾟﾗｸﾞ	1	'17.6～	'17.6～ M709		
	22 - 00		VALVE GROUP	ﾊﾞﾙﾌﾞ ｸﾞﾙｰﾌﾟ					
71	22100 44500		Unloader ass'y	ｱﾝﾛｰﾀﾞ	1	～0249	～0249		See page 22-1
71 -1	22100 48600	A	Unloader ass'y	ｱﾝﾛｰﾀﾞ	1	0250～	0250～ M28		See page 22-1
72	03402 10165		O-ring	O-ﾘﾝｸﾞ	1				
73	02280 12040		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	6				
74	03115 30012		Lock washer	ﾛｯｸ ﾜｯｼｬ	6				
	61 - 00		COUPLING GROUP	ｶｯﾌﾟﾘﾝｸﾞ ｸﾞﾙｰﾌﾟ					
121	21425 04400		Coupling complete	ｶｯﾌﾟﾘﾝｸﾞ ｺﾝﾌﾟﾘｰﾄ	1				Const.No.122～127
122	21420 20900		Coupling,driven	ｶｯﾌﾟﾘﾝｸﾞ,ﾄﾞﾘﾌﾞﾝ	1				
123	21420 21000		Coupling,driven	ｶｯﾌﾟﾘﾝｸﾞ,ﾄﾞﾘﾌﾞﾝ	1				
124	61112 01400		Bolt	ﾎﾞﾙﾄ	4				
125	02282 20065		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	4				
126	03317 08016		Spring pin	ｽﾌﾟﾘﾝｸﾞ ﾋﾟﾝ	8				
127	61122 05600		Fly wheel	ﾌﾗｲ ﾎｲｰﾙ	1				
128	02282 10035		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	8				
129	03115 40010		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	8				
130	03307 22110		Key	ｷｰ	1				
131	21468 07800		Plate	ﾌﾟﾚｰﾄ	1				
132	02282 12035		Socket bolt	ｿｹｯﾄ ﾎﾞﾙﾄ	2				
133	03115 30012		Lock washer	ﾛｯｸ ﾜｯｼｬ	2				

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. G750S	G750SD	変更 C/H	備考 Remarks
134	02138 10040		Bolt	ﾎﾞﾙﾄ	12			
135	03115 02010		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	12			
136	21463 26600	D	Spacer	ｽﾍﾟｰｻ	1	0333～	0333～ M529	

22 - 00　UNLOADER

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. G750S	適用号機範囲 Applicable Ser.No. G750SD	変更 C/H	備考 Remarks
	22100 44500		UNLOADER ASS'Y アンローダ		～0249	～0249		
	22100 48600	A	UNLOADER ASS'Y アンローダ		0250～	0250～ M28		
1	22111 32400		Body,unloader アンローダ ボディ	1				
2	23124 15000		Bushing ブッシング	1				
3	22144 19400		Spring スプリング	1				
4	22115 13500		Cover,unloader アンローダ カバー	1				
5	03402 10165		O-ring Oリング	1				
6	22115 14300		Cover,unloader アンローダ カバー	1				
7	03402 10200		O-ring Oリング	1				
8	22150 15301		Valve,unloader アンローダ バルブ	1				
9	22130 08800		Piston,unloader アンローダ ピストン	1	～0249	～0249		
9 -1	22130 10500	B	Piston,unloader アンローダ ピストン	1	0250～	0250～ M28		
10	21441 04300		O-ring Oリング	1	～0249	～0249		
10 -1	21441 05800	B	O-ring Oリング	1	0250～	0250～ M28		
11	21441 04400		O-ring Oリング	1	～0249	～0249		
11 -1	21441 05700	B	O-ring Oリング	1	0250～	0250～ M28		
12	22144 15700		Spring スプリング	1				
13	02280 10040		Socket bolt ソケット ボルト	14				
14	03115 30010		Lock washer ロック ワッシャ	8				
15	03115 40010		Spring washer スプリング ワッシャ	6				




52
62
36
53
38
45
48
47
46
54
39
41
40
44
43
42
49
37
36
50
38
A
51
54
31
67
68
32
35
34
33
70
A
3
55 65
61
57
62
65
56
65
58
65
INTER COOLER
5
4
2
6
8
7
1
6
8
7
66
64
65
59
69
63
65
60
65
INTER COOLER

31 - 00　MOUNTING & INTAKE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. G750S	G750SD	変更 C/H	備考 Remarks
	31 - 00		MOUNTING GROUP　ﾏｳﾝﾃｨﾝｸﾞ ｸﾞﾙｰﾌﾟ					
1	31110 09810		Bracket　ﾌﾞﾗｹｯﾄ	2				
2	31110 12310		Bracket　ﾌﾞﾗｹｯﾄ	1				
3	31110 12410		Bracket　ﾌﾞﾗｹｯﾄ	1				
4	02135 12030		Bolt　ﾎﾞﾙﾄ	16				
5	03115 02012		Spring washer　ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	16				
6	31130 27900		Vibration isolator ass'y　防振ｺﾞﾑ	4				
7	02915 20012		Nut,w/w　ﾜｯｼｬ付ﾅｯﾄ	8				
8	31120 08900		Shim　ｼﾑ	2				
	32 - 00		INTAKE GROUP　ｲﾝﾃｰｸ ｸﾞﾙｰﾌﾟ					
31	32100 45001		Air filter ass'y　ｴｱ ﾌｨﾙﾀ	1				Const.No.32～35
32	32143 15300		Element　ｴﾚﾒﾝﾄ	1				
33	32142 10500		Cup　ｶｯﾌﾟ	1				
	39148 05300		Plate(TOP)　ﾌﾟﾚｰﾄ	1				
34	32151 01600		Vacuator valve　ﾊﾞｷｭｴｰﾀ ﾊﾞﾙﾌﾞ	1				
35	32147 03000		O-ring　O-ﾘﾝｸﾞ	1				
36	32240 46700		Bracket　ﾌﾞﾗｹｯﾄ	2				
37	02201 10020		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4	～0084	～0084		
37 -1	02248 10025	A	Bolt,w/w　ﾜｯｼｬ付ﾎﾞﾙﾄ	4	0085～	0085～ M 5		
38	02915 00008		Hexagon flange nuts　ﾌﾗﾝｼﾞ付ﾅｯﾄ	12	～0084	～0084		
38 -1	02915 20008	A	Nut,w/w　ﾜｯｼｬ付ﾅｯﾄ	12	0085～	0085～ M 5		
39	32100 43601		Air filter ass'y　ｴｱ ﾌｨﾙﾀ	1				Const.No.40～44
40	32143 16000		Element　ｴﾚﾒﾝﾄ	1				(outer)
41	32143 15901		Element　ｴﾚﾒﾝﾄ	1				(inner)
42	32142 11101		Cup　ｶｯﾌﾟ	1				
	39148 05300		Plate(TOP)　ﾌﾟﾚｰﾄ	1				
43	32151 01600		Vacuator valve　ﾊﾞｷｭｴｰﾀ ﾊﾞﾙﾌﾞ	1				
44	32147 03300		O-ring　O-ﾘﾝｸﾞ	1				
45	32230 22500		Belt　ﾍﾞﾙﾄ	1				
46	02138 10060		Bolt　ﾎﾞﾙﾄ	2				
47	03115 02010		Spring washer　ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2				
48	03116 12010		Plain washer　ﾌﾟﾚｰﾝ ﾜｯｼｬ	2				
49	32331 87900		Hose　ﾎｰｽ	1				
50	03511 20150		Hose clip　ﾎｰｽ ｸﾘｯﾌﾟ	1				
51	03511 20120		Hose clip　ﾎｰｽ ｸﾘｯﾌﾟ	1				
52	32331 84900		Hose　ﾎｰｽ	1				
53	03511 30215		Hose clip　ﾎｰｽ ｸﾘｯﾌﾟ	1				
54	32148 03000		Filter,service indicator　ｲﾝｼﾞｹｰﾀ	2				
55	32331 87302		Hose　ﾎｰｽ	1				
56	32320 72100		Pipe,intake　ｲﾝﾃｰｸ ﾊﾟｲﾌﾟ	1				
57	32270 06601		Bracket　ﾌﾞﾗｹｯﾄ	1				
58	32331 86902		Hose　ﾎｰｽ	1				
59	32320 71800		Pipe,intake　ｲﾝﾃｰｸ ﾊﾟｲﾌﾟ	1	～0145	～0145		
59 -1	32320 74500	B	Pipe,intake　ｲﾝﾃｰｸ ﾊﾟｲﾌﾟ	1	0146～	0146～ M20		
60	32270 06700		Bracket　ﾌﾞﾗｹｯﾄ	1				
61	02201 08020		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	6	～0145	～0145		
61 -1	02201 08020	Q	Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	8	0146～	0146～ M20		

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. G750S	G750SD	変更 C/H	備考 Remarks
62	02248 12030		Bolt,w/w ﾜｯｼｬ付ﾎﾞﾙﾄ	6	～0145	～0145		
62 -1	02248 12030	Q	Bolt,w/w ﾜｯｼｬ付ﾎﾞﾙﾄ	7	0146～	0146～ M20		
63	32331 87001		Hose ﾎｰｽ	1				
64	32331 87101		Hose ﾎｰｽ	1	～0145	～0145		
64 -1	32331 93300	B	Hose ﾎｰｽ	1	0146～	0146～ M20		
65	03511 50095		Hose clip ﾎｰｽ ｸﾘｯﾌﾟ	9	～0138	～0138		
65 -1	03511 50095	Q	Hose clip ﾎｰｽ ｸﾘｯﾌﾟ	10	0139～	0139～ M19		(Incl.Ser.No.111,116, 118,119,134 & 137)
66	03511 50111		Hose clip ﾎｰｽ ｸﾘｯﾌﾟ	1	～0138	～0138		
66 -1	03511 50111	Q	Hose clip ﾎｰｽ ｸﾘｯﾌﾟ	2	0139～	0139～ M19		(Incl.Ser.No.111,116, 118,119,134 & 137)
67	32331 39300		Hose ﾎｰｽ	1				
68	03511 20180		Hose clip ﾎｰｽ ｸﾘｯﾌﾟ	1				
69	32270 09000	D	Bracket ﾌﾞﾗｹｯﾄ	1	0146～	0146～ M20		
70	03511 30245		Hose clip ﾎｰｽ ｸﾘｯﾌﾟ	1				


~M15
99
94
93
96
89
97
94
93
98
92
93
94
137
90
134
135
138
131
133
134
132
82
134
135
136
81
139
134
135
131
132
134
138
92
93
94
136
135
134
90
91
58
59
57
54
55
56
27
26
95
52
134
133
96
137
89
88
84
83
97
82
140
87
86
85
81
94
93
98
53
51
53
21
25
19
20
23
24
25
20
6
25
24
22
1
17
18
16
14
15
2
3
14
5
4
13
28
10
8
7
11
7
12
9

33 - 00　RECEIVER,SEPARATOR & SERVICE HEADER

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. G750S	G750SD	変更 C/H	備考 Remarks
	33 - 00		RECEIVER GROUP　ﾚｼｰﾊﾞ ｸﾞﾙｰﾌﾟ					
1	33100 83311		Receiver tank　ﾚｼｰﾊﾞ ﾀﾝｸ	1				
2	33231 02600		Cap　ｷｬｯﾌﾟ	1				
3	03402 25040		O-ring　O-ﾘﾝｸﾞ	1				
4	33200 01500		Gauge ass'y　ｹﾞｰｼﾞ	1				Incl.No.5
5	33235 01900		Gasket　ｶﾞｽｹｯﾄ	4				
6	03620 41002	C	Plug　ﾌﾟﾗｸﾞ	1	0098～	0098～ M12		
7	GD981 00900		Elbow　ｴﾙﾎﾞ	2				
8	03728 08150		Pipe　ﾊﾟｲﾌﾟ	1				
9	03735 13008		Valve　ﾊﾞﾙﾌﾞ	1				
10	33260 08700		Bracket　ﾌﾞﾗｹｯﾄ	1				
11	02201 06016		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2				
12	03830 06008		U-bolt　U-ﾎﾞﾙﾄ	1				
13	02915 00006		Hexagon flange nuts　ﾌﾗﾝｼﾞ付ﾅｯﾄ	2	～0084	～0084		
13 -1	02915 20006	A	Nut,w/w　ﾜｯｼｬ付ﾅｯﾄ	2	0085～	0085～ M 5		
14	31130 28500		Vibration isolator ass'y　防振ｺﾞﾑ	8				
15	31144 13300		Spacer　ｽﾍﾟｰｻ	4				
16	45214 02900		Washer　ﾜｯｼｬ	4				
17	02912 06012		Nut　ﾅｯﾄ	4				
18	03115 02012		Spring washer　ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	4				
19	33310 63200		Pipe,discharge　ﾃﾞｨｽﾁｬｰｼﾞ ﾊﾟｲﾌﾟ	1				
20	03402 15105		O-ring　O-ﾘﾝｸﾞ	2				
21	02135 12065		Bolt　ﾎﾞﾙﾄ	4				
22	02912 06012		Nut　ﾅｯﾄ	4				
23	02135 12045		Bolt　ﾎﾞﾙﾄ	6				
24	03115 02012		Spring washer　ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	10				
25	03116 12012		Plain washer　ﾌﾟﾚｰﾝ ﾜｯｼｬ	14				
26	33170 01300		Plate　ﾌﾟﾚｰﾄ	1				
27	02201 08020		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2				
28	03116 12006	D	Plain washer　ﾌﾟﾚｰﾝ ﾜｯｼｬ	2	0085～	0085～ M 5		
	34 - 00		SEPARATOR GROUP　ｾﾊﾟﾚｰﾀ ｸﾞﾙｰﾌﾟ					
51	34220 11502		Separator　ｾﾊﾟﾚｰﾀ	1				
52	34250 32400		Cover　ｶﾊﾞｰ	1				
53	34235 06700		Gasket　ｶﾞｽｹｯﾄ	2				
54	02135 16080		Bolt　ﾎﾞﾙﾄ	10				
55	03115 02016		Spring washer　ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	10				
56	03116 12016		Plain washer　ﾌﾟﾚｰﾝ ﾜｯｼｬ	10				
57	37730 09900		Nipple　ﾆｯﾌﾟﾙ	1				
58	37189 38800		Bushing　ﾌﾞｯｼﾝｸﾞ	1				
59	37580 01900		Strainer　ｽﾄﾚｰﾅ	1				
	35 - 00		SERVICE HEADER GROUP　ｻｰﾋﾞｽ ﾍｯﾀﾞ ｸﾞﾙｰﾌﾟ					
81	35100 55301		Air manifold　ｴｱ ﾏﾆﾎｰﾙﾄﾞ	1	～0119	～0119		
81 -1	35100 57500	B	Air manifold　ｴｱ ﾏﾆﾎｰﾙﾄﾞ	1	0120～	0120～ M15		
82	02201 10030		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4				
83	35421 07900		Air valve　ｴｱ ﾊﾞﾙﾌﾞ	1				

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. G750S	G750SD	変更 C/H	備考 Remarks
84	35421 00105		Air valve	エア バルブ	2			
85	35470 44900		Bracket	ブラケット	1			
86	02246 08025		Bolt,w/w	ワッシャ付ボルト	2			
87	35470 44801		Bracket	ブラケット	2			
88	02246 06016		Bolt,w/w	ワッシャ付ボルト	4			
89	35300 17500		Press.cont.vlv.ass'y	圧力コントロール バルブ	1 ～0097	～0097		See page 33-4
89 -1	35300 18000	B	Press.cont.vlv.ass'y	圧力コントロール バルブ	1 0098～	0098～	M14	See page 33-4
90	35430 13200		Pipe	パイプ	1 ～0097	～0097		
90 -1	35430 17000	B	Pipe	パイプ	1 ～0119	～0119	M14	
90 -2	35430 17400	B	Pipe	パイプ	1 0120～	0120～	M15	
91	03402 15095		O-ring	Oーリング	1			
92	02135 12040		Bolt	ボルト	4			
93	03115 02012		Spring washer	スプリング ワッシャ	4 ～0097	～0097		
93 -1	03115 02012	Q	Spring washer	スプリング ワッシャ	8 0098～	0098～	M14	
94	03116 12012		Plain washer	プレーン ワッシャ	4 ～0097	～0097		
94 -1	03116 12012	Q	Plain washer	プレーン ワッシャ	12 ～0119	～0119	M14	
94 -2	03116 12012	Q	Plain washer	プレーン ワッシャ	8 0120～	0120～	M15	
95	35200 22500		Safety valve ass'y	安全弁	1 ～0104	～0104		(1.65MPa)
95 -1	35200 22900	B	Safety valve ass'y	安全弁	1 0105～	0105～	M 9	(1.70MPa)
96	03620 41002		Plug	プラグ	1			
97	03402 25090	D	O-ring	Oーリング	1 0098～	0098～	M14	
98	02135 12055	D	Bolt	ボルト	4 0098～	0098～	M14	
98 -1	02135 12045	B	Bolt	ボルト	4 0120～	0120～	M15	
99	02912 06012	D	Nut	ナット	4 0098～	0098～	M14	
99 -1	02912 06012	C	Nut	ナット	4 0120～	0120～	M15	
	38 - 00		COOLING GROUP	クーリング グループ				
131	37160 71520		Pipe	パイプ	1 ～0097	—		(flexible)
131 -1	37160 73120	B	Pipe	パイプ	1 ～0119	—	M14	(flexible)
131 -2	35430 17500	B	Pipe	パイプ	1 0120～	—	M15	(flexible)
132	03402 15095		O-ring	Oーリング	1	—		
133	02135 12070		Bolt	ボルト	4 ～0119	—		
133 -1	02135 12055	A	Bolt	ボルト	4 0120～	—	M15	
134	03116 12012		Plain washer	プレーン ワッシャ	8 ～0097	—		
134 -1	03116 12012	Q	Plain washer	プレーン ワッシャ	12 ～0119	—	M14	
134 -2	03116 12012	Q	Plain washer	プレーン ワッシャ	16 0120～	—	M15	
135	03115 02012		Spring washer	スプリング ワッシャ	4 ～0097	—		
135 -1	03115 02012	Q	Spring washer	スプリング ワッシャ	8 0098～	—	M14	
136	02912 06012		Nut	ナット	4	—		
137	03402 25090	D	O-ring	Oーリング	1 0098～	—	M14	
138	02135 12045	D	Bolt	ボルト	4 0098～	—	M14	
138 -1	02135 12055	B	Bolt	ボルト	4 0120～	—	M15	
139	02912 06012	D	Nut	ナット	4 0120～	—	M15	
140	03620 41002	D	Plug	プラグ	1 0120～	—	M15	

33 - 01　PRESSURE CONTROL VALVE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. G750S	適用号機範囲 Applicable Ser.No. G750SD	変更 C/H	備考 Remarks
	35300 17500		PRESSURE CONTROL VALVE ASS'Y	圧力ｺﾝﾄﾛｰﾙ ﾊﾞﾙﾌﾞ		～0097	～0097		
	35300 18000	B	PRESSURE CONTROL VALVE ASS'Y	圧力ｺﾝﾄﾛｰﾙ ﾊﾞﾙﾌﾞ		0098～	0098～	M14	
1	35301 22000		Body	ﾎﾞﾃﾞｨ	1	～0097	～0097		
1 -1	35301 22900	B	Body	ﾎﾞﾃﾞｨ	1	0098～	0098～	M14	
2	35302 04900		Cover	ｶﾊﾞｰ	1				
3	35302 05000		Cover	ｶﾊﾞｰ	1				
4	03402 15090		O-ring	O-ﾘﾝｸﾞ	1				
5	35303 09301		Piston	ﾋﾟｽﾄﾝ	1				
6	35303 09500		Piston	ﾋﾟｽﾄﾝ	1				
7	21441 05000		O-ring	O-ﾘﾝｸﾞ	1				
8	22505 03200		Ring,piston seal	ﾋﾟｽﾄﾝ ｼｰﾙ ﾘﾝｸﾞ	1				
9	35304 03900		Spring	ｽﾌﾟﾘﾝｸﾞ	1				
10	35305 01300		Spring seat	ｽﾌﾟﾘﾝｸﾞ ｼｰﾄ	2				
11	35304 03600		Spring	ｽﾌﾟﾘﾝｸﾞ	1				
12	35305 01400		Spring seat	ｽﾌﾟﾘﾝｸﾞ ｼｰﾄ	2				
13	35304 03800		Spring	ｽﾌﾟﾘﾝｸﾞ	1				



35 - 00 SERVICE HEADER (DRY AIR TYPE)



35 - 00 SERVICE HEADER (DRY AIR TYPE)



35 - 00　SERVICE HEADER (DRY AIR TYPE)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	適用号機範囲 Applicable Ser.No. —	適用号機範囲 Applicable Ser.No. G750SD	変更 C/H	備考 Remarks
	38 - 00		COOLING GROUP　ｸｰﾘﾝｸﾞ ｸﾞﾙｰﾌﾟ					
1	38900 07100		After cooler　ｱﾌﾀｸｰﾗ	1		～0088		
1 -1	38900 07500	B	After cooler　ｱﾌﾀｸｰﾗ	1		0089～ M 8		
2	38300 41700		Casing　ｹｰｼﾝｸﾞ	1		～0088		
2 -1	38300 42000	B	Casing　ｹｰｼﾝｸﾞ	1		0089～ M 8		
3	03407 66904		Seal rubber　ｼｰﾙ ﾗﾊﾞｰ	2				
4	03407 66937		Seal rubber　ｼｰﾙ ﾗﾊﾞｰ	2				
5	38465 13900		Cushion rubber　ｸｯｼｮﾝ ﾗﾊﾞｰ	2				
6	38420 01610		Bracket　ﾌﾞﾗｹｯﾄ	1		～0088		
6 -1	38420 02810	B	Bracket　ﾌﾞﾗｹｯﾄ	1		0089～ M 8		
7	52160 80700		Bracket　ﾌﾞﾗｹｯﾄ	1				
8	52370 02211		Duct　ﾀﾞｸﾄ	1				
9	35100 55400		Air manifold　ｴｱ ﾏﾆﾎｰﾙﾄﾞ	1		～0097		
9 -1	35100 57400	B	Air manifold　ｴｱ ﾏﾆﾎｰﾙﾄﾞ	1		～0119　M14		
9 -2	35100 57600	B	Air manifold　ｴｱ ﾏﾆﾎｰﾙﾄﾞ	1		0120～ M15		
10	37160 71620		Pipe　ﾊﾟｲﾌﾟ	1		～0119		
10 -1	37160 73520	B	Pipe　ﾊﾟｲﾌﾟ	1		0120～ M15		
11	35430 14700		Pipe　ﾊﾟｲﾌﾟ	1		～0119		
11 -1	35430 17301	B	Pipe　ﾊﾟｲﾌﾟ	1		0120～ M15		
12	37160 71720		Pipe　ﾊﾟｲﾌﾟ	1		～0097		
12 -1	37160 73220	A	Pipe　ﾊﾟｲﾌﾟ	1		～0119　M14		
12 -2	37160 73620	B	Pipe　ﾊﾟｲﾌﾟ	1		0120～ M15		
13	03402 15095		O-ring　O-ﾘﾝｸﾞ	2				
14	02135 12055		Bolt　ﾎﾞﾙﾄ	4		～0119		
14 -1	02135 12070	B	Bolt　ﾎﾞﾙﾄ	4		0120～ M15		
15	02135 12070		Bolt　ﾎﾞﾙﾄ	4				
16	03115 02012		Spring washer　ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	8		～0097		
16 -1	03115 02012	Q	Spring washer　ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	12		0098～ M14		
17	03116 12012		Plain washer　ﾌﾟﾚｰﾝ ﾜｯｼｬ	12		～0097		
17 -1	03116 12012	Q	Plain washer　ﾌﾟﾚｰﾝ ﾜｯｼｬ	16		～0119　M14		
17 -2	03116 12012	Q	Plain washer　ﾌﾟﾚｰﾝ ﾜｯｼｬ	24		0120～ M15		
18	02912 06012		Nut　ﾅｯﾄ	4				
19	34200 03300		Separator ass'y　ｾﾊﾟﾚｰﾀ	1				
20	03731 45020		Nipple　ﾆｯﾌﾟﾙ	1				
21	35430 12500		Pipe　ﾊﾟｲﾌﾟ	2				
22	33500 03300		Coupling ass'y　ｶｯﾌﾟﾘﾝｸﾞ	1				
23	38910 01200		Air warmer　ｴｱ ｳｫｰﾏ	1		～0119		
23 -1	38910 01500	B	Air warmer　ｴｱ ｳｫｰﾏ	1		0120～ M15		
24	38300 41800		Casing　ｹｰｼﾝｸﾞ	1		～0119		
24 -1	38300 42400	B	Casing　ｹｰｼﾝｸﾞ	1		0120～ M15		
25	02915 00012		Hexagon flange nuts　ﾌﾗﾝｼﾞ付ﾅｯﾄ	4				
26	35430 13400		Pipe　ﾊﾟｲﾌﾟ	1		～0119		
26 -1	35430 16100	B	Pipe　ﾊﾟｲﾌﾟ	1		0120～ M15		
27	03830 08006		U-bolt　U-ﾎﾞﾙﾄ	1		～0119		
27 -1	35430 17200	B	Pipe　ﾊﾟｲﾌﾟ	1		0120～ M15		
28	02915 00008		Hexagon flange nuts　ﾌﾗﾝｼﾞ付ﾅｯﾄ	2		～0084		
28 -1	02915 20008	A	Nut,w/w　ﾜｯｼｬ付ﾅｯﾄ	2		～0119　M 5		
28 -2	02135 12055	B	Bolt　ﾎﾞﾙﾄ	8		0120～ M15		
29	38860 34000		Bracket　ﾌﾞﾗｹｯﾄ	1		～0119		
29 -1	03115 02012	B	Spring washer　ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	8		0120～ M15		

35 - 00 SERVICE HEADER (DRY AIR TYPE)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. —	適用号機範囲 Applicable Ser.No. G750SD	変更 C/H	備考 Remarks
30	35421 07900		Air valve	ｴｱ ﾊﾞﾙﾌﾞ	1		～0119		
30 -1	03116 12012	B	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	16		0120～ M15		
31	35470 45700		Bracket	ﾌﾞﾗｹｯﾄ	1		～0119		
31 -1	02912 06012	B	Nut	ﾅｯﾄ	8		0120～ M15		
32	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	21		～0119		
32 -1	02201 08020	Q	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	17		0120～ M15		
33	03732 02004		Bush	ﾌﾞｯｼｭ	1				
34	03731 21004		Elbow	ｴﾙﾎﾞ	1				
35	03732 02006		Bush	ﾌﾞｯｼｭ	1				
36	03731 30006		Tee	ﾁｰ	1				
37	35421 06900		Air valve	ｴｱ ﾊﾞﾙﾌﾞ	1				
38	03732 00602		Bush	ﾌﾞｯｼｭ	1				
39	03620 41002		Plug	ﾌﾟﾗｸﾞ	1				
40	03731 44006		Nipple	ﾆｯﾌﾟﾙ	2				
41	03732 00604		Bush	ﾌﾞｯｼｭ	1				
42	37170 12600		Joint	ｼﾞｮｲﾝﾄ	4				
43	38524 75800		Hose	ﾎｰｽ	1		～0082		
43 -1	03590 01003	A	Hose	ﾎｰｽ	1		0083～ M343		
44	38524 75900		Hose	ﾎｰｽ	1		～0082		
44 -1	03590 01004	A	Hose	ﾎｰｽ	1		0083～ M343		
45	03511 20025		Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	4				
46	38860 34900		Bracket	ﾌﾞﾗｹｯﾄ	1				
47	02201 06016		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2				
48	37731 12700		Nipple	ﾆｯﾌﾟﾙ	1				
49	35440 03400		Silencer	ｻｲﾚﾝｻ	1				
50	38466 08400		Pipe	ﾊﾟｲﾌﾟ	1				
51	03511 20040		Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	1				
52	03735 13003		Valve	ﾊﾞﾙﾌﾞ	1				
53	03731 45003		Nipple	ﾆｯﾌﾟﾙ	1				
54	03845 30060		Nylon tube,w/n	ﾅｯﾄ付ﾅｲﾛﾝﾁｭｰﾌﾞ	1				
55	03734 95030		Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	2				
56	03732 10403		Bush	ﾌﾞｯｼｭ	1				
57	03735 13002		Valve	ﾊﾞﾙﾌﾞ	1				
58	37731 11800		Nipple	ﾆｯﾌﾟﾙ	1				
59	03731 28002		Elbow	ｴﾙﾎﾞ	1				
60	37110 07000		Hose	ﾎｰｽ	1		～0119		
60 -1	37110 12300	B	Hose	ﾎｰｽ	1		0120～ M15		
61	03734 43020		Nipple	ﾆｯﾌﾟﾙ	1				
62	03735 13006		Valve	ﾊﾞﾙﾌﾞ	1				
63	37181 04200		Clip	ｸﾘｯﾌﾟ	5				
64	03425 00005		Vinyl clip	ﾋﾞﾆｰﾙ ｸﾘｯﾌﾟ	10				
65	03424 80101		Clip	ｸﾘｯﾌﾟ	3				
66	03402 25090	D	O-ring	O-ﾘﾝｸﾞ	1		0098～ M14		
66 -1	03402 15095	B	O-ring	O-ﾘﾝｸﾞ	1		0120～ M15		
67	02135 12045	D	Bolt	ﾎﾞﾙﾄ	4		0098～ M14		
67 -1	02135 12055	B	Bolt	ﾎﾞﾙﾄ	4		0120～ M15		
68	03402 25090	D	O-ring	O-ﾘﾝｸﾞ	1		0120～ M15		
69	02912 06012	D	Nut	ﾅｯﾄ	8		0120～ M15		
70	35421 05801	D	Air valve	ｴｱ ﾊﾞﾙﾌﾞ	2		0120～ M15		
71	03731 45024	D	Nipple	ﾆｯﾌﾟﾙ	2		0120～ M15		
72	03116 12008	D	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	2		0085～ M 5		
72 -1	03402 15080	B	O-ring	O-ﾘﾝｸﾞ	1		0120～ M15		

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	適用号機範囲 Applicable Ser.No. —	適用号機範囲 Applicable Ser.No. G750SD	変更 C/H	備考 Remarks
73	03734 43020		Nipple	ﾆｯﾌﾟﾙ	1		～0119		
73 -1	03734 44002	B	Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1		0120～ M15		
74	22200 17200	D	Check valve ass'y	ﾁｪｯｸ ﾊﾞﾙﾌﾞ	1		0098～ M12		
75	03731 25002	D	Elbow	ｴﾙﾎﾞ	1		0120～ M15		
76	38466 09200	D	Pipe	ﾊﾟｲﾌﾟ	1		0120～ M15		
77	03734 53020	D	Nipple elbow	ﾆｯﾌﾟﾙ ｴﾙﾎﾞ	1		0120～ M15		
78	03734 52020	D	Nipple	ﾆｯﾌﾟﾙ	1		0120～ M15		