SDG100S

Manual de partes

Alpha C
Un lazo para toda la vida.

AIRMAN®

適　用　型　式
ＦＯＲ　ＭＯＤＥＬ

型　　式 ＭＯＤＥＬ	適　用　号　機 ＳＥＲ．ＮＯ．
ＳＤＧ１００Ｓ－３Ａ１	１５３３Ａ１００５１～
ＳＤＧ１００Ｓ－３Ａ５ [STANDARD TYPE]	１５３３Ａ５００５１～
ＳＤＧ１００Ｓ－３Ａ５Ｃ [WITH SAFETY SYSTEM(TYPE C) TYPE]	１５３ＣＡ５００５１～
ＳＤＧ１００Ｓ－３Ａ５Ｅ [WITH ATS TYPE]	１５３ＥＡ５００５１～
ＡＴＳ１５０－５０	９６３－５０＊０５１～ ９６３＊５０１００１～

ご　使　用　の　前　に

1. このパーツカタログは、各構成装置毎に分解した部品図を記載し、各部品には見出し番号を付けてありますので、その番号により、部品番号・部品名称・一台分の数量を知ることができます。

2. 部品をご注文の際は、下記事項をお知らせ下さい。
   (1) 部品番号(Part No.)
   (2) 必要数量(Q'ty)
   (3) 部品名称(Part Name)
   (4) 機械型式(Model)および機械番号(Ser. No.)

3. パーツカタログの見方
   (1) 見　出　番　号(Ref. No.)
   イラストから部品名称や部品番号を見つけ出す役目を果たすものです。
   (ボルト・ナット等の部品は、イラストを省略して見出番号のみ記載してある場合がありますので注意してください。)
   見出番号欄に1, 1-1, 1-2, ……、とありますのは、部品の変更過程を表します。
   その変更過程は、見出番号1の部品が1-1に変わり、次に1-2に変わったことを意味します。

   (2) 部　品　番　号(Part No.)
   個々の部品特有の番号です。形状が同じ部品があっても番号が異なる場合、取付互換性がありませんので注意してください。

   (3) 互　　換　　性(Interchangeability)
   互換性欄に記載の記号の意味は次のとおりです。
   Ａ : 新部品は旧部品の代わりに使用できますが、旧部品を新部品の代わりに使用できません。
   Ｂ : 新、旧部品とも互換性なし
   Ｃ : 廃止
   Ｄ : 新規追加になった部品
   Ｅ : 新、旧部品とも互換性あり
   Ｑ : 数量変更
   Ｘ : セット部品に含まれていますが、この型式では使われていません。
   Ｙ : 選択可能部品
   Ｚ : 単品供給不可部品

   (4) 部　品　名　称(Part Name)
   個々の部品特有の名称です。

   (5) 数　　量(Q'ty)
   その機械1台分の使用個数を示します。

   (6) 変　　更(Change column)
   記号 M1, M2, ……Mn は部品番号の変更を示します。
   実施時期については「部品番号変更時期一覧表」を参照してください。

4. 略号は次のことを表します。

ass'y(assembly)	組立品 (アッセンブリ)	L(Length)	長さ
		OPT.(Option)	オプション
A(Ampere)	アンペア	SPC/S. (Special specifications)	特殊仕様
AUTO.(Automatic)	オートマチック		
C/H(Change column)	変更	STD.(Standards)	標準(スタンダード)
Const.(Consisting of)	～で構成	sw.(switch)	スイッチ
Cont.(Control)	コントロール	T or t(Thickness)	厚さ
Eng.(Engine)	エンジン	V(Volt)	ボルト
EXP.(Export)	輸出	W(Watt)	ワット
GEN.(Generator)	ゼネレータ	w.(with)	～付
Incl.(Including)	～を含む	w/o(without)	～なし

5. 型式名の見方

例：Ｓ Ｄ Ｇ ２ ５ □ Ｓ － ３ Ａ １ □
① ② ③ ④ ⑤ ⑥ ⑦

① SDG ： スキッド型,ディーゼル発電機
PDG ： 可搬型,ディーゼル発電機
SPG ： スキッド型,PTO発電機
ATS ： 電源自動切換盤
② 25 ： 定格出力(kVA)
③ Ｓ ： 防音型
無し: 非防音型
ＡＳ: 超低騒音型
④ ３ ： ボックスタイプ
４ ： スーパースリム仕様
５ ： 周波数
６ ： 北米仕様
７ ： オイルフェンス付
８ ： 北米仕様(オイルフェンス付)
ATSの場合: 1～4･･･12V仕様、5～8･･･24V仕様
⑤ モデルチェンジ記号
無し: PTO発電機
⑥ バリエーション記号
⑦ 無し: メタルコンセント(分電盤)無
Ｍ ： メタルコンセント(分電盤)付
Ａ ： 3電源仕様(TYPE A)
Ｂ ： メタルコンセント(分電盤)付(TYPE B)
Ｃ ： 安全装置付(TYPE C)
Ｅ ： ATS盤付

※ 当社では、常に製品の改良に取組んでおりますので、パーツカタログに記載されていない変更が生じている場合があります。必要に応じて、この様な変更を盛り込んだ改訂版を出しておりますので、不明な点がございましたら最寄りの支店･営業所またはサービスセンターにご相談ください。
※ エンジン部品は、別冊のエンジンパーツカタログをご参照ください。

N O T I C E

1. This parts catalog contains all the parts and assemblies of “AIRMAN” brand products.
   The complete unit is divided into several parts groups,the details of which are clearly illustrated,and completely listed.
   So desired part number,name and quantity can be easily determined referring to Ref.No.

2. When you place order for service parts,please be sure to advise us of the following information.
   (1) Part number.
   (2) Quantity required.
   (3) Part name.
   (4) Model name and Serial number.

3. How to read parts catalog.
   (1) Ref.No.
   Reference number(Ref.No.)is to be used for locating the part number and name from the illustrations.(However some parts such as bolts and nuts etc.,are not illustrated but their reference numbers only listed.)
   Ref.No.1,1-1,1-2,·····shows history of part modifications;namely ref.No.1 changed to No.1-1 and then 1-2.

Example: Ref.No.	Part No.
1.	21101 00101
1-1.	21101 00103

   (2) Part No.
   Every part has its own proper number. Even if a part has the same shape as an other part and if its number different,it is not interchangeable at all in many cases.

   (3) Interchangeability
   A.B.C.D.E.Q.X.Y.and Z.in column “Interchangeability” show the following.
   A : A new part can replace an old part, but an old part cannot replace a new part.
   B : Not interchangeable.
   C : Disused.
   D : Newly added.
   E : Compatible with eachother.
   Q : Quantity per unit changed.
   X : Included in this set of parts,this part is not used for this model.
   Y : Part to be selected.
   Z : This part can not be supplied as an individual part.

   (4) Part name
   Every part has its own proper name.

   (5) Q'ty
   The number shown in the column of Q'TY indicates the quantity of parts used per one unit machine.

(6) Change column

M1,M2,M3,·····Mn mentioned in the column indicate the change of part number and the serial number of the unit,the part of which was modified.

To check the serial number,refer to "LIST OF MACHINE SERIAL NUMBERS & CHANGED PART NUMBERS" mentioned in the front part of this book.

4. Abbreviations used in this catalog.

ass'y	assembly	L	Length
A	Ampere	OPT.	Option
AUTO.	Automatic	SPC/S.	Special specifications
C/H	Change column	STD.	Standards
Const.	Consisting of	sw.	switch
Cont.	Control	T or t	Thickness
Eng.	Engine	V	Volt
EXP.	Export	W	Watt
GEN.	Generator	w.	with
Incl.	Including	w/o	without

5. HOW TO READ MODELS

Example: S D G 2 5 □ S － 3 A 1 □
① ② ③ ④ ⑤ ⑥ ⑦

① SDG : SKID-MOUNTED DIESEL GENERATOR
PDG : PORTABLE DIESEL GENERATOR
SPG : SKID-MOUNTED POWER TAKE OFF GENERATOR
ATS : AUTOMATIC TRANSFER SWITCHES

② 25 : OUTPUT(kVA)

③ S : SILENT TYPE
w/o S: UNSILENCED TYPE
AS : ADVANCED SILENT TYPE

④ 3 : BOX TYPE
4 : SUPER SLIM TYPE
5 : FREQUENCY
6 : NORTH AMERICA TYPE
7 : w.OIL FENCE
8 : NORTH AMERICA TYPE(w.OIL FENCE)

In case of ATS: 1～4･･･12V TYPE,5～8･･･24V TYPE

⑤ MODEL CHANGE MARK
No mark:POWER TAKE OFF GENERATOR

⑥ VARIATION MARK

⑦ No mark:w/o METAL CONSENT
M :w.METAL CONSENT
A :w.CHANGE DEVICE(TYPE A)
B :w.METAL CONSENT(TYPE B)
C :w.SAFETY SYSTEM(TYPE C)
E :w.ATS

NOTE:※We are always engaged in improving our products.So there may be some changes of the product which are not yet mentioned in this parts catalog.
Therefore,in necessary case,we issue a revision in which such changes ars added.
When you have any question on the parts catalog,please ask your nearest dealer or directly us.

※For engine parts,please refer to separate engine parts catalog.

部 品 番 号 変 更 時 期 一 覧 表

LIST OF MACHINE SERIAL NUMBERS & CHANGED PART NUMBERS

型 式 と 実 施 号 機 MODEL NAME & SER.NO. OF THE UNIT,THE PART OF WHICH WAS CHANGED							
変 更 C/H	SDG100S-3A1	SDG100S-3A5	ATS150-50	変 更 C/H	SDG100S-3A1	SDG100S-3A5	ATS150-50
M 1	3A10051～	3A50051～	UNCONVERTED	M18-1	3A10563～	3A50051～	UNCONVERTED
M 1-1	3A10051～	UNCONVERTED	UNCONVERTED	M18-2	3A10572～	3A50051～	UNCONVERTED
M 1-2	3A10052～	3A50051～	UNCONVERTED	M18-3	3A10604～	3A50051～	UNCONVERTED
M 1-3	3A10052～	UNCONVERTED	UNCONVERTED	M18-4	3A10432～	UNCONVERTED	UNCONVERTED
M 2	UNCONVERTED	3A50090～	UNCONVERTED	M18-5	3A10563～	UNCONVERTED	UNCONVERTED
M 2-1	3A10055～	3A50051～	UNCONVERTED	M19	UNCONVERTED	3A50051～	UNCONVERTED
M 2-2	3A10066～	3A50051～	UNCONVERTED	M21	3A10614～	3A50051～	UNCONVERTED
M 2-3	3A10055～	UNCONVERTED	UNCONVERTED	M21-1	3A10644～	3A50051～	UNCONVERTED
M 2-4	3A10066～	UNCONVERTED	UNCONVERTED	M21-2	3A10614～	UNCONVERTED	UNCONVERTED
M 3-1	3A10054～	UNCONVERTED	UNCONVERTED	M21-3	3A10644～	UNCONVERTED	UNCONVERTED
M 3-2	3A10066～	UNCONVERTED	UNCONVERTED	M22	3A10657～	3A50051～	UNCONVERTED
M 4	3A10066～	3A50051～	UNCONVERTED	M22-1	UNCONVERTED	3A50076～	UNCONVERTED
M 4-1	UNCONVERTED	3A50184～	UNCONVERTED	M22-2	3A10657～	UNCONVERTED	UNCONVERTED
M 5	UNCONVERTED	3A50153～	UNCONVERTED	M23	3A10683～	3A50051～	UNCONVERTED
M 5-1	3A10090～	3A50051～	UNCONVERTED	M23-1	3A10683～	UNCONVERTED	UNCONVERTED
M 5-2	3A10094～	3A50051～	UNCONVERTED	M26	UNCONVERTED	3A50339～	UNCONVERTED
M 5-3	3A10094～	UNCONVERTED	UNCONVERTED	M29	UNCONVERTED	3A50392～	UNCONVERTED
M 6	UNCONVERTED	3A50199～	UNCONVERTED	M32	UNCONVERTED	3A50203～	UNCONVERTED
M 7	3A10157～	3A50050～	UNCONVERTED	M82	UNCONVERTED	3A50273～	UNCONVERTED
M 7-1	3A10629～	3A50051～	UNCONVERTED	M87	UNCONVERTED	3A50257～	UNCONVERTED
M 7-2	3A10157～	UNCONVERTED	UNCONVERTED	M94	UNCONVERTED	3A50333～	UNCONVERTED
M 7-3	3A10629～	UNCONVERTED	UNCONVERTED	M97	UNCONVERTED	3A50381～	UNCONVERTED
M 7-4	UNCONVERTED	3A50381～	UNCONVERTED	M103	UNCONVERTED	3A50383～	UNCONVERTED
M 8	3A10196～	3A50051～	UNCONVERTED	M105	UNCONVERTED	3A50381～	UNCONVERTED
M 8-1	3A10196～	UNCONVERTED	UNCONVERTED	M119	UNCONVERTED	3A50454～	UNCONVERTED
M 9	3A10188～	UNCONVERTED	UNCONVERTED	M140	UNCONVERTED	3A50612～	UNCONVERTED
M 9-1	UNCONVERTED	3A50402～	UNCONVERTED	M154	UNCONVERTED	3A50658～	UNCONVERTED
M 9-2	UNCONVERTED	3A50974～	UNCONVERTED	M161	UNCONVERTED	3A50727～	UNCONVERTED
M10	3A10233～	3A50051～	UNCONVERTED	M164	UNCONVERTED	3A50730～	UNCONVERTED
M10-1	3A10233～	UNCONVERTED	UNCONVERTED	M176	UNCONVERTED	3A50757～	UNCONVERTED
M10-2	UNCONVERTED	3A50612～	UNCONVERTED	M183	UNCONVERTED	3A50852～	UNCONVERTED
M11	3A10251～	3A50051～	UNCONVERTED	M186	UNCONVERTED	UNCONVERTED	052～/1001～
M11-1	3A10751～	UNCONVERTED	UNCONVERTED	M209	UNCONVERTED	3A50923～	UNCONVERTED
M11-2	3A10251～	UNCONVERTED	UNCONVERTED	M210	UNCONVERTED	3A50923～	UNCONVERTED
M12	3A10699～	3A50051～	UNCONVERTED	M220	UNCONVERTED	3A50926,938～	UNCONVERTED
M12-1	3A10699～	UNCONVERTED	UNCONVERTED	M258	UNCONVERTED	3A51004～	UNCONVERTED
M12-2	UNCONVERTED	3A50824～	UNCONVERTED	M323	UNCONVERTED	3A51334～	UNCONVERTED
M13	3A10270～	3A50051～	UNCONVERTED	M345	UNCONVERTED	3A51480～	UNCONVERTED
M13-1	3A10270～	UNCONVERTED	UNCONVERTED	M349	UNCONVERTED	3A51459～	UNCONVERTED
M14	3A10412～	3A50050～	UNCONVERTED	M353	UNCONVERTED	3A51493～	UNCONVERTED
M14-1	3A10412～	UNCONVERTED	UNCONVERTED	M374	UNCONVERTED	3A51519～	UNCONVERTED
M16	3A10414～	3A50051～	UNCONVERTED	M379	UNCONVERTED	3A51496～	UNCONVERTED
M16-1	3A10414～	UNCONVERTED	UNCONVERTED	M379-1	UNCONVERTED	3A51519～	UNCONVERTED
M17	3A10422～	3A50051～	UNCONVERTED	M399	UNCONVERTED	3A51597～	UNCONVERTED
M18	3A10432～	3A50051～	UNCONVERTED	M456	UNCONVERTED	3A51821～	UNCONVERTED

部 品 番 号 変 更 時 期 一 覧 表

LIST OF MACHINE SERIAL NUMBERS & CHANGED PART NUMBERS

型 式 と 実 施 号 機 MODEL NAME & SER.NO. OF THE UNIT,THE PART OF WHICH WAS CHANGED							
変 更 C/H	SDG100S-3A1	SDG100S-3A5	ATS150-50	変 更 C/H			
M-A	UNCONVERTED	3A51731～	UNCONVERTED				
M481	UNCONVERTED	3A51877～	UNCONVERTED				
M494	UNCONVERTED	3A51951～	UNCONVERTED				
M503	UNCONVERTED	3A51982～	UNCONVERTED				
M564	UNCONVERTED	3A52187～	UNCONVERTED				
M578	UNCONVERTED	3A52256～	UNCONVERTED				
M591	UNCONVERTED	3A52313～	UNCONVERTED				
M617	UNCONVERTED	3A52428～	UNCONVERTED				

目　　次
CONTENTS

図番号 FIG. NO.	図名称 FIG. NAME		頁 PAGE
20 - 00	GENERATOR & ENGINE	ｾﾞﾈﾚｰﾀ,ｴﾝｼﾞﾝ	20 - 1～4
20 - 01	GENERATOR	ｾﾞﾈﾚｰﾀ	20 - 5～6
36 - 00	ENG.CONTROL	ｴﾝｼﾞﾝ ｺﾝﾄﾛｰﾙ	36 - 1～6
38 - 00	COOLING & FUEL LINE	ｸｰﾘﾝｸﾞ,ﾌｭｴﾙ ﾗｲﾝ	38 - 1～5
39 - 00	NAME PLATE	ﾈｰﾑ ﾌﾟﾚｰﾄ	39 - 1～7
46 - 00	ELECTRIC(for GENERATOR)	ｴﾚｸﾄﾘｯｸ	46 - 1～7
51 - 00	FRAME & BONNET	ﾌﾚｰﾑ,ﾎﾞﾝﾈｯﾄ	51 - 1～7
52 - 00	LINING	ﾗｲﾆﾝｸﾞ	52 - 1～4
SPECIAL SPESIFICATIONS			
SS1- 00	400/440V TYPE(～M19)	400/440V仕様(～M19)	SS1- 1
SS2- 00	ENGLISH TYPE(～M19)	英文仕様(～M19)	SS2- 1
SS3- 00	EXPORT(200/220V)TYPE(～M19)	輸出(200/220V)仕様(～M19)	SS3- 1
SS4- 00	EXPORT(400/440V)TYPE(～M7-4)	輸出(400/440V)仕様(～M7-4)	SS4- 1～4
SS4- 01	EXPORT(DUAL VOLTAGE)TYPE(M7-4～)	輸出(複電圧)仕様(M7-4～)	SS4- 5～6
SS5- 00	SINGLE PHASE(100V) ELECTRIC LEAKAGE BREAKER TYPE(～M19)	単相100V 漏電ﾌﾞﾚｰｶ仕様(～M19)	SS5- 1
SS6- 00	RAIN CAP TYPE(～M19)	ﾚｲﾝ ｷｬｯﾌﾟ仕様(～M19)	SS6- 1
OPTIONAL PARTS			
OP1- 00	ATS TYPE	電源自動切換盤付仕様	OP1-1
OP2- 00	ATS TYPE(ADDITIONAL TYPE)	電源自動切換盤付仕様	OP2-1～2


~M19
47
50
49
48
49
49
43-44-45
46
57
51
42
41
OPT.
121
123
124
123
122
124
104
100
102
104
50
47
50
48
50
101
103
57
102
41
46
59
49
52
53
56
54
55
24
25
59
58
71
23-25
73
72
73
74
76
21
22
1
2
3
21
22
75
76
77
79
78

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
	20 - 00		GENERATOR GROUP	ｾﾞﾈﾚｰﾀ ｸﾞﾙｰﾌﾟ			
1	20002 62202		Generator	ｾﾞﾈﾚｰﾀ	1		
1 -1	20003 50500	B	Generator	ｾﾞﾈﾚｰﾀ	1	M11-2	
1 -2	20003 52801	B	Generator	ｾﾞﾈﾚｰﾀ	1	M14	
1 -3	20003 56901	B	Generator	ｾﾞﾈﾚｰﾀ	1	M 7-4	
1 -4	20003 59803	B	Generator	ｾﾞﾈﾚｰﾀ	1	M 9-1	
2	02135 10050		Bolt	ﾎﾞﾙﾄ	9		(for coupling)
	03115 02010		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	9		(for coupling)
3	02238 10030		Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	12		(for casing)
	31 - 00		MOUNTING GROUP	ﾏｳﾝﾃｨﾝｸﾞ ｸﾞﾙｰﾌﾟ			
21	31130 09600		Vibration isolator ass'y	防振ｺﾞﾑ	4		
21 -1	31130 27900	A	Vibration isolator ass'y	防振ｺﾞﾑ	4	M353	
	02912 08012	C	Nut	ﾅｯﾄ	8	M19	
	03115 02012	C	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	8	M19	
	03116 12012	C	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	8	M19	
	02915 20012	D	Nut(w/w)	ﾜｯｼｬ付ﾅｯﾄ	8	M19	
22	31120 08900		Shim	ｼﾑ	1		
23	31110 61800		Bracket	ﾌﾞﾗｹｯﾄ	1		
24	31110 61900		Bracket	ﾌﾞﾗｹｯﾄ	1		
25	02108 10025		Bolt	ﾎﾞﾙﾄ	7		
25 -1	02102 10025	A	Bolt	ﾎﾞﾙﾄ	7	M349	
	03115 02010		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	8		
	02911 08010		Nut	ﾅｯﾄ	1		
	32 - 00		INTAKE GROUP	ｲﾝﾃｰｸ ｸﾞﾙｰﾌﾟ			
41	32100 35700		Air filter ass'y	ｴｱ ﾌｨﾙﾀ	1		Const.No.52～57
41 -1	32100 39600	B	Air filter ass'y	ｴｱ ﾌｨﾙﾀ	1	M19	Const.No.52～56
41 -2	32100 41900	A	Air filter ass'y	ｴｱ ﾌｨﾙﾀ	1	M154	Const.No.52～56
42	32230 27800		Belt	ﾍﾞﾙﾄ	1		
42 -1	02201 10020	B	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4	M19	
43	32230 28100	C	Belt	ﾍﾞﾙﾄ	1	M19	
44	02138 10050	C	Bolt	ﾎﾞﾙﾄ	2	M19	
	03115 02010	C	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2	M19	
45	02248 08025	C	Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	2	M19	
	02912 08008	C	Nut	ﾅｯﾄ	2	M19	
	03115 02008	C	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2	M19	
46	32331 48300		Hose	ﾎｰｽ	1		
46 -1	32331 61800	B	Hose	ﾎｰｽ	1	M19	
47	32331 48400		Hose	ﾎｰｽ	1		
47 -1	32331 45000	B	Hose	ﾎｰｽ	1	M19	
48	32320 57400		Pipe	ﾊﾟｲﾌﾟ	1		
48 -1	32320 64100	B	Pipe	ﾊﾟｲﾌﾟ	1	M19	
49	03511 20120		Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	3		
49 -1	03511 20120	Q	Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	1	M19	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
50	03511 20090		Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	1		
50 -1	03511 20090	Q	Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	3	M19	
51	32262 00300	C	Nipple	ﾆｯﾌﾟﾙ	1	M19	
52	* * *		Case	ｹｰｽ	1		
53	32143 12800		Element	ｴﾚﾒﾝﾄ	1		
54	32142 09300		Cup	ｶｯﾌﾟ	1		
55	32151 01400		Vacuator valve	ﾊﾞｷｭｴｰﾀ ﾊﾞﾙﾌﾞ	1		
56	32147 02500		O-ring	O-ﾘﾝｸﾞ	1		
57	32148 00100		Filter,service indicator	ｲﾝｼﾞｹｰﾀ	1		
57 -1	32148 03000	B	Filter,service indicator	ｲﾝｼﾞｹｰﾀ	1	M19	
58	03570 09050	D	Hose	ﾎｰｽ	1	M19	
	37182 05501	D	Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	1	M481	
59	03511 10020	D	Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	2	M19	
	41 - 00		ENGINE GROUP	ｴﾝｼﾞﾝ ｸﾞﾙｰﾌﾟ			
71	* * *		Engine	ｴﾝｼﾞﾝ	1		(ISUZU A-6BG1T)
			(Element kit,oil filter ISUZU 187810-0752)				
			(Element kit,fuel filter ISUZU 988511-1911)				
			(Belt,cooling fan ISUZU 113671-2260)				
71 -1	* * *	B	Engine	ｴﾝｼﾞﾝ	1	M19	(ISUZU DD-6BG1T)
	41291 00500		Element(Eng.oil)	ｴﾚﾒﾝﾄ	1		(ISUZU 898375-8600)
	43543 00200		Filter(Fuel)	ﾌｭｴﾙ ﾌｨﾙﾀ	1		(ISUZU 113240-0791)
			(Belt,cooling fan:ISUZU 113671-2260)				
72	43534 01800		Ring connector(Nipple)	ﾘﾝｸﾞ ｺﾈｸﾀ(ﾆｯﾌﾟﾙ)	1		
72 -1	43534 03300	B	Ring connector(Nipple)	ﾘﾝｸﾞ ｺﾈｸﾀ(ﾆｯﾌﾟﾙ)	1	M 7-2	
72 -2	43534 04000	A	Ring connector(Nipple)	ﾘﾝｸﾞ ｺﾈｸﾀ(ﾆｯﾌﾟﾙ)	1	M18-3	
73	03407 14020		Gasket	ｶﾞｽｹｯﾄ	2		
73 -1	03407 16020	B	Gasket	ｶﾞｽｹｯﾄ	2	M 7	
74	43532 06200		Nipple(Bolt)	ﾆｯﾌﾟﾙ(ﾎﾞﾙﾄ)	1		
74 -1	43532 07001	B	Nipple(Bolt)	ﾆｯﾌﾟﾙ(ﾎﾞﾙﾄ)	1	M 7	
75	03580 19060		Hose	ﾎｰｽ	1		
76	03511 20035		Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	2		
77	37170 08400	C	Joint	ｼﾞｮｲﾝﾄ	1	M22	
	02248 08025	C	Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	2	M22	
78	41111 00900		Plug	ﾌﾟﾗｸﾞ	1		
79	37187 01000		O-ring	O-ﾘﾝｸﾞ	1		
	42 - 00		EXHAUST GROUP	ｴｷｿﾞｰｽﾄ ｸﾞﾙｰﾌﾟ			
100	42100 66901		Exhaust muffler	ｴｷｿﾞｰｽﾄ ﾏﾌﾗ	1		
	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4		
101	42310 53000		Pipe	ﾊﾟｲﾌﾟ	1		
101 -1	42310 83003	A	Pipe	ﾊﾟｲﾌﾟ	1	M 5	
	42327 02700	C	Nut	ﾅｯﾄ	4	M 5-1	(Eng.side)
	02915 11010	D	Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	4	M 5-1	
102	42324 09700		Gasket	ｶﾞｽｹｯﾄ	2		
103	02136 10035		Bolt	ﾎﾞﾙﾄ	4		
	02912 06010		Nut	ﾅｯﾄ	4		
	03115 06010		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	4		
	03116 15010		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	4		

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
104	42261 04500		Plate	ﾌﾟﾚｰﾄ	2		
	02201 08012		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4		
	OPNPG 16300		EXHAUST PIPE SET	ﾌﾗﾝｼﾞ仕様対応排気管ｾｯﾄ			Const.No.121～124
121	42310 86700		Pipe	ﾊﾟｲﾌﾟ	1		OPT.
	02136 16060		Bolt	ﾎﾞﾙﾄ	4		OPT.
	02912 04016		Nut	ﾅｯﾄ	4		OPT.
	03115 06016		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	4		OPT.
	03116 15016		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	8		OPT.
122	42230 19200		Belt	ﾍﾞﾙﾄ	1		OPT.
	42323 03600		Gasket	ｶﾞｽｹｯﾄ	2		OPT.
	02135 10035		Bolt	ﾎﾞﾙﾄ	2		OPT.
	02912 06010		Nut	ﾅｯﾄ	2		OPT.
	03115 02010		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2		OPT.
123	42316 10700		Plate	ﾌﾟﾚｰﾄ	2		OPT.
124	42316 10900		Plate	ﾌﾟﾚｰﾄ	2		OPT.
	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4		OPT.
	02915 00008		Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	4		OPT.



DETAIL-A



見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
	20002 62202		Generator	ｾﾞﾈﾚｰﾀ			
	20003 50500	B	Generator	ｾﾞﾈﾚｰﾀ		M11-2	
	20003 52801	B	Generator	ｾﾞﾈﾚｰﾀ		M14	
	20003 56901	B	Generator	ｾﾞﾈﾚｰﾀ		M 7-4	
	20003 59803	B	Generator	ｾﾞﾈﾚｰﾀ		M 9-1	
1	25100 03000		A.C.G.rotor ass'y	主発電機界磁巻線	1		(回転子)
1 -1	25100 05800	B	A.C.G.rotor ass'y	主発電機界磁巻線	1	M11-2	(回転子)
1 -2	25100 07000	B	A.C.G.rotor ass'y	主発電機界磁巻線	1	M14	(回転子)
1 -3	25100 08901	A	A.C.G.rotor ass'y	主発電機界磁巻線	1	M 9-1	(回転子)
2	25650 00400		Surge absorber	ｻｰｼﾞ ｱﾌﾞｿｰﾊﾞ	1		Const.No.3～5
	02248 06020	C	Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	4	M 9-2	
2 -1	25650 02200	B	Surge absorber	ｻｰｼﾞ ｱﾌﾞｿｰﾊﾞ	1	M 9-2	
3	25641 01200	C	Belt	ﾍﾞﾙﾄ	2	M 9-2	
	02138 06016	C	Bolt	ﾎﾞﾙﾄ	2	M 9-2	
4	02138 06025	C	Bolt	ﾎﾞﾙﾄ	2	M 9-2	
5	02912 08006	C	Nut	ﾅｯﾄ	4	M 9-2	
	03115 02006	C	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	4	M 9-2	
	03116 12006	C	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	4	M 9-2	
6	46921 09000		Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	3		(SKN26)
6 -1	46921 09800	B	Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	3	M456	(SKN71)
7	46921 08900		Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	3		(SKR26)
7 -1	46921 09700	B	Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	3	M456	(SKR71)
8	02912 08006		Nut	ﾅｯﾄ	6		
9	21468 13300	C	Cover	ｶﾊﾞｰ	1	M14	
	02138 06055	C	Bolt	ﾎﾞﾙﾄ	4	M14	
	03115 02006	C	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	4	M14	
10	21472 00100		Bearing	ﾍﾞｱﾘﾝｸﾞ	1		(6311ZZCM)
11	21468 13400	C	Cover	ｶﾊﾞｰ	1	M14	
12	25200 03700		A.C.G.stator ass'y	主発電機電機子巻線	1		(固定子)
12 -1	25200 06400	B	A.C.G.stator ass'y	主発電機電機子巻線	1	M11-2	(固定子)
12 -2	25200 07800	B	A.C.G.stator ass'y	主発電機電機子巻線	1	M14	(固定子)
12 -3	25200 09400	B	A.C.G.stator ass'y	主発電機電機子巻線	1	M 7-4	(固定子)
12 -4	25200 10701	B	A.C.G.stator ass'y	主発電機電機子巻線	1	M 9-1	(固定子)
13	25700 02200		Ex.stator ass'y	励磁機界磁巻線	1		(固定子)
13 -1	25700 05700	B	Ex.stator ass'y	励磁機界磁巻線	1	M14	(固定子)
13 -2	25700 07401	A	Ex.stator ass'y	励磁機界磁巻線	1	M 9-1	(固定子)
	02138 06060	C	Bolt	ﾎﾞﾙﾄ	3	M14	
	02138 06050	D	Bolt	ﾎﾞﾙﾄ	3	M14	
	03115 02006		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	3		
	03116 12006		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	3		
14	52728 66900		Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	1		
14 -1	52728 95100	B	Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	1	M14	
14 -2	52728 95100	C	Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	1	M 9-2	
15	25310 03900		Casing	ｹｰｼﾝｸﾞ	1		
15 -1	25310 08300	B	Casing	ｹｰｼﾝｸﾞ	1	M14	
15 -2	25310 08801	B	Casing	ｹｰｼﾝｸﾞ	1	M 9-2	
	02238 10025		Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	6		
16	25360 03100		Cover	ｶﾊﾞｰ	1		
16 -1	25360 06301	B	Cover	ｶﾊﾞｰ	1	M14	
	02248 06025	D	Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	2	M 9-2	

36 - 00 ENG.CONTROL




13
9
A
84
14
70
12
2
3
15
59
82 81 67 55 58
95
93
65-67
62-67
71
VIEW-A
94
68
77
61
69
88
92
90
91
89
87
60
86
73
74
76
75
53
52
51
83

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	変更 C/H	備考 Remarks
	36 - 00		CONTROL GROUP コントロール グループ			
1	36110 73300		Instrument panel インストルメント パネル	1		
	02248 08025		Bolt(w/w) ワッシャ付ボルト	3		
1 -1	36110 85100	B	Instrument panel インストルメント パネル	1	M23-1	
1 -2	36110 86900	B	Instrument panel インストルメント パネル	1	M19	
	02401 66012	B	Screw スクリュ	6	M23	
1 -3	36110 87700	B	Instrument panel インストルメント パネル	1	M 7-4	
	02915 00006	B	Hexagon flange nut フランジ付ナット	4	M 7-4	
1 -4	36110 87700	C	Instrument panel インストルメント パネル	1	M 9-1	
	02915 00006	C	Hexagon flange nut フランジ付ナット	4	M 9-1	
2	36145 04400		Thermometer,warter 水温計	1		
2 -1	36158 00801	B	Gauge,fuel 燃料計	1	M 7-4	
3	36146 06800		Tachometer タコメータ	1		
3 -1	36145 05101	B	Thermometer,warter 水温計	1	M 7-4	
4	36226 01000		Lever レバー	1		
4 -1	36226 01200	B	Lever レバー	1	M23-1	
4 -2	36226 01200	C	Lever レバー	1	M19	
	02135 06025	C	Bolt ボルト,ワッシャ付	1	M19	
	02912 08006	C	Nut ナット	2	M19	
	03116 12006	C	Plain washer プレーン ワッシャ	3	M19	
5	GC131 01600	C	Lever grip レバー グリップ	1	M19	
	02912 14010	C	Nut ナット	1	M19	
6	36260 06500	C	Lever レバー	1	M19	
7	36260 07100	C	Lever レバー	1	M19	
8	56167 01900	C	Spring スプリング	1	M19	
9	36270 11200		Bracket ブラケット	1		
	02248 08025		Bolt(w/w) ワッシャ付ボルト	4		
	02912 08008	C	Nut ナット	4	M19	
9 -1	36270 14900	B	Bracket ブラケット	1	M19	
9 -2	36270 17500	B	Bracket ブラケット	1	M82	
	02138 12025	B	Bolt ボルト	2	M19	
	03115 02012	D	Spring washer スプリング ワッシャ	2	M19	
	03116 12012	D	Plain washer プレーン ワッシャ	2	M19	
10	02138 12085	C	Bolt ボルト	1	M19	
	02912 08012	C	Nut ナット	2	M19	
	03116 12012	C	Plain washer プレーン ワッシャ	3	M19	
11	35208 03200	C	Bolt ボルト	1	M19	
	02912 08010	C	Nut ナット	1	M19	
12	36280 26000		Rod ロッド	1		
	02912 08010		Nut ナット	2		
12 -1	36228 05300	B	Cable ケーブル	1	M19	
12 -2	36228 06200	B	Cable ケーブル	1	M82	
	02915 00005	B	Hexagon flange nut フランジ付ナット	1	M19	
	02915 00005	C	Hexagon flange nut フランジ付ナット	1	M82	
13	36230 00700		Rod end ass'y ロッド エンド	2		
	02912 08006		Nut ナット	2		
	03115 02006	C	Spring washer スプリング ワッシャ	2	M19	
13 -1	36260 11700	B	Lever レバー	1	M19	
13 -2	36260 12300	B	Lever レバー	1	M82	
	02201 06016	B	Flange bolt フランジ付ボルト	2	M19	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
14	03403 00512	D	Grommet	ｸﾞﾛﾒｯﾄ	1	M19	
14 -1	36146 07900	B	Tachometer	ﾀｺﾒｰﾀ	1	M 7-4	
14 -2	36149 03000	B	Hour meter	ｱﾜﾒｰﾀ	1	M617	
15	36143 04000	D	Gauge,oil press.	油圧計	1	M 7-4	
16	52416 23900	D	Window glass	ｳｲﾝﾄﾞｳ ｸﾞﾗｽ	1	M 7-4	
	03424 80101	D	Clip	ｸﾘｯﾌﾟ	1	M 7-4	
16 -1	52416 23900	C	Window glass	ｳｲﾝﾄﾞｳ ｸﾞﾗｽ	1	M 9-1	
	03424 80101	C	Clip	ｸﾘｯﾌﾟ	1	M 9-1	
	44 - 00		ELECTRIC GROUP	ｴﾚｸﾄﾘｯｸ ｸﾞﾙｰﾌﾟ			
51	44210 00100		Battery	ﾊﾞｯﾃﾘ	2		(95E41R)
51 -1	44210 06700	B	Battery	ﾊﾞｯﾃﾘ	2	M10	(95D31R)
52	44220 18700		Cover	ｶﾊﾞｰ	2		
52 -1	44220 16600	B	Cover	ｶﾊﾞｰ	1	M10	
53	44243 01200		Holder	ﾎﾙﾀﾞ	4		
	02915 00008		Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	4		
53 -1	44243 04300	B	Holder	ﾎﾙﾀﾞ	2	M19	
	02915 00006	B	Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	2	M19	
54	44250 79902		Bracket	ﾌﾞﾗｹｯﾄ	1		
54 -1	44250 07812	B	Bracket	ﾌﾞﾗｹｯﾄ	1	M19	
	02201 08020	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4	M19	
54 -2	44250 08912	B	Bracket	ﾌﾞﾗｹｯﾄ	1	M 7-4	
	02415 66016	B	Screw	ｽｸﾘｭ	4	M 7-4	
54 -3	44250 08912	C	Bracket	ﾌﾞﾗｹｯﾄ	1	M 9-1	
	02415 66016	C	Screw	ｽｸﾘｭ	4	M 9-1	
55	44335 00900		Magnetic switch	電磁開閉器	1		
55 -1	44335 01100	B	Magnetic switch	電磁開閉器	1	M161	
	02248 06016		Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	2		
56	44322 02800		Starter switch	ｽﾀｰﾀ ｽｲｯﾁ	1		(ISUZU 182310-0060)
56 -1	44322 07200	B	Starter switch	ｽﾀｰﾀ ｽｲｯﾁ	1	M19	(ISUZU 897044-4180)
	52739 00600		Key	ｷｰ	1		(ISUZU 182310-0070)
57	44331 02400	C	Glow lamp	ｸﾞﾛｰ ﾗﾝﾌﾟ	1	M19	(ISUZU 18142-0040)
58	44324 04800		Safety relay	ｾｰﾌﾃｨ ﾘﾚｰ	1		(ISUZU 182553-0212)
	02248 06016		Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	2		
59	44327 05400		Time relay	ﾀｲﾑ ﾘﾚｰ	1		(ISUZU 897042-8200)
59 -1	44327 08400	B	Time relay(QOS)	ﾀｲﾑ ﾘﾚｰ	1	M19	(ISUZU 182550-3250)
60	44328 06700		Pressure switch (Eng.oil press.)	ﾌﾟﾚｯｼｬ ｽｲｯﾁ	1		(ISUZU 582410-0361)
61	44334 17000		Thermo switch (water temp.)	ｻｰﾓ ｽｲｯﾁ	1		(ISUZU 897172-7210)
62	44346 04700		Relay(leakage)	ﾘﾚｰ	1		(JIDECO MR5A)
62 -1	44346 11300	B	Relay(leakage)	ﾘﾚｰ	1	M19	(ISUZU 892458-0140)
63	44346 07500	C	Relay(Eng.oil press.)	ﾘﾚｰ	1	M19	(ISUZU 582550-0300)
64	44346 07500	C	Relay(water temp.)	ﾘﾚｰ	1	M19	(ISUZU 582550-0300)
65	44346 07500		Relay(solenoid)	ﾘﾚｰ	1		(ISUZU 582550-0300)
66	44346 07500	C	Relay(charge)	ﾘﾚｰ	1	M19	(ISUZU 582550-0300)
67	02201 06016		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	7		
67 -1	02248 06016	B	Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	6	M19	
68	46921 02300		Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	2		(ISUZU 894249-9850)
68 -1	46921 02300	Q	Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	3	M19	(ISUZU 894249-9850)
68 -2	46921 02300	Q	Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	1	M 2	(ISUZU 894249-9850)
69	44364 00100		Thermo sensor	ｻｰﾓ ｾﾝｻ	1		(water temp.)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
70	46161 05800		Pilot lamp	ﾊﾟｲﾛｯﾄ ﾗﾝﾌﾟ	4		
70 -1	46870 30800	B	Controller	ｺﾝﾄﾛｰﾗ	1	M19	(Emergency)
70 -2	46870 41000	B	Controller	ｺﾝﾄﾛｰﾗ	1	M26	(Emergency)
	44490 43730	D	Wiring harness	ﾜｲﾔﾊｰﾈｽ	1	M26	
70 -3	46870 40200	B	Controller	ｺﾝﾄﾛｰﾗ	1	M 7-4	(Emergency)
	44490 42730	B	Wiring harness	ﾜｲﾔﾊｰﾈｽ	1	M 7-4	
	02915 00004	D	Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	4	M19	
70	46870 41000		Controller	ｺﾝﾄﾛｰﾗ	1		OPT.(OVERSPEED)
	44490 43730		Wiring harness	ﾜｲﾔﾊｰﾈｽ	1		OPT.
	44490 42730	B	Wiring harness	ﾜｲﾔﾊｰﾈｽ	1	M 7-4	OPT.
71	46921 04300		Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	1		
	02345 63020		Screw	ｽｸﾘｭ	1		
	03115 02003		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	1		
	03116 12003		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	1		
71 -1	46921 04300	Q	Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	2	M 2	
	02345 63020	Q	Screw	ｽｸﾘｭ	2	M 2	
	03115 02003	Q	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2	M 2	
	03116 12003	Q	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	2	M 2	
72	44470 00100	C	Fuse box	ﾋｭｰｽﾞ ﾎﾞｯｸｽ	1	M 7-1	
	05650 00020	C	Fuse(20A)	ﾋｭｰｽﾞ	1	M 7-1	
	05650 00010	C	Fuse(10A)	ﾋｭｰｽﾞ	1	M 7-1	
	02345 65016	C	Screw	ｽｸﾘｭ	2	M 7-1	
	03115 02006	C	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2	M 7-1	
73	05085 32270		Cable	ｹｰﾌﾞﾙ	1		(batt.～starter)
	44462 00501		Insulator	ｲﾝｼｭﾚｰﾀ	1		(black)
73 -1	07585 32270	B	Cable	ｹｰﾌﾞﾙ	1	M18-5	(batt.～starter)
73 -2	07885 32270	B	Cable	ｹｰﾌﾞﾙ	1	M12-1	(batt.～starter)
	44462 02500	B	Insulator	ｲﾝｼｭﾚｰﾀ	1	M18-5	(red)
73 -3	07885 32190	B	Cable	ｹｰﾌﾞﾙ	1	M19	(batt.～starter)
	44462 05500	B	Insulator	ｲﾝｼｭﾚｰﾀ	1	M19	(red)
74	05085 34100		Cable	ｹｰﾌﾞﾙ	1		(batt.～batt.)
	44462 00501		Insulator	ｲﾝｼｭﾚｰﾀ	1		(black)
74 -1	07585 34100	B	Cable	ｹｰﾌﾞﾙ	1	M18-5	(batt.～batt.)
	44462 02500	B	Insulator	ｲﾝｼｭﾚｰﾀ	1	M18-5	(red)
	44462 00501	B	Insulator	ｲﾝｼｭﾚｰﾀ	1	M18-5	(black)
74 -2	07885 34100	B	Cable	ｹｰﾌﾞﾙ	1	M12-1	(batt.～batt.)
74 -3	07885 34040	A	Cable	ｹｰﾌﾞﾙ	1	M19	(batt.～batt.)
	44462 05500	B	Insulator	ｲﾝｼｭﾚｰﾀ	1	M12	(red)
	44462 05600	B	Insulator	ｲﾝｼｭﾚｰﾀ	1	M12	(black)
75	05088 31100		Cable	ｹｰﾌﾞﾙ	1		(batt.～Eng.earth)
	44462 00501		Insulator	ｲﾝｼｭﾚｰﾀ	1		(black)
	02248 12030		Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	1		
75 -1	07888 52100	B	Cable	ｹｰﾌﾞﾙ	1	M12	(batt.～Eng.earth)
	44462 05600	B	Insulator	ｲﾝｼｭﾚｰﾀ	1	M12	(black)
	02138 12025	B	Bolt	ﾎﾞﾙﾄ	1	M19	
	03115 02012	D	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	1	M19	
	03116 12012	D	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	1	M19	
76	05068 27050		Cable	ｹｰﾌﾞﾙ	1		
	02201 08020	C	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	1	M19	
	02248 10030	D	Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	1	M19	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
77	44490 11320		Wiring harness(main)	ﾜｲﾔﾊｰﾈｽ	1		
77 -1	44490 81920	B	Wiring harness(main)	ﾜｲﾔﾊｰﾈｽ	1	M 7-3	
77 -2	44490 98020	B	Wiring harness(main)	ﾜｲﾔﾊｰﾈｽ	1	M19	
	44490 00630	D	Wiring harness	ﾜｲﾔﾊｰﾈｽ	1	M19	
	44490 00630	C	Wiring harness	ﾜｲﾔﾊｰﾈｽ	1	M 2	
77 -3	44490 02631	B	Wiring harness(main)	ﾜｲﾔﾊｰﾈｽ	1	M 2	
77 -4	44490 35230	B	Wiring harness(main)	ﾜｲﾔﾊｰﾈｽ	1	M 7-4	
77 -5	44490 58931	B	Wiring harness(main)	ﾜｲﾔﾊｰﾈｽ	1	M161	
77 -6	44490 14650	B	Wiring harness(main)	ﾜｲﾔﾊｰﾈｽ	1	M617	
78	03424 80101	C	Clip	ｸﾘｯﾌﾟ	1	M19	
79	03424 80011		Clip	ｸﾘｯﾌﾟ	2		
79 -1	03424 80101	A	Clip	ｸﾘｯﾌﾟ	1	M 1-1	
	03425 00001	D	Vinyl clip	ﾋﾞﾆｰﾙ ｸﾘｯﾌﾟ	1	M 1-1	
79 -2	03424 80101	C	Clip	ｸﾘｯﾌﾟ	1	M19	
	03425 00001	C	Vinyl clip	ﾋﾞﾆｰﾙ ｸﾘｯﾌﾟ	1	M19	
80	44462 00700	C	Insulator	ｲﾝｼｭﾚｰﾀ	1	M19	(Starter side)
81	44470 01600	D	Fuse box	ﾋｭｰｽﾞ ﾎﾞｯｸｽ	2	M 7-1	
	46934 03200	D	Fuse(10A)	ﾋｭｰｽﾞ	2	M 7-1	
82	44470 01700	D	Fuse box	ﾋｭｰｽﾞ ﾎﾞｯｸｽ	1	M 7-1	
	46934 03300	D	Fuse(20A)	ﾋｭｰｽﾞ	1	M 7-1	
83	03425 00001	D	Vinyl clip	ﾋﾞﾆｰﾙ ｸﾘｯﾌﾟ	1	M 7-3	
83 -1	03425 00001	Q	Vinyl clip	ﾋﾞﾆｰﾙ ｸﾘｯﾌﾟ	16	M19	
84	03403 00303	D	Grommet	ｸﾞﾛﾒｯﾄ	1	M19	
84 -1	03403 00392	B	Grommet	ｸﾞﾛﾒｯﾄ	1	M 7-4	
85	03401 22115	D	Universal bush	ﾕﾆﾊﾞｰｻﾙ ﾌﾞｯｼｭ	1	M19	
85 -1	03401 22115	C	Universal bush	ﾕﾆﾊﾞｰｻﾙ ﾌﾞｯｼｭ	1	M 7-4	
86	44462 00800	D	Insulator	ｲﾝｼｭﾚｰﾀ	1	M19	
87	44358 00600	D	Engine stopper	ｴﾝｼﾞﾝ ｽﾄｯﾊﾟ	1	M19	
88	36153 00100		Gasket	ｶﾞｽｹｯﾄ	1		
89	44250 07910	D	Bracket	ﾌﾞﾗｹｯﾄ	1	M19	
	02201 08020	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M19	
90	44365 00300	D	Oil pressure sender	油圧ｾﾝｻ	1	M 7-4	
91	37189 07800	D	Bushing	ﾌﾞｯｼﾝｸﾞ	1	M 7-4	
92	44290 33600	D	Guide	ｶﾞｲﾄﾞ	1	M 7-4	
	02201 10020	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M 7-4	
	02138 12025	D	Bolt	ﾎﾞﾙﾄ	1	M 7-4	
	03115 02012	D	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	1	M 7-4	
	03116 12012	D	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	1	M 7-4	
	02108 10020	D	Bolt	ﾎﾞﾙﾄ	1	M 7-4	
	03115 02010	D	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	1	M 7-4	
	03116 12010	D	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	1	M 7-4	
93	44250 08710	D	Bracket	ﾌﾞﾗｹｯﾄ	1	M 9-1	
	02248 06016	D	Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	2	M 9-1	
94	44490 35930		Wiring harness	ﾜｲﾔﾊｰﾈｽ	1		w.SAFETY SYSTEM(TYPE C)
95	44250 30010	D	Bracket	ﾌﾞﾗｹｯﾄ	1	M161	
	02201 06016	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M161	
	OPNPG 13600		OVERSPEED PROTECTION	過回転保護装置ｷｯﾄ			
	OPNPG 13700	B	OVERSPEED PROTECTION	過回転保護装置ｷｯﾄ		M 7-4	
			(Const.No.70 & See page 39-1 No.37)				
	39610 77300		Instruction manual	取扱説明書(過回転保護装置付)			


~M19
~M19
~M6

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	変更 C/H	備考 Remarks
	38 - 00		COOLING GROUP　ｸｰﾘﾝｸﾞ ｸﾞﾙｰﾌﾟ			
1	38730 12501		Radiator ass'y　ﾗｼﾞｴｰﾀ	1		Incl.No.2,3
1 -1	38730 13500	A	Radiator ass'y　ﾗｼﾞｴｰﾀ	1	M 3-1	Incl.No.2,3
	38410 04600		Cap　ｷｬｯﾌﾟ	1		
	38469 01200		Valve　ﾊﾞﾙﾌﾞ	1		
	38461 07000		Pipe　ﾊﾟｲﾌﾟ	1		
	02248 12030		Bolt(w/w)　ﾜｯｼｬ付ﾎﾞﾙﾄ	4		
1 -2	38100 41002	B	Radiator　ﾗｼﾞｴｰﾀ	1	M19	
	38410 05800	B	Cap　ｷｬｯﾌﾟ	1	M19	
	38469 01400	B	Valve　ﾊﾞﾙﾌﾞ	2	M19	(drain)
	02201 10020	B	Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	1	M19	
2	38524 38500		Hose　ﾎｰｽ	1		
2 -1	38524 58902	B	Hose　ﾎｰｽ	1	M19	
3	38524 38601		Hose　ﾎｰｽ	1		
3 -1	38524 59001	B	Hose　ﾎｰｽ	1	M19	
4	03511 20070		Hose clip　ﾎｰｽ ｸﾘｯﾌﾟ	4		
5	03407 44073		Seal rubber　ｼｰﾙ ﾗﾊﾞｰ	2		
5 -1	03407 67415	B	Seal rubber　ｼｰﾙ ﾗﾊﾞｰ	4	M19	
6	03407 44069		Seal rubber　ｼｰﾙ ﾗﾊﾞｰ	2		
6 -1	03407 65422	B	Seal rubber　ｼｰﾙ ﾗﾊﾞｰ	2	M19	
7	03407 67313	C	Seal rubber　ｼｰﾙ ﾗﾊﾞｰ	2	M19	
8	03407 65402	C	Seal rubber　ｼｰﾙ ﾗﾊﾞｰ	2	M19	
9	38440 73600		Shroud,fan　ﾌｧﾝ ｼｭﾗｳﾄﾞ	1		
	02248 08016		Bolt(w/w)　ﾜｯｼｬ付ﾎﾞﾙﾄ	8		
9 -1	38440 86101	B	Shroud,fan　ﾌｧﾝ ｼｭﾗｳﾄﾞ	1	M19	
	02201 08012	B	Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	3	M19	
10	38450 43700		Guard,fan　ﾌｧﾝｶﾞｰﾄﾞ	1		
10 -1	38450 60601	B	Guard,fan　ﾌｧﾝｶﾞｰﾄﾞ	1	M19	
11	38450 43800		Guard,fan　ﾌｧﾝｶﾞｰﾄﾞ	1		
11 -1	38450 60701	B	Guard,fan　ﾌｧﾝｶﾞｰﾄﾞ	1	M19	
12	02201 06016		Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	8		
12 -1	02201 06016	Q	Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	13	M19	
13	38590 00300		Reserve tank ass'y　ﾘｻﾞｰﾌﾞ ﾀﾝｸ	1		
	38592 00300		Cap　ｷｬｯﾌﾟ	1		
13 -1	38590 03100	B	Reserve tank ass'y　ﾚｼｰﾊﾞ ﾀﾝｸ	1	M 1-1	Incl.No.16
	38592 00500	B	Cap　ｷｬｯﾌﾟ	1	M 1-1	
13 -2	38590 00300	B	Reserve tank ass'y　ﾘｻﾞｰﾌﾞ ﾀﾝｸ	1	M19	
	38592 00300	B	Cap　ｷｬｯﾌﾟ	1	M19	
14	38860 13300		Bracket　ﾌﾞﾗｹｯﾄ	1		
	02248 08025		Bolt(w/w)　ﾜｯｼｬ付ﾎﾞﾙﾄ	3		
14 -1	38860 13700	B	Bracket　ﾌﾞﾗｹｯﾄ	1	M 1-1	
	02248 10030	D	Bolt(w/w)　ﾜｯｼｬ付ﾎﾞﾙﾄ	2	M 1-1	
	02248 08025	Q	Bolt(w/w)　ﾜｯｼｬ付ﾎﾞﾙﾄ	2	M 1-1	
14 -2	38860 22000	B	Bracket　ﾌﾞﾗｹｯﾄ	1	M19	
	02201 08020	B	Flange bolt　ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M19	
15	03511 30270		Hose clip　ﾎｰｽ ｸﾘｯﾌﾟ	1		
15 -1	38860 13800	B	Bracket　ﾌﾞﾗｹｯﾄ	1	M 1-1	
	02248 10030	D	Bolt(w/w)　ﾜｯｼｬ付ﾎﾞﾙﾄ	2	M 1-1	
	02912 08010	D	Nut　ﾅｯﾄ	2	M 1-1	
	03116 12010	D	Plain washer　ﾌﾟﾚｰﾝ ﾜｯｼｬ	2	M 1-1	
15 -2	03511 30245	B	Hose clip　ﾎｰｽ ｸﾘｯﾌﾟ	1	M19	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
16	38594 02900		Hose	ﾎｰｽ	1		
	03511 40018		Clip	ｸﾘｯﾌﾟ	2		
16 -1	38594 01900	B	Hose	ﾎｰｽ	1	M 1-1	
	38122 00400	B	Clip	ｸﾘｯﾌﾟ	2	M 1-1	
16 -2	38594 05100	B	Hose	ﾎｰｽ	1	M19	
	03511 40016	B	Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	2	M19	
17	38420 80000	D	Bracket	ﾌﾞﾗｹｯﾄ	1	M19	
17 -1	38420 81000	B	Bracket	ﾌﾞﾗｹｯﾄ	1	M 2	
18	38594 03000	D	Hose	ﾎｰｽ	1	M19	
	03511 40016	D	Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	1	M19	
19	38440 86501	D	Shroud,fan	ﾌｧﾝ ｼｭﾗｳﾄﾞ	1	M19	
	02201 08012	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	3	M19	
20	03425 00002	D	Vinyl clip	ﾋﾞﾆｰﾙ ｸﾘｯﾌﾟ	1	M19	
21	38420 80000	D	Bracket	ﾌﾞﾗｹｯﾄ	1	M19	
21 -1	38420 81100	B	Bracket	ﾌﾞﾗｹｯﾄ	1	M 2	
22	02201 08012	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	12	M19	
	02201 08020	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M 2	
	43 - 00		FUEL GROUP	ﾌｭｴﾙ ｸﾞﾙｰﾌﾟ			
51	43100 47001		Fuel tank	ﾌｭｴﾙ ﾀﾝｸ	1		
51 -1	43100 63200	B	Fuel tank	ﾌｭｴﾙ ﾀﾝｸ	1	-	
51 -2	43100 64100	B	Fuel tank	ﾌｭｴﾙ ﾀﾝｸ	1	M97	
51 -3	43100 73400	B	Fuel tank	ﾌｭｴﾙ ﾀﾝｸ	1	M258	
51 -4	43100 94000	B	Fuel tank	ﾌｭｴﾙ ﾀﾝｸ	1	M591	
52	43310 18901		Belt	ﾍﾞﾙﾄ	2		
	02912 08010		Nut	ﾅｯﾄ	2		
	03115 02010		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2		
52 -1	43310 22900	B	Belt	ﾍﾞﾙﾄ	2	M19	
	02201 10020	B	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M19	
53	43310 19000		Belt	ﾍﾞﾙﾄ	2		
	02138 10070		Bolt	ﾎﾞﾙﾄ	2		
	03115 02010		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2		
	03116 12010		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	4		
	02912 08010		Nut	ﾅｯﾄ	2		
54	03424 80010		Clip	ｸﾘｯﾌﾟ	1		
	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	1		
54 -1	03424 80010	Q	Clip	ｸﾘｯﾌﾟ	3	M 2	
	02201 08020	Q	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M 2	
55	43210 01301	C	Strainer	ｽﾄﾚｰﾅ	1	M591	
56	43220 01300		Cap	ｷｬｯﾌﾟ	1		
56 -1	43220 03400	B	Cap	ｷｬｯﾌﾟ	1	M591	Incl.strainer
57	43440 02000		Cover	ｶﾊﾞｰ	1		
57 -1	43440 04600	A	Cover	ｶﾊﾞｰ	1	M18-2	
58	43528 02400	C	Pipe	ﾊﾟｲﾌﾟ	1	M 7-4	
	43430 01200	C	Gauge	燃料計	1	M 7-4	
	03511 10016	C	Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	2	M 7-4	
59	43570 01400		Bracket	ﾌﾞﾗｹｯﾄ	1		
	02248 08025		Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	2		
59 -1	43570 05001	B	Bracket	ﾌﾞﾗｹｯﾄ	1	M19	
	02201 08020	B	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M19	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
60	43550 00300		Sedimenter	ｾｼﾞﾒﾝﾀ	1		(Eng.parts)
			(ISUZU 897020-9410)(O-ring:ISUZU 509623-0690)				
	02248 08025		Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	2		
61	43534 00900		Ring connector(Nipple)	ﾘﾝｸﾞ ｺﾈｸﾀ(ﾆｯﾌﾟﾙ)	1		
62	43534 01000		Ring connector(Nipple)	ﾘﾝｸﾞ ｺﾈｸﾀ(ﾆｯﾌﾟﾙ)	1		
63	43456 00700		Bolt	ﾎﾞﾙﾄ	1		
	43590 00600		Gasket	ｶﾞｽｹｯﾄ	2		
64	43456 00800		Bolt	ﾎﾞﾙﾄ	1		
	43590 00600		Gasket	ｶﾞｽｹｯﾄ	3		
65	43534 02300		Ring connector(Nipple)	ﾘﾝｸﾞ ｺﾈｸﾀ(ﾆｯﾌﾟﾙ)	1		
66	43650 01100		Fuel pump	ﾌｭｴﾙ ﾎﾟﾝﾌﾟ	1		(ISUZU 897041-5214)
			[Filter(Incl.Gasket):ISUZU 894337-0220]				
	02345 66025	C	Screw	ｽｸﾘｭ	2	M 2	
	02912 08006	C	Nut	ﾅｯﾄ	2	M 2	
	02138 06030	D	Bolt	ﾎﾞﾙﾄ	2	M 2	
	03115 02006		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2		
	03116 12006	C	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	4	M 2	
	03116 12006	D	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	2	M 2	
67	03570 09100		Hose	ﾎｰｽ	1		
67 -1	03600 09100	A	Hose	ﾎｰｽ	1	M 5-3	
67 -2	03600 09150	B	Hose	ﾎｰｽ	1	M19	
67 -3	03600 09145	B	Hose	ﾎｰｽ	1	M 6	
67 -4	03600 09140	B	Hose	ﾎｰｽ	1	M258	
68	03570 09120		Hose	ﾎｰｽ	1		
68 -1	03600 09110	A	Hose	ﾎｰｽ	1	M 5-2	
68 -2	03600 09101	B	Hose	ﾎｰｽ	1	M 6	
68 -3	03570 09101	B	Hose	ﾎｰｽ	1	M97	
69	03570 09260		Hose	ﾎｰｽ	1		
69 -1	03600 09260	A	Hose	ﾎｰｽ	1	M 5-3	
69 -2	03600 08160	B	Hose	ﾎｰｽ	1	M19	
69 -3	03600 08167	B	Hose	ﾎｰｽ	1	M 6	
69 -4	03600 09167	B	Hose	ﾎｰｽ	1	M97	
69 -5	03600 09155	B	Hose	ﾎｰｽ	1	M258	
70	03570 08042		Hose	ﾎｰｽ	1		
70 -1	03600 08042	A	Hose	ﾎｰｽ	1	M 5-3	
70 -2	03600 08090	B	Hose	ﾎｰｽ	1	M19	
71	03570 08032		Hose	ﾎｰｽ	1		
71 -1	03570 08036	A	Hose	ﾎｰｽ	1	M 5-3	
71 -2	03570 08070	B	Hose	ﾎｰｽ	1	M19	
72	03511 10018		Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	4		
72 -1	03511 40020	A	Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	4	M 5-3	
72 -2	03511 40020	Q	Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	6	M19	
73	03511 10017		Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	2		
73 -1	03511 40016	A	Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	2	M 5-2	
74	03403 00703		Grommet	ｸﾞﾛﾒｯﾄ	1		
75	37170 02900		Joint	ｼﾞｮｲﾝﾄ	2		
76	03735 13004		Valve	ﾊﾞﾙﾌﾞ	1		
77	03728 04090		Pipe	ﾊﾟｲﾌﾟ	1		
78	03570 19093		Hose	ﾎｰｽ	1		
78 -1	03570 19101	B	Hose	ﾎｰｽ	1	M10	
79	03511 20035		Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	2		
80	03402 00404		Eyelet ring	ｱｲﾚｯﾄ ﾘﾝｸﾞ	1		

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
81	03511 10017		Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	2		(fuel pump side)
82	03600 09137	D	Hose	ﾎｰｽ	1	M19	
82 -1	03600 09155	B	Hose	ﾎｰｽ	1	M 6	
83	37181 05700	D	Clip	ｸﾘｯﾌﾟ	1	M19	
	02201 06016	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	1	M19	
84	43340 18901	D	Bracket	ﾌﾞﾗｹｯﾄ	1	M19	
	02201 08020	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M19	
84 -1	43340 18901	C	Bracket	ﾌﾞﾗｹｯﾄ	1	M 6	
	02201 08020	C	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M 6	
85	35483 08300	D	Stop valve	ｽﾄｯﾌﾟ ﾊﾞﾙﾌﾞ	2	M19	
85 -1	35483 10101	B	Stop valve	ｽﾄｯﾌﾟ ﾊﾞﾙﾌﾞ	1	M 6	
	02201 06016	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M 6	
86	37170 12700	D	Joint	ｼﾞｮｲﾝﾄ	4	M19	
86 -1	37170 12700	Q	Joint	ｼﾞｮｲﾝﾄ	2	M 6	
87	03620 41003	D	Plug	ﾌﾟﾗｸﾞ	2	M19	
88	03731 21003	D	Elbow	ｴﾙﾎﾞ	2	M19	
89	GE240 00500	D	Grommet	ｸﾞﾛﾒｯﾄ	2	M19	
90	03511 10018		Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	2		
90 -1	03511 40020	A	Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	2	M 5-3	
90 -2	03511 10018	A	Hose clip	ﾎｰｽ ｸﾘｯﾌﾟ	2	M97	
91	36159 02501	D	Sending unit	ｾﾝﾃﾞｨﾝｸﾞ ﾕﾆｯﾄ	1	M 7-4	
	02415 65012	D	Screw(w/w)	ﾜｯｼｬ付ｽｸﾘｭ	5	M 7-4	

39 - 00 NAME PLATE







39 - 00 NAME PLATE

















GENERATOR



ENG. ALTERNATOR



BATTERY

39 - 00 NAME PLATE









DUAL VOLTAGE



w.SAFETY SYSTEM

VIEW A





DUAL VOLTAGE



w.SAFETY SYSTEM









GENERATOR



ENG. ALTERNATOR



BATTERY



見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	変更 C/H	備考 Remarks
	39 - 00		ACCESSORY GROUP ｱｸｾｻﾘ ｸﾞﾙｰﾌﾟ			
	39600 59010		Instruction manual 取扱説明書			
	39600 73110	B	Instruction manual 取扱説明書		M 7-2	
	39600 82610	B	Instruction manual 取扱説明書		M11-2	
	39600 04021	B	Instruction manual 取扱説明書		M14-1	
	39600 26920	B	Instruction manual 取扱説明書		M21-2	
	39600 37020	B	Instruction manual 取扱説明書		M11-1	
	39600 49621	B	Instruction manual 取扱説明書		M19	
	39600 72120	B	Instruction manual 取扱説明書		M26	
	39600 64420	B	Instruction manual 取扱説明書		M 7-4	DUAL VOLTAGE
	39600 71020	B	Instruction manual 取扱説明書		M105	DUAL VOLTAGE
	39600 70722	B	Instruction manual 取扱説明書		M 9-1	DUAL VOLTAGE
	39600 49530	B	Instruction manual 取扱説明書		M379	DUAL VOLTAGE
	39600 23440	B	Instruction manual 取扱説明書		M617	DUAL VOLTAGE
	39600 70922		Instruction manual 取扱説明書			w.SAFETY SYSTEM(TYPE C)
	39600 49730	B	Instruction manual 取扱説明書		M379	w.SAFETY SYSTEM(TYPE C)
	39600 23640	B	Instruction manual 取扱説明書		M617	w.SAFETY SYSTEM(TYPE C)
	39615 01300		Instruction manual 取扱説明書(Eng.)			
	39616 00600		Parts catalog ﾊﾟｰﾂ ｶﾀﾛｸﾞ(Eng.)			
1	39170 02000		Mark ﾏｰｸ	1		
2	39103 40700		Plate(SER.NO.) ﾌﾟﾚｰﾄ	1		
2 -1	39103 46801	B	Plate ﾌﾟﾚｰﾄ	1	M17	
	03260 03010		Blind rivet ﾘﾍﾞｯﾄ	4		
3	39178 12610	C	Plate(AIRMAN) ﾌﾟﾚｰﾄ	1	M21-3	
3 -1	39178 23420	D	Plate(EQ) ﾌﾟﾚｰﾄ	1	M19	
4	39178 14210	C	Plate(SDG100S) ﾌﾟﾚｰﾄ	1	M21-3	
4 -1	39178 23420	D	Plate(EQ) ﾌﾟﾚｰﾄ	1	M19	
5	39178 12710	C	Plate(AIRMAN) ﾌﾟﾚｰﾄ	1	M 7-2	
5 -1	39178 66510	D	Plate ﾌﾟﾚｰﾄ	1	M 9	
5 -2	39178 66510	C	Plate ﾌﾟﾚｰﾄ	1	M21-1	
6	39178 14110		Plate(AIRMAN SDG100S) ﾌﾟﾚｰﾄ	1		
6 -1	39178 11820	B	Plate ﾌﾟﾚｰﾄ	1	M21-3	
6 -2	39178 27920	B	Plate(AIRMAN) ﾌﾟﾚｰﾄ	1	M19	
6 -3	39178 27920	C	Plate ﾌﾟﾚｰﾄ	1	M209	
7	39178 14011	C	Plate(SDG100S) ﾌﾟﾚｰﾄ	1	M21-1	
8	39178 28520	D	Plate(SDG100) ﾌﾟﾚｰﾄ	1	M19	
9	39154 08300	C	Plate(regular check) ﾌﾟﾚｰﾄ	1	M 1	
10	39153 36601		Plate(start-stop) ﾌﾟﾚｰﾄ	1		
10 -1	39153 50600	B	Plate ﾌﾟﾚｰﾄ	1	M11-2	
10 -2	39153 53400	B	Plate ﾌﾟﾚｰﾄ	1	M14-1	
10 -3	39153 53400	C	Plate ﾌﾟﾚｰﾄ	1	M19	
10 -4	39178 52721	D	Plate ﾌﾟﾚｰﾄ	1	M 9-1	
11	39176 55500	C	Plate(lift position) ﾌﾟﾚｰﾄ	1	M21	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
12	39176 46700		Plate(output terminal)	プレート	1		
12 -1	39176 53500	B	Plate	プレート	1	M 8-1	
			(warning,electric shock,output,leakage relay)				
12 -2	39176 76700	A	Plate(output terminal)	プレート	1	M21-2	
12 -3	39176 82500	B	Plate	プレート	1	M19	
			(output terminal,electric leakage relay)				
12 -4	39176 85000	B	Plate	プレート	1	M32	
12 -5	39176 90200	B	Plate	プレート	1	M 9-1	
13	39176 25100	C	Plate(leakage relay)	プレート	1	M 8	
14	39176 32000		Plate(body earth)	プレート	1		
14 -1	39176 30700	A	Plate	プレート	1	M21	
15	39174 01500	C	Plate(output)	プレート	1	M21	
16	39176 16200		Plate(earth)	プレート	1		
17	39178 04800	C	Plate(15A)	プレート	1	M19	
18	39175 00400	C	Plate(earth)	プレート	1	M 7	
19	39178 25210	C	Plate(LLC)	プレート	1	M21	
20	39178 05900	C	Plate(battery"+")	プレート	2	M18-1	
21	39178 59600		Plate(diesel fuel)	プレート	1		
21 -1	39178 04620	A	Plate	プレート	1	M21	
21 -2	39178 79520	Z,A	Plate	プレート	1	M103	
21 -3	39178 79520	C	Plate	プレート	1	M374	
22	39164 00300		Plate(indicator)	プレート	1		
22 -1	39164 00600	B	Plate	プレート	1	M164	
23	39189 09700		Plate(eng.oil drain)	プレート	1		
23 -1	39189 16600	Z	Plate	プレート	1	M21	
23 -2	39189 19700	Z,A	Plate	プレート	1	M103	
24	39189 09800		Plate(fuel drain)	プレート	1		
24 -1	39189 16400	Z	Plate	プレート	1	M21	
24 -2	39189 19500	Z,A	Plate	プレート	1	M103	
25	39189 09900		Plate(radiator drain)	プレート	1		
25 -1	39189 16500	Z	Plate	プレート	1	M21	
25 -2	39189 19600	Z,A	Plate	プレート	1	M103	
26	39161 02500	C	Plate(fuse)	プレート	1	M 7-1	
27	39176 31300	C	Plate	プレート	1	M 1	
			(warning,exhaust gases)				
27 -1	39176 32100	D	Plate(caution,notice)	プレート	1	M21-2	
27 -2	39176 32100	C	Plate	プレート	1	M19	
28	39176 32100		Plate(caution,notice)	プレート	1		
28 -1	39176 52100	B	Plate	プレート	1	M 1-1	
			(warning,exhaust gases,caution notice,regular check)				
28 -2	39176 75700	Z	Plate	プレート	1	M21	
			(caution,exhaust gases)				
29	39176 31900	C	Plate(No fire)	プレート	1	M21	
30	39176 31600		Plate	プレート	1		
			(caution,radiator cap)				
30 -1	39176 75400	Z	Plate	プレート	1	M21	
31	39176 55600		Plate	プレート	2		
			(caution,No lifting)				
31 -1	39176 75200	Z	Plate(No lifting)	プレート	1	M21	
31 -2	39176 75200	Z,Q	Plate	プレート	2	M 4-1	(spare:1)
31 -3	39176 75200	C	Plate	プレート	2	M 6	(spare:1)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
32	39176 31400		Plate	プレート	1		
			(warning,cooling fan)				
32 -1	39176 75000	Z	Plate	プレート	1	M21	
			(caution,rotation)				
33	39176 31500		Plate	プレート	1		
			(caution,high temp.)				
33 -1	39176 75500	Z	Plate	プレート	2	M21	(spare:1)
34	39176 31200	C	Plate	プレート	1	M 8	
			(warning,electric shock)				
34 -1	39176 74900	Z	Plate	プレート	1	M21	
			(caution,electric shock)				
35	39176 41300		Plate(warning,V-belt)	プレート	1		
35 -1	39176 75000	Z	Plate	プレート	2	M21	(spare:1)
			(caution,rotation)				
35 -2	39176 75000	Z,Q	Plate	プレート	1	M 4-1	
36	* * *		Plate(warning,battery)	プレート	2		(only EXP.TYPE)
37	39176 51401	D	Plate(position)	プレート	1	M 7-2	
37 -1	39176 51401	C	Plate	プレート	1	M23-1	
37 -2	39178 25720	D	Plate(in-pane)	プレート	1	M19	
	39178 79020	D	Plate(in-pane)	プレート	1	M26	
	39178 79020	C	Plate	プレート	1	M 9-1	
37 -3	39178 74620	B	Plate	プレート	1	M 9-1	
37	39178 79020		Plate(in-pane)	プレート	1		OPT.
38	39164 00300		Plate(indicator)	プレート	1		
38 -1	39164 00700	B	Plate	プレート	1	M164	
39	39176 46100	D	Plate	プレート	1	M14-1	
			(change frequency)				
39 -1	39178 28020	B	Plate(notice)	プレート	1	M19	
39 -2	39178 28020	C	Plate	プレート	1	M 7-4	
40	39173 00400	D	Plate,complete	プレート(1セット)	1	M21	Const.No.31,32,34 & 35
40 -1	39173 00400	C	Plate,complete	プレート(1セット)	1	M 4-1	Const.No.31,32,34 & 35
41	39173 00500	D	Plate,complete	プレート(1セット)	1	M21	Const.No.28,30 & 33
41 -1	39173 00500	C	Plate,complete	プレート(1セット)	1	M 4-1	Const.No.28,30 & 33
42	39173 00601	D	Plate,complete	プレート(1セット)	1	M21	Const.No.23～25
42 -1	39173 02500	B	Plate,complate	プレート(1セット)	1	M103	Const.No.21,23～25, 46 & 47
42 -2	39173 05700	B	Plate,complate	プレート(1セット)	1	M374	Const.No.23～25
43	39178 09820	D	Plate(AIRMAN)	プレート	2	M21-3	
43 -1	39178 04120	B	Plate	プレート	2	M19	
43 -2	39178 06740	A	Plate	プレート	2	M399	
44	39178 10820	D	Plate(SDG100S)	プレート	2	M21-3	
44 -1	39178 28420	B	Plate(SDG100)	プレート	2	M19	
45	39178 79710	D	Plate	プレート	1	M19	
			(changed fuel refill)				
45 -1	39178 46920	B	Plate	プレート	1	M 6	
46	39178 56710	D	Plate(fuel inlet)	プレート	1	M19	
46 -1	39178 56610	B	Plate(fuel return)	プレート	1	M 6	
46 -2	39178 79420	Z,A	Plate	プレート	1	M103	
46 -3	39178 79420	C	Plate	プレート	1	M374	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
47	39178 56610	D	Plate(fuel return)	プレート	1	M19	
47 -1	39178 56710	B	Plate(fuel inlet)	プレート	1	M 6	
47 -2	39178 79320	Z,A	Plate	プレート	1	M103	
47 -3	39178 94530	B	Plate (fuel return,fuel inlet)	プレート	1	M374	
48	39173 02200	D	Plate,complate	プレート(1セット)	1	M 4-1	Const.No.28 & 30～35
49	* * *						
50	39178 55820	D	Plate(frequency)	プレート	1	M82	
51	39178 29320	D	Plate(changed voltage)	プレート	1	M 7-4	
51 -1	39178 80420	B	Plate	プレート	1	M 9-1	DUAL VOLTAGE
52	39176 90900	D	Plate(output)	プレート	1	M 9-1	
53	39152 24200	D	Plate(wiring chart)	プレート	1	M 9-1	
54	39178 56320		Plate(breaker)	プレート	1		w.SAFETY SYSTEM(TYPE C)
55	39178 56420		Plate(100V)	プレート	1		w.SAFETY SYSTEM(TYPE C)
56	39178 56520		Plate(notice)	プレート	1		w.SAFETY SYSTEM(TYPE C)
57	39178 75920		Plate(mark)	プレート	1		w.SAFETY SYSTEM(TYPE C)
57	39178 45140	D	Plate(Made in JAPAN)	プレート	1	M503	EXP.
57 -1	39178 84340	A	Plate(Made in JAPAN)	プレート	1	M578	EXP.
58	39176 31900	D	Plate(No fire)	プレート	1	M103	
58 -1	39176 31900	C	Plate	プレート	1	M374	
59	39178 94630	D	Plate(diesel fuel)	プレート	1	M374	

46 - 00 ELECTRIC (for GENERATOR)

















46 - 00 ELECTRIC (for GENERATOR)



見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
	46 - 00		ELECTRIC GROUP	ｴﾚｸﾄﾘｯｸ ｸﾞﾙｰﾌﾟ			
1	46900 46800		Switch board ass'y	制御盤	1		200/220V TYPE
1 -1	46900 55900	B	Switch board ass'y	制御盤	1	M11-2	200/220V TYPE
1 -2	46900 62000	B	Switch board ass'y	制御盤	1	M14	200/220V TYPE
			(Const.No.2～20,22 & 78)				
1 -3	46900 71301	B	Switch board ass'y	制御盤	1	M 7-4	DUAL VOLTAGE
			(Const.No.2～11,13～20,22,52～54 & 78)				
1 -4	46900 81806	B	Switch board ass'y	制御盤	1	M 9-1	DUAL VOLTAGE
1 -5	46900 51510	B	Switch board ass'y	制御盤	1	M617	DUAL VOLTAGE
			(Const.No.2～8,10,11,13～18,20,22,52～54,57,77 & 78)				
1	46900 82105		Switch board ass'y	制御盤	1		w.SAFETY SYSTEM(TYPE C)
1 -1	46900 58810	B	Switch board ass'y	制御盤	1	M617	w.SAFETY SYSTEM(TYPE C)
			(Const.No.2～8,10,11,13～20,52～53,56,57,77 & 78)				
	43322 04000	C	Cushion	ｸｯｼｮﾝ	2	M10-1	
	03425 00001		Vinyl clip	ﾋﾞﾆｰﾙ ｸﾘｯﾌﾟ	5		
	03425 00001	Q	Vinyl clip	ﾋﾞﾆｰﾙ ｸﾘｯﾌﾟ	6	M10-1	
	03425 00001	Q	Vinyl clip	ﾋﾞﾆｰﾙ ｸﾘｯﾌﾟ	1	M19	
2	46153 03000		Voltmeter(AC)	交流電圧計	1		200/220V TYPE
2 -1	46153 03100	B	Voltmeter(AC)	交流電圧計	1	M 7-4	DUAL VOLTAGE
2 -2	46153 05300	A	Voltmeter(AC)	交流電圧計	1	M494	DUAL VOLTAGE
3	46911 01200		Frequency meter	周波数計	1		
3 -1	46911 02200	A	Frequency meter	周波数計	1	M494	
4	46154 11200		Ammeter (AC)	交流電流計	1		200/220V TYPE
4 -1	46154 13700	B	Ammeter (AC)	交流電流計	1	M 7-4	DUAL VOLTAGE
4 -2	46154 18700	A	Ammeter (AC)	交流電流計	1	M494	DUAL VOLTAGE
5	46913 00700		Transfer device	電流計切替器	1		200/220V TYPE
5 -1	46913 01300	B	Transfer device	電流計切替器	1	M 9-1	DUAL VOLTAGE
6	46120 17600		Circuit breaker	三相遮断器	1		
6 -1	46120 33700	B	Circuit breaker	三相遮断器	1	M220	
7	46120 14200		Circuit breaker	単相遮断器	1		200/220V TYPE
7 -1	46120 20500	B	Circuit breaker	単相遮断器	1	M 7-4	DUAL VOLTAGE
8	46960 00900		Electric leakage relay	漏電ﾘﾚｰ	1		200/220V TYPE
8 -1	46960 01500	B	Electric leakage relay	漏電ﾘﾚｰ	1	M11	200/220V TYPE
8 -2	46960 02301	B	Electric leakage relay	漏電ﾘﾚｰ	1	M 9-1	DUAL VOLTAGE
8 -3	46960 02700	B	Electric leakage relay	漏電ﾘﾚｰ	1	M379	
9	46922 02300	C	Current transformer	零相変流器	1	M 9-1	
10	46923 03600		Current transformer	変流器(電流計用)	2		
10 -1	46923 03700	B	Current transformer	変流器(電流計用)	2	M11	
11	46929 00600		Illuminator	照明灯	1		
	46939 00900		Bulb	電球	1		
12	46942 00800	C	Transformer	変圧器(照明灯用)	1	M 7-4	200/220V TYPE
13	46947 01600		Condenser	接地ｺﾝﾃﾞﾝｻ	1		200/220V TYPE
13 -1	46947 02400	B	Condenser	接地ｺﾝﾃﾞﾝｻ	1	M 9-1	DUAL VOLTAGE
14	46928 00700		Thermal relay	ｻｰﾏﾙ ﾘﾚｰ	1		200/220V TYPE
14 -1	46928 01200	B	Thermal relay	ｻｰﾏﾙ ﾘﾚｰ	1	M 7-4	DUAL VOLTAGE
14 -2	46928 01500	B	Thermal relay	ｻｰﾏﾙ ﾘﾚｰ	1	M140	DUAL VOLTAGE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
15	46927 03300		Reactor	ﾘｱｸﾀ	3		200/220V TYPE
15 -1	44311 07600	B	Terminal plate	端子台	1	M11	200/220V TYPE
15 -2	44311 07600	Q	Terminal plate	端子台	3	M 7-4	DUAL VOLTAGE
	46311 02400	D	Plate	短絡板	6	M 7-4	DUAL VOLTAGE
15 -3	44311 * * *	B	Terminal plate	端子台	1	M 9-1	DUAL VOLTAGE
	46311 02600	B	Plate	短絡板	6	M 9-1	DUAL VOLTAGE
16	46918 00400		Controller	電圧設定器	1		
16 -1	46918 01401	B	Controller	電圧設定器	1	M14	
17	46918 00900		Controller	制御器(AVR)	1		
17 -1	46167 01900	B	Select switch	切替ｽｲｯﾁ	1	M14	
18	46921 02501		Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	1		200/220V TYPE
18 -1	46921 02501	Q	Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	2	M 7-4	DUAL VOLTAGE
19	44311 08800		Terminal plate	端子台	1		200/220V TYPE
19 -1	44311 37300	B	Terminal plate	端子台	1	M11	200/220V TYPE
19 -2	44311 14400	B	Terminal plate	端子台	1	M 7-4	DUAL VOLTAGE
19 -3	44311 14400	C	Terminal plate	端子台	1	M 9-1	DUAL VOLTAGE
19	44311 07600		Terminal plate	端子台	1		w.SAFETY SYSTEM(TYPE C)
20	46950 01600		A.V.R ass'y	自動電圧調整器	1		200/220V TYPE
20 -1	46950 02400	B	A.V.R ass'y	自動電圧調整器	1	M14	200/220V TYPE
20 -2	46950 02602	A	A.V.R ass'y	自動電圧調整器	1	M87	DUAL VOLTAGE
21	46244 00800	C	Cap	ｷｬｯﾌﾟ	1	M 9-1	
22	44312 00401		Socket	ｿｹｯﾄ	1		DUAL VOLTAGE
23	44311 20301		Terminal plate	三相出力端子板	1		Const.No.24～29
24	46305 05402		Plate	ﾌﾟﾚｰﾄ	1		& 45
24 -1	46305 08000	A	Plate	ﾌﾟﾚｰﾄ	1	M94	
25	46312 04000		Bolt	ﾎﾞﾙﾄ	1		
	02912 03006		Nut	ﾅｯﾄ	2		
	03115 02006		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2		
	03116 14006		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	3		
26	46312 04200		Bolt	ﾎﾞﾙﾄ	4		
26 -1	46312 04900	A	Bolt	ﾎﾞﾙﾄ	4	M94	
	02912 03012		Nut	ﾅｯﾄ	8		
	03115 02012		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	8		
	03116 14012		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	12		
27	02138 06012		Bolt	ﾎﾞﾙﾄ	1		
27 -1	02136 06012	A	Bolt	ﾎﾞﾙﾄ	1	M94	
	03115 06006		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	1		
	03116 15006		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	1		
28	02138 12025		Bolt	ﾎﾞﾙﾄ	4		
28 -1	02136 12025	A	Bolt	ﾎﾞﾙﾄ	4	M94	
	03115 06012		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	4		
	03116 15012		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	4		
29	03317 03012		Spring pin	ｽﾌﾟﾘﾝｸﾞ ﾋﾟﾝ	4		
29 -1	03316 03016	A	Pin	ﾋﾟﾝ	8	M94	
30	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4		
31	44311 26300		Terminal plate	単相出力端子板	1		Const.No.32～35
31 -1	44311 35001	A	Terminal plate	単相出力端子板	1	M 7	Const.No.32～35
32	46305 05800		Plate	ﾌﾟﾚｰﾄ	1		
32 -1	46305 06600	B	Plate	ﾌﾟﾚｰﾄ	1	M 7	
32 -2	46305 08100	A	Plate	ﾌﾟﾚｰﾄ	1	M94	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
33	46312 04100		Bolt	ﾎﾞﾙﾄ	4		
33 -1	46312 05000	A	Bolt	ﾎﾞﾙﾄ	4	M94	
	02912 03010		Nut	ﾅｯﾄ	8		
	03115 02010		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	8		
	03116 14010		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	12		
34	02238 10020		Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	4		
34 -1	02136 10020	A	Bolt	ﾎﾞﾙﾄ	4	M94	
	03115 06010	D	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	4	M94	
	03116 15010		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	4		
35	03317 03010		Spring pin	ｽﾌﾟﾘﾝｸﾞ ﾋﾟﾝ	4		
35 -1	03316 03016	A	Pin	ﾋﾟﾝ	8	M94	
36	02201 06016		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4		
37	46422 00702		Rod	ﾛｯﾄﾞ	1		
	37181 03400	D	Clip	ｸﾘｯﾌﾟ	2	M 7	
	37181 03400	C	Clip	ｸﾘｯﾌﾟ	2	M19	
38	46464 04900	D	Cover	ｶﾊﾞｰ	1	M11	
38 -1	46464 04900	C	Cover	ｶﾊﾞｰ	1	M 7-4	
38 -2	44260 32900	D	Cover	ｶﾊﾞｰ	1	M 9-1	DUAL VOLTAGE
38	44260 30300		Cover	ｶﾊﾞｰ	1		w.SAFETY SYSTEM(TYPE C)
39	02201 06016	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M11	
39 -1	02201 06016	C	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M 7-4	
39 -2	02201 06016	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	3	M 9-1	
40	44311 37300	D	Terminal plate	端子台	1	M11	
40 -1	44311 37300	C	Terminal plate	端子台	1	M 7-4	
40 -2	03407 66712	D	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 9-1	
41	02345 65025	D	Screw	ｽｸﾘｭ	2	M11	
	03115 02005	D	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2	M11	
	03116 12005	D	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	2	M11	
41 -1	02345 65025	C	Screw	ｽｸﾘｭ	2	M 7-4	
	03115 02005	C	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2	M 7-4	
	03116 12005	C	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	2	M 7-4	
41 -2	03407 66811	D	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 9-1	
42	39176 57500	D	Plate(U.V.W)	ﾌﾟﾚｰﾄ	1	M11	
42 -1	39176 57500	C	Plate(U.V.W)	ﾌﾟﾚｰﾄ	1	M 7-4	
43	03407 66705	D	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M11	
43 -1	03407 66703	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 9-1	
44	03403 00392	D	Grommet	ｸﾞﾛﾒｯﾄ	1	M19	
45	03317 03012		Spring pin	ｽﾌﾟﾘﾝｸﾞ ﾋﾟﾝ	1		
46	46640 12501	D	Wiring board	電源表示灯	1	M 7-4	DUAL VOLTAGE
47	03407 64432	D	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 7-4	
47 -1	03407 64436	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 9-1	
48	03407 64774	D	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 7-4	
48 -1	03407 64718	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 9-1	
49	GE240 01100	D	Rubber cushion	ﾗﾊﾞｰ ｸｯｼｮﾝ	2	M 7-4	
49 -1	GE240 01100	C	Rubber cushion	ﾗﾊﾞｰ ｸｯｼｮﾝ	2	M 9-1	
50	03403 00512	D	Grommet	ｸﾞﾛﾒｯﾄ	1	M 7-4	
50 -1	03403 00512	C	Grommet	ｸﾞﾛﾒｯﾄ	1	M 9-1	
51	46450 70800	D	Bracket	ﾌﾞﾗｹｯﾄ	1	M 7-4	
	02201 06016	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M 7-4	
51 -1	46450 70800	C	Bracket	ﾌﾞﾗｹｯﾄ	1	M 9-1	
	02201 06016	C	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M 9-1	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
52	46167 02400	D	Select switch	ﾗｲﾄ ｽｲｯﾁ	1	M 7-4	
53	39178 28020	D	Plate(in-pane)	ﾌﾟﾚｰﾄ	1	M 7-4	DUAL VOLTAGE
53	39178 74720		Plate(in-pane)	ﾌﾟﾚｰﾄ	1		w.SAFETY SYSTEM(TYPE C)
54	39178 46620	D	Plate(in-pane)	ﾌﾟﾚｰﾄ	1	M 7-4	DUAL VOLTAGE
54	39178 56220		Plate(in-pane)	ﾌﾟﾚｰﾄ	1		w.SAFETY SYSTEM(TYPE C)
55	36120 11700	D	Plate	ﾌﾟﾚｰﾄ	1	M 9-1	DUAL VOLTAGE
55	36120 10000		Plate	ﾌﾟﾚｰﾄ	1		w.SAFETY SYSTEM(TYPE C)
56	46917 02700		Change device	電圧切替器	1		w.SAFETY SYSTEM(TYPE C)
57	39178 78320	D	Plate(in-pane)	ﾌﾟﾚｰﾄ	1	M 9-1	DUAL VOLTAGE
57	39178 78320		Plate(in-pane)	ﾌﾟﾚｰﾄ	1		w.SAFETY SYSTEM(TYPE C)
58	03407 66704		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1		w.SAFETY SYSTEM(TYPE C)
59	02345 65012		Screw	ｽｸﾘｭ	2		DUAL VOLTAGE
	02915 00005		Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	2		DUAL VOLTAGE
	02915 00006		Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	1		DUAL VOLTAGE(earth)
60	44480 29300		Cable	ｹｰﾌﾞﾙ	1		(earth)
	02138 06030		Bolt	ﾎﾞﾙﾄ	1		(Box side)
	02912 08006		Nut	ﾅｯﾄ	2		(Box side)
	03115 02006		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	1		(Box side)
	03116 12006		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	2		(Box side)
	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	1		(Frame side)
61	46450 82500	D	Bracket	ﾌﾞﾗｹｯﾄ	2	M 9-1	
	02201 06016	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	8	M 9-1	
62	46480 42702		Cover	ｶﾊﾞｰ	1		w.SAFETY SYSTEM(TYPE C)
	02345 64012	C	Screw	ｽｸﾘｭ	3	M176	w.SAFETY SYSTEM(TYPE C)
	02401 64012	D	Screw	ｽｸﾘｭ	3	M176	w.SAFETY SYSTEM(TYPE C)
63	44312 04200		Socket	ｿｹｯﾄ	4		w.SAFETY SYSTEM(TYPE C)
	02345 24012		Screw	ｽｸﾘｭ	8		w.SAFETY SYSTEM(TYPE C)
	02915 00006		Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	1		w.SAFETY SYSTEM(TYPE C)
64	46120 26700	Y	Circuit breaker	電源遮断器	4		w.SAFETY SYSTEM(TYPE C) (Fuji Electric)
64	46120 34300	Y	Circuit breaker	電源遮断器	4		w.SAFETY SYSTEM(TYPE C) (NIPPON THERMO)
	02345 23008		Screw	ｽｸﾘｭ	8		w.SAFETY SYSTEM(TYPE C)
	03115 03003		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	8		w.SAFETY SYSTEM(TYPE C)
	03116 18003		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	8		w.SAFETY SYSTEM(TYPE C)
65	44550 24100		Cable kit	ｹｰﾌﾞﾙ ｷｯﾄ	1		w.SAFETY SYSTEM(TYPE C)
66	46640 14500		Wiring board	電源表示灯	1		w.SAFETY SYSTEM(TYPE C)
66 -1	46640 16101	A	Wiring board	電源表示灯	1	M119	w.SAFETY SYSTEM(TYPE C)
67	46470 69000		Box	ﾎﾞｯｸｽ	1		w.SAFETY SYSTEM(TYPE C)
68	46260 31800		Cover	ｶﾊﾞｰ	1		w.SAFETY SYSTEM(TYPE C)
	02915 00006		Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	4		w.SAFETY SYSTEM(TYPE C)
69	02345 65020		Screw	ｽｸﾘｭ	4		w.SAFETY SYSTEM(TYPE C)
	02912 08005		Nut	ﾅｯﾄ	4		w.SAFETY SYSTEM(TYPE C)
	03115 02005		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	4		w.SAFETY SYSTEM(TYPE C)
	03116 12005		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	8		w.SAFETY SYSTEM(TYPE C)
	02201 06016		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2		w.SAFETY SYSTEM(TYPE C)
70	36120 10100	D	Plate	ﾌﾟﾚｰﾄ	1	M 9-1	
71	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4		
71 -1	02201 08020	Q	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	6	M 7-4	
71 -2	02201 08012	B	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	6	M 9-1	
	02915 00006		Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	4		
72	03407 66871		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
73	03407 66839		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		
74	52931 92320	D	Lining	ﾗｲﾆﾝｸﾞ	1	M323	
75	52931 92020	D	Lining	ﾗｲﾆﾝｸﾞ	1	M323	
76	46244 00800	D	Cap	ｷｬｯﾌﾟ	1	M379-1	
77	46922 03600	D	Current transformer	零相変流器	1	M379	
78	46991 00100		Knob	ﾉﾌﾞ	1		


OPT.(~M210)
OPT.(M210~)
w.KEY TYPE
~M7-4
~M19

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
	51 - 00		FRAME GROUP	ﾌﾚｰﾑ ｸﾞﾙｰﾌﾟ			
1	51100 77520		Frame	ﾌﾚｰﾑ	1		
1 -1	51100 83420	B	Frame	ﾌﾚｰﾑ	1	M 1-3	
1 -2	51100 89820	B	Frame	ﾌﾚｰﾑ	1	M 7-2	
1 -3	51100 94420	B	Frame	ﾌﾚｰﾑ	1	M10-1	
1 -4	51100 15931	B	Frame	ﾌﾚｰﾑ	1	M14-1	
1 -5	51100 47130	A	Frame	ﾌﾚｰﾑ	1	M22-2	
1 -6	51100 54231	B	Frame	ﾌﾚｰﾑ	1	M19	
1 -7	51100 84131	B	Frame	ﾌﾚｰﾑ	1	M 6	
	03403 10017	D	Grommet	ｸﾞﾛﾒｯﾄ	4	M 2-1	
2	51500 28301		Bracket	ﾌﾞﾗｹｯﾄ	1		
2 -1	51500 33600	B	Bracket	ﾌﾞﾗｹｯﾄ	1	M19	
3	51500 28201		Bracket	ﾌﾞﾗｹｯﾄ	1		
3 -1	51500 33500	B	Bracket	ﾌﾞﾗｹｯﾄ	1	M19	
4	51500 26300		Bracket	ﾌﾞﾗｹｯﾄ	1		
4 -1	51500 29000	B	Bracket	ﾌﾞﾗｹｯﾄ	1	M 7-2	
4 -2	51500 33702	B	Bracket	ﾌﾞﾗｹｯﾄ	1	M19	
	02201 08020	D	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	6	M 6	(閉塞用)
4 -3	51500 42900	B	Bracket	ﾌﾞﾗｹｯﾄ	1	M210	
	02201 08020	Q	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4	M210	(閉塞用)
5	02135 20060		Bolt	ﾎﾞﾙﾄ	8		
	02912 08020		Nut	ﾅｯﾄ	4		
	03115 02020		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	8		
	03116 12020		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	16		
	52 - 00		BONNET GROUP	ﾎﾞﾝﾈｯﾄ ｸﾞﾙｰﾌﾟ			
21	52100 32110		Cover	ｶﾊﾞｰ	1		
21 -1	52100 43010	B	Cover	ｶﾊﾞｰ	1	M 7-2	
21 -2	52100 70210	B	Cover	ｶﾊﾞｰ	1	M16-1	
21 -3	52100 00720	B	Cover	ｶﾊﾞｰ	1	M19	
21 -4	52100 40320	B	Cover	ｶﾊﾞｰ	1	M 7-4	
22	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	96		
22 -1	02201 08020	Q	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	89	M 2-3	
22 -2	02201 08020	Q	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	91	M19	
23	31131 03800		Rubber,vibration isolator	防振ｺﾞﾑ	8		
23 -1	31131 04600	B	Rubber,vibration isolator	防振ｺﾞﾑ	8	M 2-4	
23 -2	31131 04600	C	Rubber,vibration isolator	防振ｺﾞﾑ	8	M 7	
	02345 64025	C	Screw	ｽｸﾘｭ	8	M 7	
	03115 02004	C	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	8	M 7	
23 -3	31131 04100	D	Rubber,vibration isolator	防振ｺﾞﾑ	8	M 7-4	
23 -4	31131 04100	Q	Rubber,vibration isolator	防振ｺﾞﾑ	12	M 9-1	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
24	52830 24100		Cover	ｶﾊﾞｰ	1		w/o KEY TYPE
24 -1	52830 30000	B	Cover	ｶﾊﾞｰ	1	M19	w/o KEY TYPE
24 -2	52830 31601	B	Cover	ｶﾊﾞｰ	1	M22-1	w/o KEY TYPE
	52746 02700	D	Cap(閉塞用)	ｷｬｯﾌﾟ	4	M345	w/o KEY TYPE
24	52830 31600		Cover	ｶﾊﾞｰ	1		w.KEY TYPE
24 -1	52830 37800	B	Cover	ｶﾊﾞｰ	1	M 9-1	w.KEY TYPE
24 -2	52830 31601	B	Cover	ｶﾊﾞｰ	1	M345	w.KEY TYPE
25	52220 09200		Cover	ｶﾊﾞｰ	1		w/o KEY TYPE
25 -1	52220 10800	B	Cover	ｶﾊﾞｰ	1	M22-1	w/o KEY TYPE
25	52220 09200		Cover	ｶﾊﾞｰ	1		w.KEY TYPE
25 -1	52220 10800	B	Cover	ｶﾊﾞｰ	1	M22-1	w.KEY TYPE
25 -2	52220 21000	B	Cover	ｶﾊﾞｰ	1	M345	w.KEY TYPE
26	52100 31310		Cover	ｶﾊﾞｰ	1		
26 -1	52100 35112	B	Cover	ｶﾊﾞｰ	1	M 2-3	
26 -2	52100 42211	B	Cover	ｶﾊﾞｰ	1	M 7-2	
26 -3	52100 70310	B	Cover	ｶﾊﾞｰ	1	M16-1	
26 -4	52100 98910	B	Cover	ｶﾊﾞｰ	1	M23-1	
26 -5	52100 00620	B	Cover	ｶﾊﾞｰ	1	M19	
26 -6	52100 25120	B	Cover	ｶﾊﾞｰ	1	M 7-4	
26 -7	52100 40420	B	Cover	ｶﾊﾞｰ	1	M 9-1	
26 -8	52100 61220	B	Cover	ｶﾊﾞｰ	1	M10-2	
27	52350 05410		Cover	ｶﾊﾞｰ	1		
27 -1	52350 41110	B	Cover	ｶﾊﾞｰ	1	M17	
	02245 08025		Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	8		
	02139 08055		Bolt	ﾎﾞﾙﾄ	2		
	03115 03008		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2		
	03116 18008		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	2		
27 -2	52350 70411	B	Cover	ｶﾊﾞｰ	1	M19	
	02201 08020	A	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	10	M19	
28	52800 42900		Duct	ﾀﾞｸﾄ	1		
29	02915 00006		Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	43		
29 -1	02915 00006	Q	Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	55	M19	
29 -2	02915 00006	Q	Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	53	M22-1	
29 -3	02915 00006	Q	Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	51	M 7-4	
30	52300 08810		Top cover	ﾄｯﾌﾟ ｶﾊﾞｰ	1		
30 -1	52300 19110	B	Top cover	ﾄｯﾌﾟ ｶﾊﾞｰ	1	M 7-2	
30 -2	52300 58910	B	Top cover	ﾄｯﾌﾟ ｶﾊﾞｰ	1	M19	
31	52300 08910		Top cover	ﾄｯﾌﾟ ｶﾊﾞｰ	1		
31 -1	52300 19310	B	Top cover	ﾄｯﾌﾟ ｶﾊﾞｰ	1	M 7-2	
31 -2	52300 58711	B	Top cover	ﾄｯﾌﾟ ｶﾊﾞｰ	1	M19	
31 -3	52300 05820	A	Top cover	ﾄｯﾌﾟ ｶﾊﾞｰ	1	M12-2	
32	52746 00700		Cap	ｷｬｯﾌﾟ	1		
	44243 04600	C	Holder	ﾎﾙﾀﾞ	1	M12-2	
32 -1	52350 89010	B	Cover	ｶﾊﾞｰ	1	M12-2	
	02246 08016	D	Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	2	M12-2	
33	52300 09010		Top cover	ﾄｯﾌﾟ ｶﾊﾞｰ	1		
33 -1	52300 19210	B	Top cover	ﾄｯﾌﾟ ｶﾊﾞｰ	1	M 7-2	
	02249 08016	D	Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	4	M 2-3	
33 -2	52300 58111	B	Top cover	ﾄｯﾌﾟ ｶﾊﾞｰ	1	M19	
	02201 08012	B	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4	M19	
34	52450 63910		Door	ﾄﾞｱ	1		
34 -1	52450 73910	B	Door	ﾄﾞｱ	1	M 7-2	
34 -2	52450 04521	B	Door	ﾄﾞｱ	1	M16-1	
34 -3	52450 36020	B	Door	ﾄﾞｱ	1	M19	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
35	52800 41801		Duct	ﾀﾞｸﾄ	1		
36	52450 63810		Door	ﾄﾞｱ	1		
36 -1	52450 74510	B	Door	ﾄﾞｱ	1	M 7-2	
36 -2	52450 04421	B	Door	ﾄﾞｱ	1	M16-1	
36 -3	52450 35920	B	Door	ﾄﾞｱ	1	M19	
37	52800 42000		Duct	ﾀﾞｸﾄ	1		
37 -1	52800 66901	B	Duct	ﾀﾞｸﾄ	1	M19	
38	52450 64110		Door	ﾄﾞｱ	1		
38 -1	52450 74110	B	Door	ﾄﾞｱ	1	M 7-2	
38 -2	52450 99110	B	Door	ﾄﾞｱ	1	M16-1	
38 -3	52450 37120	B	Door	ﾄﾞｱ	1	M19	
39	02201 08050		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	9		
39 -1	02201 08050	Q	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	8	M19	
40	52800 42401		Duct	ﾀﾞｸﾄ	1		
41	52450 64010		Door	ﾄﾞｱ	1		
41 -1	52450 74610	B	Door	ﾄﾞｱ	1	M 7-2	
41 -2	52450 04620	B	Door	ﾄﾞｱ	1	M16-1	
41 -3	52450 37020	B	Door	ﾄﾞｱ	1	M19	
42	52480 12500		Hinge	ﾋﾝｼﾞ	4		
42 -1	52480 01101	B	Hinge	ﾋﾝｼﾞ	4	M 7-2	
42 -2	52480 13800	B	Hinge	ﾋﾝｼﾞ	4	M16	
43	52480 12600		Hinge	ﾋﾝｼﾞ	4		
43 -1	52480 01101	B	Hinge	ﾋﾝｼﾞ	4	M 7-2	
43 -2	52480 14400	B	Hinge	ﾋﾝｼﾞ	4	M16	
44	03407 64318		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		
44 -1	03407 64318	Q	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 2-3	
44 -2	03407 66913	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 7	
45	52710 01200		Latch ass'y	ﾗｯﾁ	2		
	52739 02600		Key	ｷｰ	2		
	02401 68016		Screw	ｽｸﾘｭ	8		
	02915 20008		Nut(w/w)	ﾜｯｼｬ付ﾅｯﾄ	8		
	03116 12008		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	8		
45 -1	52710 03601	B	Latch ass'y	ﾗｯﾁ	2	M19	
	52739 03400	B	Key	ｷｰ	1	M19	(0200)
	02915 00006	B	Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	8	M19	
46	52450 64610		Door	ﾄﾞｱ	1		
46 -1	52450 74310	B	Door	ﾄﾞｱ	1	M 7-2	
46 -2	52450 04320	B	Door	ﾄﾞｱ	1	M16-1	
46 -3	52450 37220	B	Door	ﾄﾞｱ	1	M19	
46 -4	52450 61220	B	Door	ﾄﾞｱ	1	M 9-1	
46 -5	52450 98820	B	Door	ﾄﾞｱ	1	M10-2	
47	52480 12700		Hinge	ﾋﾝｼﾞ	2		
	02249 06016		Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	8		
	02915 00006		Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	4		
47 -1	52480 01101	B	Hinge	ﾋﾝｼﾞ	2	M 7-2	
47 -2	52480 13800	B	Hinge	ﾋﾝｼﾞ	2	M16	
47 -3	52480 14400	B	Hinge	ﾋﾝｼﾞ	2	M 7-4	
	02201 08020	B	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	8	M 7	
	02915 00008	B	Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	4	M 7	
48	52416 19000		Window glass	ｳｲﾝﾄﾞ ｸﾞﾗｽ	1		
48 -1	52416 22700	B	Window glass	ｳｲﾝﾄﾞ ｸﾞﾗｽ	1	M19	
48 -2	52416 19800	B	Window glass	ｳｲﾝﾄﾞ ｸﾞﾗｽ	1	M 7-4	DUAL VOLTAGE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
49	46470 37800		Box	ﾎﾞｯｸｽ	1		200/220V TYPE
49 -1	46470 41501	B	Box	ﾎﾞｯｸｽ	1	M 7-2	200/220V TYPE
49 -2	46470 43800	B	Box	ﾎﾞｯｸｽ	1	M11-2	200/220V TYPE
49 -3	46470 59201	B	Box	ﾎﾞｯｸｽ	1	M19	200/220V TYPE
49 -4	46470 71100	B	Box	ﾎﾞｯｸｽ	1	M 9-1	DUAL VOLTAGE
	02248 06012	C	Bolt(w/w)(earth)	ﾜｯｼｬ付ﾎﾞﾙﾄ	1	M 9-1	200/220V TYPE
49	46470 77800		Box	ﾎﾞｯｸｽ	1		w.SAFETY SYSTEM(TYPE C)
50	52400 75700		Side cover	ｻｲﾄﾞ ｶﾊﾞｰ	1		
50 -1	52400 00910	B	Side cover	ｻｲﾄﾞ ｶﾊﾞｰ	1	M 7	
	02138 08025		Bolt	ﾎﾞﾙﾄ	2		
	02912 08008		Nut	ﾅｯﾄ	2		
	GH245 00600		Washer	ﾜｯｼｬ	4		
	03116 12008		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	4		
50 -2	52400 72910	B	Side cover	ｻｲﾄﾞ ｶﾊﾞｰ	1	M 9-1	
	02246 08016	D	Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	2	M 9-1	
	02136 08035	B	Bolt	ﾎﾞﾙﾄ	2	M 9-1	
	02912 08008	Q	Nut	ﾅｯﾄ	4	M 9-1	
	GH245 00600	Q	Washer	ﾜｯｼｬ	8	M 9-1	
	03116 12008	Q	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	2	M 9-1	
51	52728 62001		Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	1		
51 -1	52728 11310	B	Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	1	M 9-1	
52	52560 72700		Bottom plate	底板	1		
53	03407 64433		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		
53 -1	03407 64218	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M 2-3	
53 -2	03407 66912	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M 7-2	
53 -3	03407 66904	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M19	
54	03407 64318		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		
54 -1	03407 66809	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M 7	
54 -2	03407 66609	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M29	
55	03407 64424		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		
55 -1	03407 64231	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M 2-3	
55 -2	03407 66905	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M 7-2	
55 -3	03407 66912	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M19	
56	03407 64420		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		
56 -1	03407 64213	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M 2-3	
56 -2	03407 66913	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M 7	
57	03407 64327		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		
57 -1	03407 66912	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M 7-2	
57 -2	03407 66933	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M19	
58	03407 64638		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1		
58 -1	03407 66809	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 7	
58 -2	03407 66609	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M29	
59	03407 64328		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		
59 -1	03407 66904	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M 7	
60	03407 64333		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1		
60 -1	03407 66915	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 7	
61	03407 66310		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		
61 -1	03407 66804	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M 7	
61 -2	03407 66846	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M 7-4	
61 -3	03407 66846	C	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M10-2	
62	03407 64607		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1		
62 -1	03407 66826	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 7	
62 -2	03407 66826	C	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M10-2	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
63	03407 66503	C	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 7	
64	03407 64823		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		
64 -1	52728 86600	B	Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	2	M 7	
65	52728 60800		Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	2		
65 -1	52728 86500	B	Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	2	M 7	
66	03407 66311		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		
66 -1	03407 66826	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 7	
66 -2	03407 66610	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M29	
66 -3	03407 64748	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M10-2	
67	03407 66408		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		
67 -1	03407 66914	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	8	M 7	
68	39200 04300	C	Tool box	ﾂｰﾙ ﾎﾞｯｸｽ	1	M19	
69	02249 08020		Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	10		
69 -1	02201 08012	B	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	18	M 1-2	
70	52560 73400	D	Bottom plate	底板	1	M 1-2	
71	03407 64605		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1		
71 -1	03407 66826	A	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 7	
71 -2	03407 66610	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M29	
72	03407 64723	D	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M19	
73	52728 04710	D	Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	1	M19	
74	03407 64750	D	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 4	
74 -1	03407 64750	C	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 9-1	
75	52721 04800		Catch	ｷｬｯﾁ	1		w/o KEY TYPE
	02401 66012	C	Screw	ｽｸﾘｭ	4	M 7-4	w/o KEY TYPE
75 -1	52710 04100	Y,B	Latch ass'y	ﾗｯﾁ	1	M 7-4	w/o KEY TYPE
75	52710 03601	Y,D	Latch ass'y	ﾗｯﾁ	1	M 7-4	w.KEY TYPE
	52739 03400	Y,D	Key(0200)	ｷｰ	2	M 7-4	w.KEY TYPE
76	46470 59300	D	Box	ﾎﾞｯｸｽ	1	M19	
	02915 00006		Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	8		
76 -1	46470 77600	B	Box	ﾎﾞｯｸｽ	1	M 9-1	
	02915 00006	Q	Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	7	M 9-1	
77	39200 04302	D	Tool box	ﾂｰﾙ ﾎﾞｯｸｽ	1	M19	
78	52800 42900		Duct	ﾀﾞｸﾄ	1		
79	03407 67605	D	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 7-4	
80	03407 66802	D	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 9-1	
81	52400 57611	D	Side cover	ｻｲﾄﾞ ｶﾊﾞｰ	1	M 9-1	w.KEY TYPE
81 -1	52400 93110	B	Side cover	ｻｲﾄﾞ ｶﾊﾞｰ	1	M183	w.KEY TYPE
81 -2	52400 07820	A	Side cover	ｻｲﾄﾞ ｶﾊﾞｰ	1	M345	w.KEY TYPE
	31131 04100	D	Rubber, vibration isolator	ｺﾞﾑ	1	M345	w.KEY TYPE
82	03407 64216	D	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M 9-1	w.KEY TYPE
82 -1	03407 64216	C	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M183	w.KEY TYPE
83	03407 64227	D	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M 9-1	w.KEY TYPE
83 -1	03407 64227	C	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	1	M183	w.KEY TYPE
84	52312 03300	D	Hinge	ﾋﾝｼﾞ	2	M 9-1	w.KEY TYPE
	02305 64006	D	Screw	ｽｸﾘｭ	4	M 9-1	w.KEY TYPE
	02305 64012	D	Screw	ｽｸﾘｭ	4	M 9-1	w.KEY TYPE
	02305 64012	C	Screw	ｽｸﾘｭ	4	M345	w.KEY TYPE
	03266 05013	D	Blind rivet	ﾘﾍﾞｯﾄ	4	M345	w.KEY TYPE
	03116 12005	D	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	8	M183	w.KEY TYPE
85	52723 00900	D	Lock	ﾛｯｸ	1	M 9-1	w.KEY TYPE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
86	52710 00700	D	Latch ass'y	ﾗｯﾁ	1	M 9-1	w.KEY TYPE
	02415 64012	D	Screw,w/w	ﾜｯｼｬ付ｽｸﾘｭ	2	M 9-1	w.KEY TYPE
87	52730 16400	D	Handle	ﾊﾝﾄﾞﾙ	1	M 9-1	w.KEY TYPE
88	52728 14810		Cushion rubber	ｸｯｼｮﾝ ﾗﾊﾞｰ	3		
	OPNPG 11000		COVER SET	盗難防止ｶﾊﾞｰｾｯﾄ			Const.No.101～107
	OPNPG 15500	B	COVER SET	盗難防止ｶﾊﾞｰｾｯﾄ		M210	Const.No.101～108
101	52450 52520		Door	ﾄﾞｱ	1		OPT.
101 -1	52450 14730	B	Door	ﾄﾞｱ	1	M210	OPT.
102	52723 00900		Lock	ﾛｯｸ	1		OPT.
	52739 03400		Key(0200)	ｷｰ	1		OPT.
103	52550 10010		Side cover	ｻｲﾄﾞ ｶﾊﾞｰ	2		OPT.
	02201 08030		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4		OPT.
103 -1	52550 19010	B	Side cover	ｻｲﾄﾞ ｶﾊﾞｰ	1	M210	OPT.
	02248 08025	B	Bolt,w/w	ﾜｯｼｬ付ﾎﾞﾙﾄ	4	M210	OPT.
104	52550 10110		Side cover	ｻｲﾄﾞ ｶﾊﾞｰ	1		OPT.
	02201 08040	C	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	2	M210	OPT.
104 -1	51420 02701	B	Chain	ﾁｪｰﾝ	1	M210	OPT.
105	52480 13300		Hinge	ﾋﾝｼﾞ	2		OPT.
	02201 06016		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4		OPT.
	02915 00006		Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4		OPT.
105 -1	52710 00700	B	Latch ass'y	ﾗｯﾁ	1	M210	OPT.
	02401 64012	B	Screw	ｽｸﾘｭ	2	M210	OPT.
	02915 00004	B	Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	2	M210	OPT.
106	03407 64219		Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2		OPT.
106 -1	03407 67604	B	Seal rubber	ｼｰﾙ ﾗﾊﾞｰ	2	M210	OPT.
107	31131 04100		Vibration isolator ass'y	防振ｺﾞﾑ	1		OPT.
107 -1	03402 01402	B	Eyelet ring	ｱｲﾚｯﾄ ﾘﾝｸﾞ	1	M210	OPT.
108	03401 23140	D	Universal bush	ﾕﾆﾊﾞｰｻﾙ ﾌﾞｯｼｭ	1	M210	OPT.


36
34
35
64
33
65
32
65
65
26
15
25
11
14
13
28
12
27
24
29
31
30
63
39
38
47
49
51
61
1
48
2
4
50
46
45
3
37
60
43
42
41
40
58
59
57
53
58
59
57
54
55
56
52
5
10
6
7
21
22
17
23
20
19
18
16
62
8
9
~M19
44

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
	52900 81602		URETHANE FOAM KIT	ウレタン フォーム キット			
	52900 95100	B	URETHANE FOAM KIT	ウレタン フォーム キット		M11-2	
	52900 14510	B	URETHANE FOAM KIT	ウレタン フォーム キット		M18-4	
	52900 36012	B	URETHANE FOAM KIT	ウレタン フォーム キット		M19	
	52900 66610	B	URETHANE FOAM KIT	ウレタン フォーム キット		M 7-4	
	52900 69710	B	URETHANE FOAM KIT	ウレタン フォーム キット		M 9-1	
1	52959 75230		Lining	ﾗｲﾆﾝｸﾞ	1		
1 -1	52931 14820	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
2	52919 75020	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
3	52939 65030	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
4	52959 84820	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
5	52931 14110		Lining	ﾗｲﾆﾝｸﾞ	1		
5 -1	52931 23021	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
5 -2	52989 15900	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 7-4	
6	52928 10100		Lining	ﾗｲﾆﾝｸﾞ	1		
7	52928 10200		Lining	ﾗｲﾆﾝｸﾞ	1		
8	52931 14210		Lining	ﾗｲﾆﾝｸﾞ	1		
8 -1	52931 74010	B	Lining	ﾗｲﾆﾝｸﾞ	1	M18-4	
8 -2	52931 15321	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
8 -3	52989 16000	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 7-4	
9	52931 14310	C	Lining	ﾗｲﾆﾝｸﾞ	1	M18	
10	52931 14410		Lining	ﾗｲﾆﾝｸﾞ	1		
10 -1	52959 45440	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
10 -2	52988 27200	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 7-4	
11	52959 75530		Lining	ﾗｲﾆﾝｸﾞ	1		
11 -1	52988 27300	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 7-4	
12	52959 75630		Lining	ﾗｲﾆﾝｸﾞ	1		
12 -1	52988 27400	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 7-4	
13	52959 75730		Lining	ﾗｲﾆﾝｸﾞ	1		
13 -1	52988 27500	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 7-4	
14	52931 14510		Lining	ﾗｲﾆﾝｸﾞ	1		
14 -1	52931 15220	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
14 -2	52989 16100	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 7-4	
15	52931 14610	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
16	52959 30330	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
17	52959 73430	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
18	52931 14710		Lining	ﾗｲﾆﾝｸﾞ	1		
18 -1	52931 15721	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
18 -2	52989 16200	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 7-4	
19	52931 14810	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
20	52931 14910	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
21	52931 15010		Lining	ﾗｲﾆﾝｸﾞ	1		
21 -1	52959 78020	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
21 -2	52988 27600	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 7-4	
22	52928 10300		Lining	ﾗｲﾆﾝｸﾞ	1		
23	52928 10400		Lining	ﾗｲﾆﾝｸﾞ	1		
24	52931 15110		Lining	ﾗｲﾆﾝｸﾞ	1		
24 -1	52931 26510	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 5-2	
24 -2	52989 16300	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 7-4	
25	52931 15210	C	Lining	ﾗｲﾆﾝｸﾞ	1	M 5-2	
26	52931 15310	C	Lining	ﾗｲﾆﾝｸﾞ	1	M 5-2	
27	52931 15410	C	Lining	ﾗｲﾆﾝｸﾞ	1	M 5-2	

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
28	52928 10500		Lining	ﾗｲﾆﾝｸﾞ	1		
29	52931 15510		Lining	ﾗｲﾆﾝｸﾞ	1		
29 -1	52931 16420	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
29 -2	52989 16400	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 7-4	
30	52959 79120	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
31	52931 15610		Lining	ﾗｲﾆﾝｸﾞ	1		
31 -1	52931 39410	B	Lining	ﾗｲﾆﾝｸﾞ	1	M11-2	
31 -2	52931 15820	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
31 -3	52989 16500	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 7-4	
31 -4	52989 16500	C	Lining	ﾗｲﾆﾝｸﾞ	1	M 9-1	
32	52959 75830		Lining	ﾗｲﾆﾝｸﾞ	1		
32 -1	52959 84140	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
33	52931 15710		Lining	ﾗｲﾆﾝｸﾞ	1		
33 -1	52931 14120	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
34	52959 75930		Lining	ﾗｲﾆﾝｸﾞ	1		
34 -1	52959 22240	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
35	52931 15810		Lining	ﾗｲﾆﾝｸﾞ	1		
35 -1	52931 14920	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
36	52926 05200		Lining	ﾗｲﾆﾝｸﾞ	2		
36 -1	52926 16600	B	Lining	ﾗｲﾆﾝｸﾞ	2	M19	
37	52931 15910		Lining	ﾗｲﾆﾝｸﾞ	1		
37 -1	52931 16020	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
37 -2	52931 26620	B	Lining	ﾗｲﾆﾝｸﾞ	1	M22-1	
37 -3	52931 26620	C	Lining	ﾗｲﾆﾝｸﾞ	1	M 9-1	
38	52959 76030	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
39	52939 63630		Lining	ﾗｲﾆﾝｸﾞ	1		
39 -1	52939 90230	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
39 -2	52939 94230	B	Lining	ﾗｲﾆﾝｸﾞ	1	M22-1	
40	52931 16010		Lining	ﾗｲﾆﾝｸﾞ	1		
40 -1	52931 15920	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
41	52931 16110		Lining	ﾗｲﾆﾝｸﾞ	1		
42	52931 16210		Lining	ﾗｲﾆﾝｸﾞ	1		
42 -1	52931 15020	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
42 -2	52931 56620	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 9-1	
43	52931 16310		Lining	ﾗｲﾆﾝｸﾞ	1		
43 -1	52931 15120	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
43 -2	52931 56720	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 9-1	
44	52959 76130	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
45	52946 03900		Lining	ﾗｲﾆﾝｸﾞ	1		
45 -1	52946 14300	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
46	52946 04000	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
47	52946 04100	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
48	52946 04200		Lining	ﾗｲﾆﾝｸﾞ	1		
48 -1	52946 14400	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
49	52939 63730		Lining	ﾗｲﾆﾝｸﾞ	1		
50	52939 63830	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
51	52919 75620		Lining	ﾗｲﾆﾝｸﾞ	1		
52	52931 17610		Lining	ﾗｲﾆﾝｸﾞ	1		
52 -1	52959 84440	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
53	52931 17710		Lining	ﾗｲﾆﾝｸﾞ	2		
54	52931 17810		Lining	ﾗｲﾆﾝｸﾞ	1		

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
55	52931 17910		Lining	ﾗｲﾆﾝｸﾞ	1		
56	52959 75330		Lining	ﾗｲﾆﾝｸﾞ	1		
56 -1	52959 92530	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
57	52959 80430		Lining	ﾗｲﾆﾝｸﾞ	2		
58	52959 80530		Lining	ﾗｲﾆﾝｸﾞ	2		
59	52928 10600		Lining	ﾗｲﾆﾝｸﾞ	2		
60	52931 23710	D	Lining	ﾗｲﾆﾝｸﾞ	1	M 3-2	
60 -1	52931 23710	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
61	52939 67030	D	Lining	ﾗｲﾆﾝｸﾞ	1	M 3-2	
61 -1	52939 90330	B	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
61 -2	52946 18000	B	Lining	ﾗｲﾆﾝｸﾞ	1	M 9-1	
62	52959 85730	D	Lining	ﾗｲﾆﾝｸﾞ	1	M 3-2	
62 -1	52959 85730	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
63	52959 84820	D	Lining	ﾗｲﾆﾝｸﾞ	1	M 3-2	
63 -1	52959 84820	C	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
64	52926 16700	D	Lining	ﾗｲﾆﾝｸﾞ	1	M19	
65	52959 67140	D	Lining	ﾗｲﾆﾝｸﾞ	3	M19	

SPECIAL SPECIFICATIONS

SS1 - 00　400/440V TYPE (～M19)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
		§ 20 - 00	GENERATOR & ENGINE				refer to page 20-1
1	20002 63201		Generator	ｾﾞﾈﾚｰﾀ	1		
		§ 20 - 01	GRNERATOR				refer to page 20-5
	20002 63201		Generator	ｾﾞﾈﾚｰﾀ			
1	25100 03700		A.C.G.rotor ass'y	主発電機界磁巻線	1		(回転子)
12	25200 04400		A.C.G.stator ass'y	主発電機電機子巻線	1		(固定子)
13	25700 02900		Ex.stator ass'y	励磁機界磁巻線	1		(固定子)
	02138 06060		Bolt	ﾎﾞﾙﾄ	3		
	03115 02006		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	3		
	03116 12006		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	3		
		§ 39 - 00	NAME PLATE				refer to page 39-1
	39600 62510		Instruction manual	取扱説明書			
2	39103 42000		Plate(SER.NO.)	ﾌﾟﾚｰﾄ	1		
10	39153 38500		Plate(start-stop)	ﾌﾟﾚｰﾄ	1		
12	39176 49200		Plate(output terminal)	ﾌﾟﾚｰﾄ	1		
		§ 46 - 00	ELECTRIC (for GENERATOR)				refer to page 46-1
1	46900 47500		Switch box ass'y	制御盤	1		Const.No.2～6, 8～20 & 78
2	46153 03100		Voltmeter	交流電圧計	1		
4	46154 10700		Ammeter	交流電流計	1		
6	46120 18100		Circuit breaker	三相遮断器	1		
10	46923 03700		Current transformer	変流器(電流計用)	2		
15	46927 02000		Reactor	ﾘｱｸﾀ	3		
19	44311 07600		Terminal plate	端子板	1		
22	46464 04100		Cover	ｶﾊﾞｰ	1		
	02345 64012		Screw	ｽｸﾘｭ	2		
	02912 08004		Nut	ﾅｯﾄ	2		
	03115 02004		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2		
	03116 12004		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	4		
31	46464 04600		Cover	ｶﾊﾞｰ	1		
36	02138 06016		Bolt	ﾎﾞﾙﾄ	4		
	03115 02006		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	4		
	03116 12006		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	4		

SPECIAL SPECIFICATIONS

SS2 - 00　ENGLISH TYPE (～M19)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	変更 C/H	備考 Remarks
			§ 39 - 00　NAME PLATE			refer to page 39-1
	39600 64110		Instruction manual　取扱説明書			
9	39154 08500		Plate(regular check)　ﾌﾟﾚｰﾄ	1		
10	39153 39300		Plate(start-stop)　ﾌﾟﾚｰﾄ	1		
11	39176 35500		Plate　ﾌﾟﾚｰﾄ (caution,lifting bail)	1		
12	39176 49700		Plate(output terminal)　ﾌﾟﾚｰﾄ	1		
13	39176 27000		Plate(leakage relay)　ﾌﾟﾚｰﾄ	1		
14	39176 34500		Plate(body earth)　ﾌﾟﾚｰﾄ	1		
27	39176 35000		Plate　ﾌﾟﾚｰﾄ (warning,exhaust gases)	1		
28	39176 35700		Plate(caution,notice)　ﾌﾟﾚｰﾄ	1		
29	39176 35600		Plate(No fire)　ﾌﾟﾚｰﾄ	1		
30	39176 35300		Plate　ﾌﾟﾚｰﾄ (caution,radiator cap)	1		
31	39176 35400		Plate　ﾌﾟﾚｰﾄ (caution,No lifting)	2		
32	39176 35100		Plate　ﾌﾟﾚｰﾄ (warning,cooling fan)	1		
33	39176 35200		Plate　ﾌﾟﾚｰﾄ (caution,high temp.)	1		
34	39176 34600		Plate　ﾌﾟﾚｰﾄ (warning,electric shock)	1		
35	39176 34700		Plate(warning,V-belt)　ﾌﾟﾚｰﾄ	1		
36	39176 50000		Plate(warning,battery)　ﾌﾟﾚｰﾄ	2		

SPECIAL SPECIFICATIONS

SS3 - 00　EXPORT (200/220V) TYPE (～M19)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
		§ 36 - 00	ENG.CONTROL				refer to page 36-1
51	44210 04200		Battery(dry)	ﾊﾞｯﾃﾘ	2		(95D31R)
51 -1	44210 06700	B	Battery	ﾊﾞｯﾃﾘ	2	M10-1	(95D31R)
		§ 38 - 00	COOLING & FUEL LINE				refer to page 38-1
56	43220 01700		Cap	ｷｬｯﾌﾟ	1		
	52739 02100		Key	ｷｰ	2		(H800)
		§ 39 - 00	NAME PLATE				
			Please refer to page SS2-1				
		§ 51 - 00	FRAME & BONNET				refer to page 51-1
46	52450 64610		Door	ﾄﾞｱ	1		
75	52721 04900		Catch	ｷｬｯﾁ	1		
	52739 02100		Key	ｷｰ	2		(H800)
	02401 66012		Screw	ｽｸﾘｭ	4		

SPECIAL SPECIFICATIONS

SS4 - 00　EXPORT (400/440V) TYPE (～M7-4)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
			§ 20 - 00　GENERATOR & ENGINE				refer to page 20-1
1	20002 63201		Generator	ｾﾞﾈﾚｰﾀ	1		
1 -1	20003 50500	B	Generator	ｾﾞﾈﾚｰﾀ	1	M13-1	
1 -2	20003 52801	B	Generator	ｾﾞﾈﾚｰﾀ	1	M14	
			§ 20 - 01　GRNERATOR				refer to page 20-5
	20002 63201		Generator	ｾﾞﾈﾚｰﾀ			
	20003 50500	B	Generator	ｾﾞﾈﾚｰﾀ		M13-1	
	20003 52801	B	Generator	ｾﾞﾈﾚｰﾀ		M14	
1	25100 03700		A.C.G.rotor ass'y	主発電機界磁巻線	1		(回転子)
1 -1	25100 05800	B	A.C.G.rotor ass'y	主発電機界磁巻線	1	M13-1	(回転子)
1 -2	25100 07000	B	A.C.G.rotor ass'y	主発電機界磁巻線	1	M14	(回転子)
12	25200 04400		A.C.G.stator ass'y	主発電機電機子巻線	1		(固定子)
12 -1	25200 06400	B	A.C.G.stator ass'y	主発電機電機子巻線	1	M13-1	(固定子)
12 -2	25200 07800	B	A.C.G.stator ass'y	主発電機電機子巻線	1	M14	(固定子)
13	25700 02900		Ex.stator ass'y	励磁機界磁巻線	1		(固定子)
13 -1	25700 02200	B	Ex.stator ass'y	励磁機界磁巻線	1	M13-1	(固定子)
13 -2	25700 05700	B	Ex.stator ass'y	励磁機界磁巻線	1	M14	(固定子)
	02138 06060	C	Bolt	ﾎﾞﾙﾄ	3	M14	
	02138 06050	D	Bolt	ﾎﾞﾙﾄ	3	M14	
	03115 02006		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	3		
	03116 12006		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	3		
			§ 38 - 00　COOLING & FUEL LINE				refer to page 38-1
56	43220 01700		Cap	ｷｬｯﾌﾟ	1		
	52739 02100		Key	ｷｰ	2		(H800)

SPECIAL SPECIFICATIONS

SS4 - 00　EXPORT (400/440V) TYPE (～M7-4)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
			§ 39 - 00　NAME PLATE				refer to page 39-1,2
	39600 64910		Instruction manual	取扱説明書			
	39600 73210	B	Instruction manual	取扱説明書		M 7-2	
	39600 87910	B	Instruction manual	取扱説明書		M13-1	
	39600 04220	B	Instruction manual	取扱説明書		M14-1	
	39600 27020	B	Instruction manual	取扱説明書		M21-2	
	39600 37120	B	Instruction manual	取扱説明書		M11-1	
	39600 42922	B	Instruction manual	取扱説明書		M19	
	39615 01400		Instruction manual	取扱説明書(Eng.)			
2	39103 42000		Plate(SER.NO.)	ﾌﾟﾚｰﾄ	1		
2 -1	39103 46801	B	Plate	ﾌﾟﾚｰﾄ	1	M17	
9	39154 08500	C	Plate(regular check)	ﾌﾟﾚｰﾄ	1	M13	
10	39153 39001		Plate(start-stop)	ﾌﾟﾚｰﾄ	1		
10 -1	39153 50800	B	Plate	ﾌﾟﾚｰﾄ	1	M13-1	
10 -2	39153 53600	B	Plate	ﾌﾟﾚｰﾄ	1	M14-1	
10 -3	39153 53600	C	Plate	ﾌﾟﾚｰﾄ	1	M19	
11	39176 35500		Plate	ﾌﾟﾚｰﾄ	1		
			(caution,lifting bail)				
11 -1	39176 69300	A	Plate	ﾌﾟﾚｰﾄ	1	M21-2	
11 -2	39176 69300	C	Plate	ﾌﾟﾚｰﾄ	1	M19	
12	39176 50200		Plate(output terminal)	ﾌﾟﾚｰﾄ	1		
12 -1	39176 53800	B	Plate	ﾌﾟﾚｰﾄ	1	M 8-1	
			(warning,electric shock,output,leakage relay)				
12 -2	39176 76800	A	Plate(output terminal)	ﾌﾟﾚｰﾄ	1	M21-2	
12 -3	39176 83600	B	Plate	ﾌﾟﾚｰﾄ	1	M19	
13	39176 27000	C	Plate(leakage relay)	ﾌﾟﾚｰﾄ	1	M 8	
14	39176 34500		Plate(body earth)	ﾌﾟﾚｰﾄ	1		
14 -1	39176 30700	A	Plate	ﾌﾟﾚｰﾄ	1	M21	
27	39176 35000	C	Plate	ﾌﾟﾚｰﾄ	1	M13-1	
			(warning,exhaust gases)				
27 -1	39176 35701	D	Plate(caution,notice)	ﾌﾟﾚｰﾄ	1	M21-2	
27 -2	39176 35701	C	Plate	ﾌﾟﾚｰﾄ	1	M19	
28	39176 35700		Plate(caution,notice)	ﾌﾟﾚｰﾄ	1		
28 -1	39176 52700	B	Plate	ﾌﾟﾚｰﾄ	1	M13-1	
			(warning,exhaust gases,caution notice,regular check)				
28 -2	39176 73300	B	Plate	ﾌﾟﾚｰﾄ	1	M21	
			(caution,exhaust gases)				
29	39176 35600	C	Plate(No fire)	ﾌﾟﾚｰﾄ	1	M21	
30	39176 35300		Plate	ﾌﾟﾚｰﾄ	1		
			(caution,radiator cap)				
30 -1	39176 69600	A	Plate	ﾌﾟﾚｰﾄ	1	M21	
31	39176 35400		Plate	ﾌﾟﾚｰﾄ	2		
			(caution,No lifting)				
31 -1	39176 35400	Q	Plate	ﾌﾟﾚｰﾄ	1	M21	
31 -2	39176 35400	C	Plate	ﾌﾟﾚｰﾄ	1	M 6	
32	39176 35100		Plate	ﾌﾟﾚｰﾄ	1		
			(warning,cooling fan)				
32 -1	39176 73500	B	Plate	ﾌﾟﾚｰﾄ	1	M21	
			(caution,rotation)				

SPECIAL SPECIFICATIONS

SS4 - 00　EXPORT (400/440V) TYPE (～M7-4)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
33	39176 35200		Plate	プレート	1		
			(caution,high temp.)				
33 -1	39176 69500	B	Plate	プレート	1	M21	
34	39176 34600	C	Plate	プレート	1	M 8-1	
			(warning,electric shock)				
34 -1	39176 62900	D	Plate	プレート	1	M19	
35	39176 34700		Plate(warning,V-belt)	プレート	1		
35 -1	39176 73800	B	Plate	プレート	1	M21	
			(caution,rotation)				
36	39176 50000		Plate(warning,battery)	プレート	2		
37	39176 52800	D	Plate(position)	プレート	1	M 7-2	
37 -1	39176 32020	B	Plate(in-pane)	プレート	1	M19	
39	39176 46300	D	Plate	プレート	1	M14-1	
			(change frequency)				
39 -1	39178 32220	B	Plate	プレート	1	M19	
45	39178 96210	D	Plate	プレート	1	M19	
			(changed fuel refill)				
45 -1	39178 49120	B	Plate	プレート	1	M 6	
50	39178 59020	D	Plate(frequency)	プレート	1	M82	
81	39178 25210	D	Plate(LLC)	プレート	1	M19	
82	39176 69300	D	Plate(lift position)	プレート	1	M19	





SPECIAL SPECIFICATIONS

SS4 - 00　EXPORT (400/440V) TYPE (～M7-4)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
			§ 46 - 00　ELECTRIC (for GENERATOR)				refer to page 46-1,2
1	46900 47500		Switch box ass'y	制御盤	1		
1 -1	46900 57200	B	Switch box ass'y (Const.No.2～6,8～20,22 & 78)	制御盤	1	M13-1	
1 -2	46900 62400	B	Switch box ass'y (Const.No.2～6,8～14,16～20,22 & 78)	制御盤	1	M14	
2	46153 03100		Voltmeter(AC)	交流電圧計	1		
4	46154 10700		Ammeter (AC)	交流電流計	1		
6	46120 18100		Circuit breaker	三相遮断器	1		
10	46923 03700		Current transformer	変流器(電流計用)	2		
15	46927 02000		Reactor	ﾘｱｸﾀ	3		
15 -1	44311 07600	B	Terminal plate	端子台	1	M14	
19	44311 07600		Terminal plate	端子台	1		
	44311 37300	D	Terminal plate	端子台	1	M13	
	44311 37300	C	Terminal plate	端子台	1	M14	
19 -1	44311 37300	B	Terminal plate	端子台	1	M14	
22	46464 04100		Cover	ｶﾊﾞｰ	1		
31	46464 04600		Cover	ｶﾊﾞｰ	1		
36	02138 06016		Bolt	ﾎﾞﾙﾄ	4		
	03115 02006	C	Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	4	M19	
	03116 12006	C	Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	4	M19	
36 -1	02201 06016	B	Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4	M19	
59	02345 65012		Screw	ｽｸﾘｭ	2		
	02915 00005		Hexagon flange nut	ﾌﾗﾝｼﾞ付ﾅｯﾄ	2		
			§ 51 - 00　FRAME & BONNET				refer to page 51-1
75	52721 04900		Catch	ｷｬｯﾁ	1		
	52739 02100		Key	ｷｰ	2		(H800)
	02401 66012		Screw	ｽｸﾘｭ	4		

SPECIAL SPECIFICATIONS

SS4 - 01　EXPORT (DUAL VOLTAGE) TYPE (M7-4～)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
			§ 39 - 00　NAME PLATE				refer to page 39-2,3
	39600 64520		Instruction manual	取扱説明書			
	39600 71120	B	Instruction manual	取扱説明書		M105	
	39600 70821	B	Instruction manual	取扱説明書		M 9-1	
	39600 49630	B	Instruction manual	取扱説明書		M379	
	39600 23540	B	Instruction manual	取扱説明書		M617	
	39615 01400		Instruction manual	取扱説明書(Eng.)			
10	39178 58920		Plate(start-stop)	ﾌﾟﾚｰﾄ	1		
12	39176 85100		Plate(output terminal)	ﾌﾟﾚｰﾄ	1		
12 -1	39176 90400	B	Plate	ﾌﾟﾚｰﾄ	1	M 9-1	
28	39176 73300		Plate	ﾌﾟﾚｰﾄ	1		
			(caution,exhaust gases)				
30	39176 69600		Plate	ﾌﾟﾚｰﾄ	1		
			(caution,radiator cap)				
32	39176 73500		Plate(caution,rotation)	ﾌﾟﾚｰﾄ	1		
33	39176 69500		Plate	ﾌﾟﾚｰﾄ	1		
			(caution,high temp.)				
34	39176 62900		Plate	ﾌﾟﾚｰﾄ	1		
34 -1	39176 11310	B	Plate	ﾌﾟﾚｰﾄ	1	M564	
			(warning,electric shock)				
35	39176 73800		Plate(caution,rotation)	ﾌﾟﾚｰﾄ	1		
36	39176 50000		Plate(warning,battery)	ﾌﾟﾚｰﾄ	2		
37	39176 32020		Plate(in-pane)	ﾌﾟﾚｰﾄ	1		
37 -1	39178 79220	B	Plate	ﾌﾟﾚｰﾄ	1	M 9-1	
45	39178 49120		Plate	ﾌﾟﾚｰﾄ	1		
			(changed fuel refill)				
50	39178 59020		Plate(frequency)	ﾌﾟﾚｰﾄ	1		
52	39176 90800	D	Plate(output)	ﾌﾟﾚｰﾄ	1	M 9-1	
53	39152 24500	D	Plate(wiring chart)	ﾌﾟﾚｰﾄ	1	M 9-1	
58	39176 35600	D	Plate(No fire)	ﾌﾟﾚｰﾄ	1	M103	
58 -1	39176 35600	C	Plate	ﾌﾟﾚｰﾄ	1	M374	
59	39178 99730	D	Plate(diesel fuel)	ﾌﾟﾚｰﾄ	1	M374	
81	39178 25210		Plate(LLC)	ﾌﾟﾚｰﾄ	1		
82	39176 69300		Plate(lift position)	ﾌﾟﾚｰﾄ	1		



SPECIAL SPECIFICATIONS

SS4 - 01　EXPORT (DUAL VOLTAGE) TYPE (M7-4～)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name	数量 Q'ty	変更 C/H	備考 Remarks
			§ 46 - 00　ELECTRIC (for GENERATOR)			refer to page 46-1,2
1	46900 78400		Switch box ass'y　制御盤	1		
			(Const.No.2～11,13～20,22,52～54 & 78)			
1 -1	46900 81906	B	Switch box ass'y　制御盤	1	M 9-1	
1 -2	46900 53910	B	Switch box ass'y　制御盤	1	M617	
			(Const.No.2～8,10,11,13～18,20,22,52～54,57,77 & 78)			
53	39178 32220		Plate(in-pane)　ﾌﾟﾚｰﾄ	1		
53 -1	39178 83320	B	Plate(in-pane)　ﾌﾟﾚｰﾄ	1	M 9-1	
54	39178 46720		Plate(in-pane)　ﾌﾟﾚｰﾄ	1		

SPECIAL SPECIFICATIONS

SS5 - 00　SINGLE PHASE(100V) ELECTRIC LEAKAGE BREAKER TYPE (～M19)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
			§ 39 - 00　NAME PLATE				refer to page 39-1
10	39153 49100		Plate(start-stop)	ﾌﾟﾚｰﾄ	1		
12	39176 46700		Plate(output terminal)	ﾌﾟﾚｰﾄ	1		
12 -1	39176 53900	B	Plate	ﾌﾟﾚｰﾄ	1	M 8-1	
			(warning,electric shock,output,leakage relay)				
13	39176 50300	C	Plate(leakage relay)	ﾌﾟﾚｰﾄ	1	M 8-1	
			§ 46 - 00　ELECTRIC (for GENERATOR)				refer to page 46-1
1	46900 48600		Switch board ass'y	制御盤	1		Const.No.2～20 & 78
1 -1	46900 62200	B	Switch board ass'y	制御盤	1	M14-1	Const.No.2～14, 16～20 & 78
31	44311 28501		Terminal plate	端子板	1		Const.No.32～35
32	46305 06200		Plate	ﾌﾟﾚｰﾄ	1		
32 -1	46305 06700	B	Plate	ﾌﾟﾚｰﾄ	1	M 7-2	
33	46312 04100		Bolt	ﾎﾞﾙﾄ	2		
	02912 03010		Nut	ﾅｯﾄ	4		
	03115 02010		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	4		
	03116 14010		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	6		
34	02238 10020		Bolt(w/w)	ﾜｯｼｬ付ﾎﾞﾙﾄ	2		
	03116 14010		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	2		
35	03317 03010		Spring pin	ｽﾌﾟﾘﾝｸﾞ ﾋﾟﾝ	2		

SPECIAL SPECIFICATIONS

SS6 - 00　RAIN CAP TYPE (～M19)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
			§ 20 - 00　GENERATOR & ENGINE				refer to page 20-1
100	42100 68000		Exhaust muffler	ｴｷｿﾞｰｽﾄ ﾏﾌﾗ	1		
	02201 08020		Flange bolt	ﾌﾗﾝｼﾞ付ﾎﾞﾙﾄ	4		
141	42210 03100		Cap	ｷｬｯﾌﾟ	1		



OPTIONAL PARTS

OP1 - 00　ATS TYPE

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
	OPNPG 11801		ATS TYPE	電源自動切換盤付仕様			
	OPNPG 11901	B	ATS TYPE	電源自動切換盤付仕様		M 7-4	
	39610 99700		Instruction manual	取扱説明書(ATS仕様)			
1	46760 45310		Control panel	ｺﾝﾄﾛｰﾙ ﾊﾟﾈﾙ	1		Incl.No.2～3
2	46980 01300		Charger	充電器	1		
3	46921 04300		Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	1		
4	44335 00900		Magnetic switch	ﾏｸﾞﾈﾁｯｸ ｽｲｯﾁ	1		(電源)
5	44346 07500	D	Relay	ﾘﾚｰ	1	M 7-4	(警報)
6	02415 66016		Screw,w/w	ﾜｯｼｬ付ｽｸﾘｭ	2		
6 -1	02415 66016	Q	Screw,w/w	ﾜｯｼｬ付ｽｸﾘｭ	3	M 7-4	
7	44490 09030		Wiring harness	ﾜｲﾔﾊｰﾈｽ	1		
7 -1	44490 13730	B	Wiring harness	ﾜｲﾔﾊｰﾈｽ	1	M 7-4	
	44470 01600		Fuse box	ﾋｭｰｽﾞ ﾎﾞｯｸｽ	1		
	46934 03200		Fuse(10A)	ﾋｭｰｽﾞ	1		
	46921 08500		Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	1		
8	44311 52500		Terminal plate	端子台	1		
	02345 64016		Screw	ｽｸﾘｭ	2		
	03115 02004		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2		
	03116 12004		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	2		







OP2- 00 ATS TYPE (ADDITIONAL TYPE)





Switch board ass'y

OPTIONAL PARTS

OP2 - 00　ATS TYPE (ADDITIONAL TYPE)

見出番号 Ref.NO.	部品番号 Part NO.	互換性 Inter-change ability	部品名称 Part Name		数量 Q'ty	変更 C/H	備考 Remarks
	OP2 - 00		ATS TYPE(ATS150-50)	電源自動切換盤付仕様			Const.No.1～7
	39600 92120		Instruction manual	取扱説明書			
	39600 94723	B	Instruction manual	取扱説明書		M186	
1	46760 48410		Control panel	始動盤	1		Incl.No.2～6
1 -1	46760 49410	B	Control panel	始動盤	1	M186	Incl.No.2～6
			(Indoor/Independence/200V)	(屋内/自立型/200V級)			
1	46760 53711		Control panel	始動盤	1		Incl.No.2～6
			(Outdoor/Independence/200V)	(屋外/自立型/200V級)			
1	46760 48810		Control panel	始動盤	1		Incl.No.2～6
1 -1	46760 49610	B	Control panel	始動盤	1	M186	Incl.No.2～6
			(Indoor/Independence/400V)	(屋内/自立型/400V級)			
1	46760 66010		Control panel	始動盤	1		Incl.No.2～6
			(Outdoor/Independence/400V)	(屋外/自立型/400V級)			
1	46760 83511		Control panel	始動盤	1		Incl.No.2～6
			(Outdoor/Independence/200V/With heater)	(屋外/自立型/200V級/ﾋｰﾀ付)			
2	46980 01300		Charger	充電器	1		
2 -1	46980 01800	B	Charger	充電器	1	M186	DC24V
3	46921 04300		Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	2		
3 -1	46921 04300	Q	Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	1	M186	
4	46153 04700		Voltmeter(AC)	交流電圧計	1		200V
4	46153 04000		Voltmeter(AC)	交流電圧計	1		400V
5	46153 04600		Voltmeter(DC)	直流電圧計	1		30V
6	46911 01401		Frequency meter	周波数計	1		
7	39103 11301		Plate(SER.NO.)	ﾌﾟﾚｰﾄ	1		
	03260 03010		Blind rivet	ﾘﾍﾞｯﾄ	2		
	OPNPG 14901		ATS TYPE	ATS対応改造ｾｯﾄ			Const.No.8～13
8	44335 00900		Magnetic switch	ﾏｸﾞﾈﾁｯｸ ｽｲｯﾁ	1		(電源)
8 -1	44335 01100	B	Magnetic switch	ﾏｸﾞﾈﾁｯｸ ｽｲｯﾁ	1	M-A	(電源)
9	44346 07500		Relay	ﾘﾚｰ	1		(警報)
10	02415 66016		Screw,w/w	ﾜｯｼｬ付ｽｸﾘｭ	3		
10 -1	02415 66016	Q	Screw,w/w	ﾜｯｼｬ付ｽｸﾘｭ	5	M-A	
11	44490 13730		Wiring harness	ﾜｲﾔﾊｰﾈｽ	1		
11 -1	44490 45840	B	Wiring harness	ﾜｲﾔﾊｰﾈｽ	1	M-A	
	44470 01600		Fuse box	ﾋｭｰｽﾞ ﾎﾞｯｸｽ	1		
	46934 03200		Fuse(10A)	ﾋｭｰｽﾞ	1		
	46921 08500		Silicon rectifier	ﾀﾞｲｵｰﾄﾞ	1		
12	44311 52500		Terminal plate	端子台	1		
	02345 64016		Screw	ｽｸﾘｭ	2		
	03115 02004		Spring washer	ｽﾌﾟﾘﾝｸﾞ ﾜｯｼｬ	2		
	03116 12004		Plain washer	ﾌﾟﾚｰﾝ ﾜｯｼｬ	2		
13	44250 30010	D	Bracket	ﾌﾞﾗｹｯﾄ	1	M-A	

I N D E X

PART NO.	PAGE	REF. NO.
02102 10025	20 - 2	25-1
02108 10020	36 - 6	92
02108 10025	20 - 2	25
02135 06025	36 - 3	4-2
02135 10035	20 - 4	122
02135 10050	20 - 2	2
02135 20060	51 - 2	5
02136 06012	46 - 4	27-1
02136 08035	51 - 5	50-2
02136 10020	46 - 5	34-1
02136 10035	20 - 3	103
02136 12025	46 - 4	28-1
02136 16060	20 - 4	121
02138 06012	46 - 4	27
02138 06016	20 - 6	3
02138 06016	SS1- 1	36
02138 06016	SS4- 4	36
02138 06025	20 - 6	4
02138 06030	38 - 4	66
02138 06030	46 - 6	60
02138 06050	20 - 6	13-2
02138 06050	SS4- 1	13-2
02138 06055	20 - 6	9
02138 06060	20 - 6	13-2
02138 06060	SS1- 1	13
02138 06060	SS4- 1	13-2
02138 08025	51 - 5	50-1
02138 10050	20 - 2	44
02138 10070	38 - 3	53
02138 12025	36 - 3	9-2
02138 12025	36 - 5	75-1
02138 12025	36 - 6	92
02138 12025	46 - 4	28
02138 12085	36 - 3	10
02139 08055	51 - 3	27-1
02201 06016	36 - 3	13-2
02201 06016	36 - 4	67
02201 06016	36 - 6	95
02201 06016	38 - 2	12
02201 06016	38 - 2	12-1
02201 06016	38 - 5	83
02201 06016	38 - 5	85-1
02201 06016	46 - 5	36
02201 06016	46 - 5	39
02201 06016	46 - 5	39-1
02201 06016	46 - 5	39-2
02201 06016	46 - 5	51
02201 06016	46 - 5	51-1
02201 06016	46 - 6	61
02201 06016	46 - 6	69
02201 06016	51 - 7	105
02201 06016	SS4- 4	36-1
02201 08012	20 - 4	104
02201 08012	38 - 2	9-1
02201 08012	38 - 3	19
02201 08012	38 - 3	22
02201 08012	46 - 6	71-2
02201 08012	51 - 3	33-2
02201 08012	51 - 6	69-1
02201 08020	20 - 3	100
02201 08020	20 - 4	124
02201 08020	36 - 4	54-1
02201 08020	36 - 5	76
02201 08020	36 - 6	89
02201 08020	38 - 2	14-2
02201 08020	38 - 3	22
02201 08020	38 - 3	54
02201 08020	38 - 3	54-1
02201 08020	38 - 3	59-1
02201 08020	38 - 5	84
02201 08020	38 - 5	84-1
02201 08020	46 - 4	30
02201 08020	46 - 6	60
02201 08020	46 - 6	71
02201 08020	46 - 6	71-1
02201 08020	51 - 2	4-2
02201 08020	51 - 2	4-3
02201 08020	51 - 2	22
02201 08020	51 - 2	22-1
02201 08020	51 - 2	22-2
02201 08020	51 - 3	27-2
02201 08020	51 - 4	47-3
02201 08020	SS6- 1	100
02201 08030	51 - 7	103
02201 08040	51 - 7	104
02201 08050	51 - 4	39
02201 08050	51 - 4	39-1
02201 10020	20 - 2	42-1
02201 10020	36 - 6	92
02201 10020	38 - 2	1-2
02201 10020	38 - 3	52-1
02238 10020	46 - 5	34
02238 10020	SS5- 1	34
02238 10025	20 - 6	15-2
02238 10030	20 - 2	3
02245 08025	51 - 3	27-1
02246 08016	51 - 3	32-1
02246 08016	51 - 5	50-2
02248 06012	51 - 5	49-4
02248 06016	36 - 4	55-1
02248 06016	36 - 4	58
02248 06016	36 - 4	67-1
02248 06016	36 - 6	93
02248 06020	20 - 6	2
02248 06025	20 - 6	16-1
02248 08016	38 - 2	9
02248 08025	20 - 2	45
02248 08025	20 - 3	77
02248 08025	36 - 3	1
02248 08025	36 - 3	9
02248 08025	38 - 2	14
02248 08025	38 - 2	14-1
02248 08025	38 - 3	59
02248 08025	38 - 4	60
02248 08025	51 - 7	103-1
02248 10030	36 - 5	76
02248 10030	38 - 2	14-1
02248 10030	38 - 2	15-1
02248 12030	36 - 5	75
02248 12030	38 - 2	1-1
02249 06016	51 - 4	47
02249 08016	51 - 3	33-1
02249 08020	51 - 6	69
02305 64006	51 - 6	84
02305 64012	51 - 6	84
02305 64012	51 - 6	84
02345 23008	46 - 6	64
02345 24012	46 - 6	63
02345 63020	36 - 5	71
02345 63020	36 - 5	71-1
02345 64012	46 - 6	62
02345 64012	SS1- 1	22
02345 64016	OP1- 1	8
02345 64016	OP2- 2	12
02345 64025	51 - 2	23-2
02345 65012	46 - 6	59
02345 65012	SS4- 4	59
02345 65016	36 - 5	72
02345 65020	46 - 6	69
02345 65025	46 - 5	41
02345 65025	46 - 5	41-1
02345 66025	38 - 4	66
02401 64012	46 - 6	62
02401 64012	51 - 7	105-1
02401 66012	36 - 3	1-2
02401 66012	51 - 6	75
02401 66012	SS3- 1	75
02401 66012	SS4- 4	75
02401 68016	51 - 4	45
02415 64012	51 - 7	86

I N D E X

PART NO.	PAGE	REF. NO.
02415 65012	38 - 5	91
02415 66016	36 - 4	54-2
02415 66016	36 - 4	54-3
02415 66016	OP1- 1	6
02415 66016	OP1- 1	6-1
02415 66016	OP2- 2	10
02415 66016	OP2- 2	10-1
02911 08010	20 - 2	25-1
02912 03006	46 - 4	25
02912 03010	46 - 5	33-1
02912 03010	SS5- 1	33
02912 03012	46 - 4	26-1
02912 04016	20 - 4	121
02912 06010	20 - 3	103
02912 06010	20 - 4	122
02912 08004	SS1- 1	22
02912 08005	46 - 6	69
02912 08006	20 - 6	5
02912 08006	20 - 6	8
02912 08006	36 - 3	4-2
02912 08006	36 - 3	13
02912 08006	38 - 4	66
02912 08006	46 - 6	60
02912 08008	20 - 2	45
02912 08008	36 - 3	9
02912 08008	51 - 5	50-1
02912 08008	51 - 5	50-2
02912 08010	36 - 3	11
02912 08010	36 - 3	12
02912 08010	38 - 2	15-1
02912 08010	38 - 3	52
02912 08010	38 - 3	53
02912 08012	20 - 2	21-1
02912 08012	36 - 3	10
02912 08020	51 - 2	5
02912 14010	36 - 3	5
02915 00004	36 - 5	70-3
02915 00004	51 - 7	105-1
02915 00005	36 - 3	12-2
02915 00005	36 - 3	12-2
02915 00005	46 - 6	59
02915 00005	SS4- 4	59
02915 00006	36 - 3	1-3
02915 00006	36 - 3	1-4
02915 00006	36 - 4	53-1
02915 00006	46 - 6	59
02915 00006	46 - 6	63
02915 00006	46 - 6	68
02915 00006	46 - 6	71-2
02915 00006	51 - 3	29
02915 00006	51 - 3	29-1
02915 00006	51 - 3	29-2
02915 00006	51 - 3	29-3
02915 00006	51 - 4	45-1
02915 00006	51 - 4	47
02915 00006	51 - 6	76
02915 00006	51 - 6	76-1
02915 00006	51 - 7	105
02915 00008	20 - 4	124
02915 00008	36 - 4	53
02915 00008	51 - 4	47-3
02915 11010	20 - 3	101-1
02915 20008	51 - 4	45
02915 20012	20 - 2	21-1
03115 02003	36 - 5	71
03115 02003	36 - 5	71-1
03115 02004	51 - 2	23-2
03115 02004	OP1- 1	8
03115 02004	OP2- 2	12
03115 02004	SS1- 1	22
03115 02005	46 - 5	41
03115 02005	46 - 5	41-1
03115 02005	46 - 6	69
03115 02006	20 - 6	5
03115 02006	20 - 6	9
03115 02006	20 - 6	13-2
03115 02006	36 - 3	13
03115 02006	36 - 5	72
03115 02006	38 - 4	66
03115 02006	46 - 4	25
03115 02006	46 - 6	60
03115 02006	SS1- 1	13
03115 02006	SS1- 1	36
03115 02006	SS4- 1	13-2
03115 02006	SS4- 4	36
03115 02008	20 - 2	45
03115 02010	20 - 2	2
03115 02010	20 - 2	25-1
03115 02010	20 - 2	44
03115 02010	20 - 4	122
03115 02010	36 - 6	92
03115 02010	38 - 3	52
03115 02010	38 - 3	53
03115 02010	46 - 5	33-1
03115 02010	SS5- 1	33
03115 02012	20 - 2	21-1
03115 02012	36 - 3	9-2
03115 02012	36 - 5	75-1
03115 02012	36 - 6	92
03115 02012	46 - 4	26-1
03115 02020	51 - 2	5
03115 03003	46 - 6	64
03115 03008	51 - 3	27-1
03115 06006	46 - 4	27-1
03115 06010	20 - 3	103
03115 06010	46 - 5	34-1
03115 06012	46 - 4	28-1
03115 06016	20 - 4	121
03116 12003	36 - 5	71
03116 12003	36 - 5	71-1
03116 12004	OP1- 1	8
03116 12004	OP2- 2	12
03116 12004	SS1- 1	22
03116 12005	46 - 5	41
03116 12005	46 - 5	41-1
03116 12005	46 - 6	69
03116 12005	51 - 6	84
03116 12006	20 - 6	5
03116 12006	20 - 6	13-2
03116 12006	36 - 3	4-2
03116 12006	38 - 4	66
03116 12006	38 - 4	66
03116 12006	46 - 6	60
03116 12006	SS1- 1	13
03116 12006	SS1- 1	36
03116 12006	SS4- 1	13-2
03116 12006	SS4- 4	36
03116 12008	51 - 4	45
03116 12008	51 - 5	50-1
03116 12008	51 - 5	50-2
03116 12010	36 - 6	92
03116 12010	38 - 2	15-1
03116 12010	38 - 3	53
03116 12012	20 - 2	21-1
03116 12012	36 - 3	9-2
03116 12012	36 - 3	10
03116 12012	36 - 5	75-1
03116 12012	36 - 6	92
03116 12020	51 - 2	5
03116 14006	46 - 4	25
03116 14010	46 - 5	33-1
03116 14010	SS5- 1	33
03116 14010	SS5- 1	34
03116 14012	46 - 4	26-1
03116 15006	46 - 4	27-1
03116 15010	20 - 3	103
03116 15010	46 - 5	34-1
03116 15012	46 - 4	28-1
03116 15016	20 - 4	121
03116 18003	46 - 6	64

I N D E X

PART NO.	PAGE	REF. NO.	PART NO.	PAGE	REF. NO.	PART NO.	PAGE	REF. NO.
03116 18008	51 - 3	27-1	03407 64723	51 - 6	72	03424 80011	36 - 6	79
03260 03010	39 - 4	2-1	03407 64748	51 - 6	66-3	03424 80101	36 - 4	16
03260 03010	OP2- 2	7	03407 64750	51 - 6	74	03424 80101	36 - 4	16-1
03266 05013	51 - 6	84	03407 64750	51 - 6	74-1	03424 80101	36 - 6	78
03316 03016	46 - 4	29-1	03407 64774	46 - 5	48	03424 80101	36 - 6	79-1
03316 03016	46 - 5	35-1	03407 64823	51 - 6	64	03424 80101	36 - 6	79-2
03317 03010	46 - 5	35	03407 65402	38 - 2	8	03425 00001	36 - 6	79-1
03317 03010	SS5- 1	35	03407 65422	38 - 2	6-1	03425 00001	36 - 6	79-2
03317 03012	46 - 4	29	03407 66310	51 - 5	61	03425 00001	36 - 6	83
03317 03012	46 - 5	45	03407 66311	51 - 6	66	03425 00001	36 - 6	83-1
03401 22115	36 - 6	85	03407 66408	51 - 6	67	03425 00001	46 - 3	1-1
03401 22115	36 - 6	85-1	03407 66503	51 - 6	63	03425 00001	46 - 3	1-1
03401 23140	51 - 7	108	03407 66609	51 - 5	54-2	03425 00001	46 - 3	1-1
03402 00404	38 - 4	80	03407 66609	51 - 5	58-2	03425 00002	38 - 3	20
03402 01402	51 - 7	107-1	03407 66610	51 - 6	66-2	03511 10016	38 - 3	58
03403 00303	36 - 6	84	03407 66610	51 - 6	71-2	03511 10017	38 - 4	73
03403 00392	36 - 6	84-1	03407 66703	46 - 5	43-1	03511 10017	38 - 5	81
03403 00392	46 - 5	44	03407 66704	46 - 6	58	03511 10018	38 - 4	72
03403 00512	36 - 4	14	03407 66705	46 - 5	43	03511 10018	38 - 5	90
03403 00512	46 - 5	50	03407 66712	46 - 5	40-2	03511 10018	38 - 5	90-2
03403 00512	46 - 5	50-1	03407 66802	51 - 6	80	03511 10020	20 - 3	59
03403 00703	38 - 4	74	03407 66804	51 - 5	61-1	03511 20035	20 - 3	76
03403 10017	51 - 2	1-7	03407 66809	51 - 5	54-1	03511 20035	38 - 4	79
03407 14020	20 - 3	73	03407 66809	51 - 5	58-1	03511 20070	38 - 2	4
03407 16020	20 - 3	73-1	03407 66811	46 - 5	41-2	03511 20090	20 - 3	50
03407 44069	38 - 2	6	03407 66826	51 - 5	62-1	03511 20090	20 - 3	50-1
03407 44073	38 - 2	5	03407 66826	51 - 5	62-2	03511 20120	20 - 2	49
03407 64213	51 - 5	56-1	03407 66826	51 - 6	66-1	03511 20120	20 - 2	49-1
03407 64216	51 - 6	82	03407 66826	51 - 6	71-1	03511 30245	38 - 2	15-2
03407 64216	51 - 6	82-1	03407 66839	46 - 7	73	03511 30270	38 - 2	15
03407 64218	51 - 5	53-1	03407 66846	51 - 5	61-2	03511 40016	38 - 3	16-2
03407 64219	51 - 7	106	03407 66846	51 - 5	61-3	03511 40016	38 - 3	18
03407 64227	51 - 6	83	03407 66871	46 - 6	72	03511 40016	38 - 4	73-1
03407 64227	51 - 6	83-1	03407 66904	51 - 5	53-3	03511 40018	38 - 3	16
03407 64231	51 - 5	55-1	03407 66904	51 - 5	59-1	03511 40020	38 - 4	72-1
03407 64318	51 - 4	44	03407 66905	51 - 5	55-2	03511 40020	38 - 4	72-2
03407 64318	51 - 4	44-1	03407 66912	51 - 5	53-2	03511 40020	38 - 5	90-1
03407 64318	51 - 5	54	03407 66912	51 - 5	55-3	03570 08032	38 - 4	71
03407 64327	51 - 5	57	03407 66912	51 - 5	57-1	03570 08036	38 - 4	71-1
03407 64328	51 - 5	59	03407 66913	51 - 4	44-2	03570 08042	38 - 4	70
03407 64333	51 - 5	60	03407 66913	51 - 5	56-2	03570 08070	38 - 4	71-2
03407 64420	51 - 5	56	03407 66914	51 - 6	67-1	03570 09050	20 - 3	58
03407 64424	51 - 5	55	03407 66915	51 - 5	60-1	03570 09100	38 - 4	67
03407 64432	46 - 5	47	03407 66933	51 - 5	57-2	03570 09101	38 - 4	68-3
03407 64433	51 - 5	53	03407 67313	38 - 2	7	03570 09120	38 - 4	68
03407 64436	46 - 5	47-1	03407 67415	38 - 2	5-1	03570 09260	38 - 4	69
03407 64605	51 - 6	71	03407 67604	51 - 7	106-1	03570 19093	38 - 4	78
03407 64607	51 - 5	62	03407 67605	51 - 6	79	03570 19101	38 - 4	78-1
03407 64638	51 - 5	58	03424 80010	38 - 3	54	03580 19060	20 - 3	75
03407 64718	46 - 5	48-1	03424 80010	38 - 3	54-1	03600 08042	38 - 4	70-1

I N D E X

PART NO.	PAGE	REF. NO.
03600 08090	38 - 4	70-2
03600 08160	38 - 4	69-2
03600 08167	38 - 4	69-3
03600 09100	38 - 4	67-1
03600 09101	38 - 4	68-2
03600 09110	38 - 4	68-1
03600 09137	38 - 5	82
03600 09140	38 - 4	67-4
03600 09145	38 - 4	67-3
03600 09150	38 - 4	67-2
03600 09155	38 - 4	69-5
03600 09155	38 - 5	82-1
03600 09167	38 - 4	69-4
03600 09260	38 - 4	69-1
03620 41003	38 - 5	87
03728 04090	38 - 4	77
03731 21003	38 - 5	88
03735 13004	38 - 4	76
05068 27050	36 - 5	76
05085 32270	36 - 5	73
05085 34100	36 - 5	74
05088 31100	36 - 5	75
05650 00010	36 - 5	72
05650 00020	36 - 5	72
07585 32270	36 - 5	73-1
07585 34100	36 - 5	74-1
07885 32190	36 - 5	73-3
07885 32270	36 - 5	73-2
07885 34040	36 - 5	74-3
07885 34100	36 - 5	74-2
07888 52100	36 - 5	75-1
20002 62202	20 - 2	1
20002 63201	SS1- 1	1
20002 63201	SS4- 1	1
20003 50500	20 - 2	1-1
20003 50500	SS4- 1	1-1
20003 52801	20 - 2	1-2
20003 52801	SS4- 1	1-2
20003 56901	20 - 2	1-3
20003 59803	20 - 2	1-4
21468 13300	20 - 6	9
21468 13400	20 - 6	11
21472 00100	20 - 6	10
25100 03000	20 - 6	1
25100 03700	SS1- 1	1
25100 03700	SS4- 1	1
25100 05800	20 - 6	1-1
25100 05800	SS4- 1	1-1
25100 07000	20 - 6	1-2
25100 07000	SS4- 1	1-2
25100 08901	20 - 6	1-3
25200 03700	20 - 6	12
25200 04400	SS1- 1	12
25200 04400	SS4- 1	12
25200 06400	20 - 6	12-1
25200 06400	SS4- 1	12-1
25200 07800	20 - 6	12-2
25200 07800	SS4- 1	12-2
25200 09400	20 - 6	12-3
25200 10701	20 - 6	12-4
25310 03900	20 - 6	15
25310 08300	20 - 6	15-1
25310 08801	20 - 6	15-2
25360 03100	20 - 6	16
25360 06301	20 - 6	16-1
25641 01200	20 - 6	3
25650 00400	20 - 6	2
25650 02200	20 - 6	2-1
25700 02200	20 - 6	13
25700 02200	SS4- 1	13-1
25700 02900	SS1- 1	13
25700 02900	SS4- 1	13
25700 05700	20 - 6	13-1
25700 05700	SS4- 1	13-2
25700 07401	20 - 6	13-2
31110 61800	20 - 2	23
31110 61900	20 - 2	24
31120 08900	20 - 2	22
31130 09600	20 - 2	21
31130 27900	20 - 2	21-1
31131 03800	51 - 2	23
31131 04100	51 - 2	23-3
31131 04100	51 - 2	23-4
31131 04100	51 - 6	81-2
31131 04100	51 - 7	107
31131 04600	51 - 2	23-1
31131 04600	51 - 2	23-2
32100 35700	20 - 2	41
32100 39600	20 - 2	41-1
32100 41900	20 - 2	41-2
32142 09300	20 - 3	54
32143 12800	20 - 3	53
32147 02500	20 - 3	56
32148 00100	20 - 3	57
32148 03000	20 - 3	57-1
32151 01400	20 - 3	55
32230 27800	20 - 2	42
32230 28100	20 - 2	43
32262 00300	20 - 3	51
32320 57400	20 - 2	48
32320 64100	20 - 2	48-1
32331 45000	20 - 2	47-1
32331 48300	20 - 2	46
32331 48400	20 - 2	47
32331 61800	20 - 2	46-1
35208 03200	36 - 3	11
35483 08300	38 - 5	85
35483 10101	38 - 5	85-1
36110 73300	36 - 3	1
36110 85100	36 - 3	1-1
36110 86900	36 - 3	1-2
36110 87700	36 - 3	1-3
36110 87700	36 - 3	1-4
36120 10000	46 - 6	55
36120 10100	46 - 6	70
36120 11700	46 - 6	55
36143 04000	36 - 4	15
36145 04400	36 - 3	2
36145 05101	36 - 3	3-1
36146 06800	36 - 3	3
36146 07900	36 - 4	14-1
36149 03000	36 - 4	14-2
36153 00100	36 - 6	88
36158 00801	36 - 3	2-1
36159 02501	38 - 5	91
36226 01000	36 - 3	4
36226 01200	36 - 3	4-1
36226 01200	36 - 3	4-2
36228 05300	36 - 3	12-1
36228 06200	36 - 3	12-2
36230 00700	36 - 3	13
36260 06500	36 - 3	6
36260 07100	36 - 3	7
36260 11700	36 - 3	13-1
36260 12300	36 - 3	13-2
36270 11200	36 - 3	9
36270 14900	36 - 3	9-1
36270 17500	36 - 3	9-2
36280 26000	36 - 3	12
37170 02900	38 - 4	75
37170 08400	20 - 3	77
37170 12700	38 - 5	86
37170 12700	38 - 5	86-1
37181 03400	46 - 5	37
37181 03400	46 - 5	37
37181 05700	38 - 5	83
37182 05501	20 - 3	58
37187 01000	20 - 3	79
37189 07800	36 - 6	91
38100 41002	38 - 2	1-2

I N D E X

PART NO.	PAGE	REF. NO.	PART NO.	PAGE	REF. NO.	PART NO.	PAGE	REF. NO.
38122 00400	38 - 3	16-1	39153 50600	39 - 4	10-1	39176 34700	SS2- 1	35
38410 04600	38 - 2	1-1	39153 50800	SS4- 2	10-1	39176 34700	SS4- 3	35
38410 05800	38 - 2	1-2	39153 53400	39 - 4	10-2	39176 35000	SS2- 1	27
38420 80000	38 - 3	17	39153 53400	39 - 4	10-3	39176 35000	SS4- 2	27
38420 80000	38 - 3	21	39153 53600	SS4- 2	10-2	39176 35100	SS2- 1	32
38420 81000	38 - 3	17-1	39153 53600	SS4- 2	10-3	39176 35100	SS4- 2	32
38420 81100	38 - 3	21-1	39154 08300	39 - 4	9	39176 35200	SS2- 1	33
38440 73600	38 - 2	9	39154 08500	SS2- 1	9	39176 35200	SS4- 3	33
38440 86101	38 - 2	9-1	39154 08500	SS4- 2	9	39176 35300	SS2- 1	30
38440 86501	38 - 3	19	39161 02500	39 - 5	26	39176 35300	SS4- 2	30
38450 43700	38 - 2	10	39164 00300	39 - 5	22	39176 35400	SS2- 1	31
38450 43800	38 - 2	11	39164 00300	39 - 6	38	39176 35400	SS4- 2	31
38450 60601	38 - 2	10-1	39164 00600	39 - 5	22-1	39176 35400	SS4- 2	31-1
38450 60701	38 - 2	11-1	39164 00700	39 - 6	38-1	39176 35400	SS4- 2	31-2
38461 07000	38 - 2	1-1	39170 02000	39 - 4	1	39176 35500	SS2- 1	11
38469 01200	38 - 2	1-1	39173 00400	39 - 6	40	39176 35500	SS4- 2	11
38469 01400	38 - 2	1-2	39173 00400	39 - 6	40-1	39176 35600	SS2- 1	29
38524 38500	38 - 2	2	39173 00500	39 - 6	41	39176 35600	SS4- 2	29
38524 38601	38 - 2	3	39173 00500	39 - 6	41-1	39176 35600	SS4- 5	58
38524 58902	38 - 2	2-1	39173 00601	39 - 6	42	39176 35600	SS4- 5	58-1
38524 59001	38 - 2	3-1	39173 02200	39 - 7	48	39176 35700	SS2- 1	28
38590 00300	38 - 2	13	39173 02500	39 - 6	42-1	39176 35700	SS4- 2	28
38590 00300	38 - 2	13-2	39173 05700	39 - 6	42-2	39176 35701	SS4- 2	27-1
38590 03100	38 - 2	13-1	39174 01500	39 - 5	15	39176 35701	SS4- 2	27-2
38592 00300	38 - 2	13	39175 00400	39 - 5	18	39176 41300	39 - 6	35
38592 00300	38 - 2	13-2	39176 11310	SS4- 5	34-1	39176 46100	39 - 6	39
38592 00500	38 - 2	13-1	39176 16200	39 - 5	16	39176 46300	SS4- 3	39
38594 01900	38 - 3	16-1	39176 25100	39 - 5	13	39176 46700	39 - 5	12
38594 02900	38 - 3	16	39176 27000	SS2- 1	13	39176 46700	SS5- 1	12
38594 03000	38 - 3	18	39176 27000	SS4- 2	13	39176 49200	SS1- 1	12
38594 05100	38 - 3	16-2	39176 30700	39 - 5	14-1	39176 49700	SS2- 1	12
38730 12501	38 - 2	1	39176 30700	SS4- 2	14-1	39176 50000	SS2- 1	36
38730 13500	38 - 2	1-1	39176 31200	39 - 6	34	39176 50000	SS4- 3	36
38860 13300	38 - 2	14	39176 31300	39 - 5	27	39176 50000	SS4- 5	36
38860 13700	38 - 2	14-1	39176 31400	39 - 6	32	39176 50200	SS4- 2	12
38860 13800	38 - 2	15-1	39176 31500	39 - 6	33	39176 50300	SS5- 1	13
38860 22000	38 - 2	14-2	39176 31600	39 - 5	30	39176 51401	39 - 6	37
39103 11301	OP2- 2	7	39176 31900	39 - 5	29	39176 51401	39 - 6	37-1
39103 40700	39 - 4	2	39176 31900	39 - 7	58	39176 52100	39 - 5	28-1
39103 42000	SS1- 1	2	39176 31900	39 - 7	58-1	39176 52700	SS4- 2	28-1
39103 42000	SS4- 2	2	39176 32000	39 - 5	14	39176 52800	SS4- 3	37
39103 46801	39 - 4	2-1	39176 32020	SS4- 3	37-1	39176 53500	39 - 5	12-1
39103 46801	SS4- 2	2-1	39176 32020	SS4- 5	37	39176 53800	SS4- 2	12-1
39152 24200	39 - 7	53	39176 32100	39 - 5	27-1	39176 53900	SS5- 1	12-1
39152 24500	SS4- 5	53	39176 32100	39 - 5	27-2	39176 55500	39 - 4	11
39153 36601	39 - 4	10	39176 32100	39 - 5	28	39176 55600	39 - 5	31
39153 38500	SS1- 1	10	39176 34500	SS2- 1	14	39176 57500	46 - 5	42
39153 39001	SS4- 2	10	39176 34500	SS4- 2	14	39176 57500	46 - 5	42-1
39153 39300	SS2- 1	10	39176 34600	SS2- 1	34	39176 62900	SS4- 3	34-1
39153 49100	SS5- 1	10	39176 34600	SS4- 3	34	39176 62900	SS4- 5	34

I N D E X

PART NO.	PAGE	REF. NO.
39176 69300	SS4- 2	11-1
39176 69300	SS4- 2	11-2
39176 69300	SS4- 3	82
39176 69300	SS4- 5	82
39176 69500	SS4- 3	33-1
39176 69500	SS4- 5	33
39176 69600	SS4- 2	30-1
39176 69600	SS4- 5	30
39176 73300	SS4- 2	28-2
39176 73300	SS4- 5	28
39176 73500	SS4- 2	32-1
39176 73500	SS4- 5	32
39176 73800	SS4- 3	35-1
39176 73800	SS4- 5	35
39176 74900	39 - 6	34-1
39176 75000	39 - 6	32-1
39176 75000	39 - 6	35-1
39176 75000	39 - 6	35-2
39176 75200	39 - 5	31-1
39176 75200	39 - 5	31-2
39176 75200	39 - 5	31-3
39176 75400	39 - 5	30-1
39176 75500	39 - 6	33-1
39176 75700	39 - 5	28-2
39176 76700	39 - 5	12-2
39176 76800	SS4- 2	12-2
39176 82500	39 - 5	12-3
39176 83600	SS4- 2	12-3
39176 85000	39 - 5	12-4
39176 85100	SS4- 5	12
39176 90200	39 - 5	12-5
39176 90400	SS4- 5	12-1
39176 90800	SS4- 5	52
39176 90900	39 - 7	52
39178 04120	39 - 6	43-1
39178 04620	39 - 5	21-1
39178 04800	39 - 5	17
39178 05900	39 - 5	20
39178 06740	39 - 6	43-2
39178 09820	39 - 6	43
39178 10820	39 - 6	44
39178 11820	39 - 4	6-1
39178 12610	39 - 4	3
39178 12710	39 - 4	5
39178 14011	39 - 4	7
39178 14110	39 - 4	6
39178 14210	39 - 4	4
39178 23420	39 - 4	3-1
39178 23420	39 - 4	4-1
39178 25210	39 - 5	19
39178 25210	SS4- 3	81
39178 25210	SS4- 5	81
39178 25720	39 - 6	37-2
39178 27920	39 - 4	6-2
39178 27920	39 - 4	6-3
39178 28020	39 - 6	39-1
39178 28020	39 - 6	39-2
39178 28020	46 - 6	53
39178 28420	39 - 6	44-1
39178 28520	39 - 4	8
39178 29320	39 - 7	51
39178 32220	SS4- 3	39-1
39178 32220	SS4- 6	53
39178 45140	39 - 7	57
39178 46620	46 - 6	54
39178 46720	SS4- 6	54
39178 46920	39 - 6	45-1
39178 49120	SS4- 3	45-1
39178 49120	SS4- 5	45
39178 52721	39 - 4	10-4
39178 55820	39 - 7	50
39178 56220	46 - 6	54
39178 56320	39 - 7	54
39178 56420	39 - 7	55
39178 56520	39 - 7	56
39178 56610	39 - 6	46-1
39178 56610	39 - 7	47
39178 56710	39 - 6	46
39178 56710	39 - 7	47-1
39178 58920	SS4- 5	10
39178 59020	SS4- 3	50
39178 59020	SS4- 5	50
39178 59600	39 - 5	21
39178 66510	39 - 4	5-1
39178 66510	39 - 4	5-2
39178 74620	39 - 6	37-3
39178 74720	46 - 6	53
39178 75920	39 - 7	57
39178 78320	46 - 6	57
39178 78320	46 - 6	57
39178 79020	39 - 6	37-2
39178 79020	39 - 6	37-2
39178 79020	39 - 6	37
39178 79220	SS4- 5	37-1
39178 79320	39 - 7	47-2
39178 79420	39 - 6	46-2
39178 79420	39 - 6	46-3
39178 79520	39 - 5	21-2
39178 79520	39 - 5	21-3
39178 79710	39 - 6	45
39178 80420	39 - 7	51-1
39178 83320	SS4- 6	53-1
39178 84340	39 - 7	57-1
39178 94530	39 - 7	47-3
39178 94630	39 - 7	59
39178 96210	SS4- 3	45
39178 99730	SS4- 5	59
39189 09700	39 - 5	23
39189 09800	39 - 5	24
39189 09900	39 - 5	25
39189 16400	39 - 5	24-1
39189 16500	39 - 5	25-1
39189 16600	39 - 5	23-1
39189 19500	39 - 5	24-2
39189 19600	39 - 5	25-2
39189 19700	39 - 5	23-2
39200 04300	51 - 6	68
39200 04302	51 - 6	77
41111 00900	20 - 3	78
41291 00500	20 - 3	71-1
42100 66901	20 - 3	100
42100 68000	SS6- 1	100
42210 03100	SS6- 1	141
42230 19200	20 - 4	122
42261 04500	20 - 4	104
42310 53000	20 - 3	101
42310 83003	20 - 3	101-1
42310 86700	20 - 4	121
42316 10700	20 - 4	123
42316 10900	20 - 4	124
42323 03600	20 - 4	122
42324 09700	20 - 3	102
42327 02700	20 - 3	101-1
43100 47001	38 - 3	51
43100 63200	38 - 3	51-1
43100 64100	38 - 3	51-2
43100 73400	38 - 3	51-3
43100 94000	38 - 3	51-4
43210 01301	38 - 3	55
43220 01300	38 - 3	56
43220 01700	SS3- 1	56
43220 01700	SS4- 1	56
43220 03400	38 - 3	56-1
43310 18901	38 - 3	52
43310 19000	38 - 3	53
43310 22900	38 - 3	52-1
43322 04000	46 - 3	1-1
43340 18901	38 - 5	84
43340 18901	38 - 5	84-1
43430 01200	38 - 3	58

I N D E X

PART NO.	PAGE	REF. NO.
43440 02000	38 - 3	57
43440 04600	38 - 3	57-1
43456 00700	38 - 4	63
43456 00800	38 - 4	64
43528 02400	38 - 3	58
43532 06200	20 - 3	74
43532 07001	20 - 3	74-1
43534 00900	38 - 4	61
43534 01000	38 - 4	62
43534 01800	20 - 3	72
43534 02300	38 - 4	65
43534 03300	20 - 3	72-1
43534 04000	20 - 3	72-2
43543 00200	20 - 3	71-1
43550 00300	38 - 4	60
43570 01400	38 - 3	59
43570 05001	38 - 3	59-1
43590 00600	38 - 4	63
43590 00600	38 - 4	64
43650 01100	38 - 4	66
44210 00100	36 - 4	51
44210 04200	SS3- 1	51
44210 06700	36 - 4	51-1
44210 06700	SS3- 1	51-1
44220 16600	36 - 4	52-1
44220 18700	36 - 4	52
44243 01200	36 - 4	53
44243 04300	36 - 4	53-1
44243 04600	51 - 3	32
44250 07812	36 - 4	54-1
44250 07910	36 - 6	89
44250 08710	36 - 6	93
44250 08912	36 - 4	54-2
44250 08912	36 - 4	54-3
44250 30010	36 - 6	95
44250 30010	OP2- 2	13
44250 79902	36 - 4	54
44260 30300	46 - 5	38
44260 32900	46 - 5	38-2
44290 33600	36 - 6	92
44311 07600	46 - 4	15-1
44311 07600	46 - 4	15-2
44311 07600	46 - 4	19
44311 07600	SS1- 1	19
44311 07600	SS4- 4	15-1
44311 07600	SS4- 4	19
44311 08800	46 - 4	19
44311 14400	46 - 4	19-2
44311 14400	46 - 4	19-3
44311 20301	46 - 4	23
44311 26300	46 - 4	31
44311 28501	SS5- 1	31
44311 35001	46 - 4	31-1
44311 37300	46 - 4	19-1
44311 37300	46 - 5	40
44311 37300	46 - 5	40-1
44311 37300	SS4- 4	19
44311 37300	SS4- 4	19
44311 37300	SS4- 4	19-1
44311 52500	OP1- 1	8
44311 52500	OP2- 2	12
44312 00401	46 - 4	22
44312 04200	46 - 6	63
44322 02800	36 - 4	56
44322 07200	36 - 4	56-1
44324 04800	36 - 4	58
44327 05400	36 - 4	59
44327 08400	36 - 4	59-1
44328 06700	36 - 4	60
44331 02400	36 - 4	57
44334 17000	36 - 4	61
44335 00900	36 - 4	55
44335 00900	OP1- 1	4
44335 00900	OP2- 2	8
44335 01100	36 - 4	55-1
44335 01100	OP2- 2	8-1
44346 04700	36 - 4	62
44346 07500	36 - 4	63
44346 07500	36 - 4	64
44346 07500	36 - 4	65
44346 07500	36 - 4	66
44346 07500	OP1- 1	5
44346 07500	OP2- 2	9
44346 11300	36 - 4	62-1
44358 00600	36 - 6	87
44364 00100	36 - 4	69
44365 00300	36 - 6	90
44462 00501	36 - 5	73
44462 00501	36 - 5	74
44462 00501	36 - 5	74-1
44462 00501	36 - 5	75
44462 00700	36 - 6	80
44462 00800	36 - 6	86
44462 02500	36 - 5	73-2
44462 02500	36 - 5	74-1
44462 05500	36 - 5	73-3
44462 05500	36 - 5	74-3
44462 05600	36 - 5	74-3
44462 05600	36 - 5	75-1
44470 00100	36 - 5	72
44470 01600	36 - 6	81
44470 01600	OP1- 1	7-1
44470 01600	OP2- 2	11-1
44470 01700	36 - 6	82
44480 29300	46 - 6	60
44490 00630	36 - 6	77-2
44490 00630	36 - 6	77-2
44490 02631	36 - 6	77-3
44490 09030	OP1- 1	7
44490 11320	36 - 6	77
44490 13730	OP1- 1	7-1
44490 13730	OP2- 2	11
44490 14650	36 - 6	77-6
44490 35230	36 - 6	77-4
44490 35930	36 - 6	94
44490 42730	36 - 5	70-3
44490 42730	36 - 5	70
44490 43730	36 - 5	70-2
44490 43730	36 - 5	70
44490 45840	OP2- 2	11-1
44490 58931	36 - 6	77-5
44490 81920	36 - 6	77-1
44490 98020	36 - 6	77-2
44550 24100	46 - 6	65
46120 14200	46 - 3	7
46120 17600	46 - 3	6
46120 18100	SS1- 1	6
46120 18100	SS4- 4	6
46120 20500	46 - 3	7-1
46120 26700	46 - 6	64
46120 33700	46 - 3	6-1
46120 34300	46 - 6	64
46153 03000	46 - 3	2
46153 03100	46 - 3	2-1
46153 03100	SS1- 1	2
46153 03100	SS4- 4	2
46153 04000	OP2- 2	4
46153 04600	OP2- 2	5
46153 04700	OP2- 2	4
46153 05300	46 - 3	2-2
46154 10700	SS1- 1	4
46154 10700	SS4- 4	4
46154 11200	46 - 3	4
46154 13700	46 - 3	4-1
46154 18700	46 - 3	4-2
46161 05800	36 - 5	70
46167 01900	46 - 4	17-1
46167 02400	46 - 6	52
46244 00800	46 - 4	21
46244 00800	46 - 7	76

I N D E X

PART NO.	PAGE	REF. NO.	PART NO.	PAGE	REF. NO.	PART NO.	PAGE	REF. NO.
46260 31800	46 - 6	68	46870 41000	36 - 5	70	46927 02000	SS4- 4	15
46305 05402	46 - 4	24	46900 46800	46 - 3	1	46927 03300	46 - 4	15
46305 05800	46 - 4	32	46900 47500	SS1- 1	1	46928 00700	46 - 3	14
46305 06200	SS5- 1	32	46900 47500	SS4- 4	1	46928 01200	46 - 3	14-1
46305 06600	46 - 4	32-1	46900 48600	SS5- 1	1	46928 01500	46 - 3	14-2
46305 06700	SS5- 1	32-1	46900 51510	46 - 3	1-5	46929 00600	46 - 3	11
46305 08000	46 - 4	24-1	46900 53910	SS4- 6	1-2	46934 03200	36 - 6	81
46305 08100	46 - 4	32-2	46900 55900	46 - 3	1-1	46934 03200	OP1- 1	7-1
46311 02400	46 - 4	15-2	46900 57200	SS4- 4	1-1	46934 03200	OP2- 2	11-1
46311 02600	46 - 4	15-3	46900 58810	46 - 3	1-1	46934 03300	36 - 6	82
46312 04000	46 - 4	25	46900 62000	46 - 3	1-2	46939 00900	46 - 3	11
46312 04100	46 - 5	33	46900 62200	SS5- 1	1-1	46942 00800	46 - 3	12
46312 04100	SS5- 1	33	46900 62400	SS4- 4	1-2	46947 01600	46 - 3	13
46312 04200	46 - 4	26	46900 71301	46 - 3	1-3	46947 02400	46 - 3	13-1
46312 04900	46 - 4	26-1	46900 78400	SS4- 6	1	46950 01600	46 - 4	20
46312 05000	46 - 5	33-1	46900 81806	46 - 3	1-4	46950 02400	46 - 4	20-1
46422 00702	46 - 5	37	46900 81906	SS4- 6	1-1	46950 02602	46 - 4	20-2
46450 70800	46 - 5	51	46900 82105	46 - 3	1	46960 00900	46 - 3	8
46450 70800	46 - 5	51-1	46911 01200	46 - 3	3	46960 01500	46 - 3	8-1
46450 82500	46 - 6	61	46911 01401	OP2- 2	6	46960 02301	46 - 3	8-2
46464 04100	SS1- 1	22	46911 02200	46 - 3	3-1	46960 02700	46 - 3	8-3
46464 04100	SS4- 4	22	46913 00700	46 - 3	5	46980 01300	OP1- 1	2
46464 04600	SS1- 1	31	46913 01300	46 - 3	5-1	46980 01300	OP2- 2	2
46464 04600	SS4- 4	31	46917 02700	46 - 6	56	46980 01800	OP2- 2	2-1
46464 04900	46 - 5	38	46918 00400	46 - 4	16	46991 00100	46 - 7	78
46464 04900	46 - 5	38-1	46918 00900	46 - 4	17	51100 15931	51 - 2	1-4
46470 37800	51 - 5	49	46918 01401	46 - 4	16-1	51100 47130	51 - 2	1-5
46470 41501	51 - 5	49-1	46921 02300	36 - 4	68	51100 54231	51 - 2	1-6
46470 43800	51 - 5	49-2	46921 02300	36 - 4	68-1	51100 77520	51 - 2	1
46470 59201	51 - 5	49-3	46921 02300	36 - 4	68-2	51100 83420	51 - 2	1-1
46470 59300	51 - 6	76	46921 02501	46 - 4	18	51100 84131	51 - 2	1-7
46470 69000	46 - 6	67	46921 02501	46 - 4	18-1	51100 89820	51 - 2	1-2
46470 71100	51 - 5	49-4	46921 04300	36 - 5	71	51100 94420	51 - 2	1-3
46470 77600	51 - 6	76-1	46921 04300	36 - 5	71-1	51420 02701	51 - 7	104-1
46470 77800	51 - 5	49	46921 04300	OP1- 1	3	51500 26300	51 - 2	4
46480 42702	46 - 6	62	46921 04300	OP2- 2	3	51500 28201	51 - 2	3
46640 12501	46 - 5	46	46921 04300	OP2- 2	3-1	51500 28301	51 - 2	2
46640 14500	46 - 6	66	46921 08500	OP1- 1	7-1	51500 29000	51 - 2	4-1
46640 16101	46 - 6	66-1	46921 08500	OP2- 2	11-1	51500 33500	51 - 2	3-1
46760 45310	OP1- 1	1	46921 08900	20 - 6	7	51500 33600	51 - 2	2-1
46760 48410	OP2- 2	1	46921 09000	20 - 6	6	51500 33702	51 - 2	4-2
46760 48810	OP2- 2	1	46921 09700	20 - 6	7-1	51500 42900	51 - 2	4-3
46760 49410	OP2- 2	1-1	46921 09800	20 - 6	6-1	52100 00620	51 - 3	26-5
46760 49610	OP2- 2	1-1	46922 02300	46 - 3	9	52100 00720	51 - 2	21-3
46760 53711	OP2- 2	1	46922 03600	46 - 7	77	52100 25120	51 - 3	26-6
46760 66010	OP2- 2	1	46923 03600	46 - 3	10	52100 31310	51 - 3	26
46760 83511	OP2- 2	1	46923 03700	46 - 3	10-1	52100 32110	51 - 2	21
46870 30800	36 - 5	70-1	46923 03700	SS1- 1	10	52100 35112	51 - 3	26-1
46870 40200	36 - 5	70-3	46923 03700	SS4- 4	10	52100 40320	51 - 2	21-4
46870 41000	36 - 5	70-2	46927 02000	SS1- 1	15	52100 40420	51 - 3	26-7

I N D E X

PART NO.	PAGE	REF. NO.	PART NO.	PAGE	REF. NO.	PART NO.	PAGE	REF. NO.
52100 42211	51 - 3	26-2	52450 63910	51 - 3	34	52739 00600	36 - 4	56-1
52100 43010	51 - 2	21-1	52450 64010	51 - 4	41	52739 02100	SS3- 1	56
52100 61220	51 - 3	26-8	52450 64110	51 - 4	38	52739 02100	SS3- 1	75
52100 70210	51 - 2	21-2	52450 64610	51 - 4	46	52739 02100	SS4- 1	56
52100 70310	51 - 3	26-3	52450 64610	SS3- 1	46	52739 02100	SS4- 4	75
52100 98910	51 - 3	26-4	52450 73910	51 - 3	34-1	52739 02600	51 - 4	45
52220 09200	51 - 3	25	52450 74110	51 - 4	38-1	52739 03400	51 - 4	45-1
52220 09200	51 - 3	25	52450 74310	51 - 4	46-1	52739 03400	51 - 6	75
52220 10800	51 - 3	25-1	52450 74510	51 - 4	36-1	52739 03400	51 - 7	102
52220 10800	51 - 3	25-1	52450 74610	51 - 4	41-1	52746 00700	51 - 3	32
52220 21000	51 - 3	25-2	52450 98820	51 - 4	46-5	52746 02700	51 - 3	24-2
52300 05820	51 - 3	31-3	52450 99110	51 - 4	38-2	52800 41801	51 - 4	35
52300 08810	51 - 3	30	52480 01101	51 - 4	42-1	52800 42000	51 - 4	37
52300 08910	51 - 3	31	52480 01101	51 - 4	43-1	52800 42401	51 - 4	40
52300 09010	51 - 3	33	52480 01101	51 - 4	47-1	52800 42900	51 - 3	28
52300 19110	51 - 3	30-1	52480 12500	51 - 4	42	52800 42900	51 - 6	78
52300 19210	51 - 3	33-1	52480 12600	51 - 4	43	52800 66901	51 - 4	37-1
52300 19310	51 - 3	31-1	52480 12700	51 - 4	47	52830 24100	51 - 3	24
52300 58111	51 - 3	33-2	52480 13300	51 - 7	105	52830 30000	51 - 3	24-1
52300 58711	51 - 3	31-2	52480 13800	51 - 4	42-2	52830 31600	51 - 3	24
52300 58910	51 - 3	30-2	52480 13800	51 - 4	47-2	52830 31601	51 - 3	24-2
52312 03300	51 - 6	84	52480 14400	51 - 4	43-2	52830 31601	51 - 3	24-2
52350 05410	51 - 3	27	52480 14400	51 - 4	47-3	52830 37800	51 - 3	24-1
52350 41110	51 - 3	27-1	52550 10010	51 - 7	103	52919 75020	52 - 2	2
52350 70411	51 - 3	27-2	52550 10110	51 - 7	104	52919 75620	52 - 3	51
52350 89010	51 - 3	32-1	52550 19010	51 - 7	103-1	52926 05200	52 - 3	36
52400 00910	51 - 5	50-1	52560 72700	51 - 5	52	52926 16600	52 - 3	36-1
52400 07820	51 - 6	81-2	52560 73400	51 - 6	70	52926 16700	52 - 4	64
52400 57611	51 - 6	81	52710 00700	51 - 7	86	52928 10100	52 - 2	6
52400 72910	51 - 5	50-2	52710 00700	51 - 7	105-1	52928 10200	52 - 2	7
52400 75700	51 - 5	50	52710 01200	51 - 4	45	52928 10300	52 - 2	22
52400 93110	51 - 6	81-1	52710 03601	51 - 4	45-1	52928 10400	52 - 2	23
52416 19000	51 - 4	48	52710 03601	51 - 6	75	52928 10500	52 - 3	28
52416 19800	51 - 4	48-2	52710 04100	51 - 6	75-1	52928 10600	52 - 4	59
52416 22700	51 - 4	48-1	52721 04800	51 - 6	75	52931 14110	52 - 2	5
52416 23900	36 - 4	16	52721 04900	SS3- 1	75	52931 14120	52 - 3	33-1
52416 23900	36 - 4	16-1	52721 04900	SS4- 4	75	52931 14210	52 - 2	8
52450 04320	51 - 4	46-2	52723 00900	51 - 6	85	52931 14310	52 - 2	9
52450 04421	51 - 4	36-2	52723 00900	51 - 7	102	52931 14410	52 - 2	10
52450 04521	51 - 3	34-2	52728 04710	51 - 6	73	52931 14510	52 - 2	14
52450 04620	51 - 4	41-2	52728 11310	51 - 5	51-1	52931 14610	52 - 2	15
52450 14730	51 - 7	101-1	52728 14810	51 - 7	88	52931 14710	52 - 2	18
52450 35920	51 - 4	36-3	52728 60800	51 - 6	65	52931 14810	52 - 2	19
52450 36020	51 - 3	34-3	52728 62001	51 - 5	51	52931 14820	52 - 2	1-1
52450 37020	51 - 4	41-3	52728 66900	20 - 6	14	52931 14910	52 - 2	20
52450 37120	51 - 4	38-3	52728 86500	51 - 6	65-1	52931 14920	52 - 3	35-1
52450 37220	51 - 4	46-3	52728 86600	51 - 6	64-1	52931 15010	52 - 2	21
52450 52520	51 - 7	101	52728 95100	20 - 6	14-1	52931 15020	52 - 3	42-1
52450 61220	51 - 4	46-4	52728 95100	20 - 6	14-2	52931 15110	52 - 2	24
52450 63810	51 - 4	36	52730 16400	51 - 7	87	52931 15120	52 - 3	43-1

I N D E X

PART NO.	PAGE	REF. NO.	PART NO.	PAGE	REF. NO.	PART NO.	PAGE	REF. NO.
52931 15210	52 - 2	25	52959 22240	52 - 3	34-1			
52931 15220	52 - 2	14-1	52959 30330	52 - 2	16			
52931 15310	52 - 2	26	52959 45440	52 - 2	10-1			
52931 15321	52 - 2	8-2	52959 67140	52 - 4	65			
52931 15410	52 - 2	27	52959 73430	52 - 2	17			
52931 15510	52 - 3	29	52959 75230	52 - 2	1			
52931 15610	52 - 3	31	52959 75330	52 - 4	56			
52931 15710	52 - 3	33	52959 75530	52 - 2	11			
52931 15721	52 - 2	18-1	52959 75630	52 - 2	12			
52931 15810	52 - 3	35	52959 75730	52 - 2	13			
52931 15820	52 - 3	31-2	52959 75830	52 - 3	32			
52931 15910	52 - 3	37	52959 75930	52 - 3	34			
52931 15920	52 - 3	40-1	52959 76030	52 - 3	38			
52931 16010	52 - 3	40	52959 76130	52 - 3	44			
52931 16020	52 - 3	37-1	52959 78020	52 - 2	21-1			
52931 16110	52 - 3	41	52959 79120	52 - 3	30			
52931 16210	52 - 3	42	52959 80430	52 - 4	57			
52931 16310	52 - 3	43	52959 80530	52 - 4	58			
52931 16420	52 - 3	29-1	52959 84140	52 - 3	32-1			
52931 17610	52 - 3	52	52959 84440	52 - 3	52-1			
52931 17710	52 - 3	53	52959 84820	52 - 2	4			
52931 17810	52 - 3	54	52959 84820	52 - 4	63			
52931 17910	52 - 4	55	52959 84820	52 - 4	63-1			
52931 23021	52 - 2	5-1	52959 85730	52 - 4	62			
52931 23710	52 - 4	60	52959 85730	52 - 4	62-1			
52931 23710	52 - 4	60-1	52959 92530	52 - 4	56-1			
52931 26510	52 - 2	24-1	52988 27200	52 - 2	10-2			
52931 26620	52 - 3	37-2	52988 27300	52 - 2	11-1			
52931 26620	52 - 3	37-3	52988 27400	52 - 2	12-1			
52931 39410	52 - 3	31-1	52988 27500	52 - 2	13-1			
52931 56620	52 - 3	42-2	52988 27600	52 - 2	21-2			
52931 56720	52 - 3	43-2	52989 15900	52 - 2	5-2			
52931 74010	52 - 2	8-1	52989 16000	52 - 2	8-3			
52931 92020	46 - 7	75	52989 16100	52 - 2	14-2			
52931 92320	46 - 7	74	52989 16200	52 - 2	18-2			
52939 63630	52 - 3	39	52989 16300	52 - 2	24-2			
52939 63730	52 - 3	49	52989 16400	52 - 3	29-2			
52939 63830	52 - 3	50	52989 16500	52 - 3	31-3			
52939 65030	52 - 2	3	52989 16500	52 - 3	31-4			
52939 67030	52 - 4	61	56167 01900	36 - 3	8			
52939 90230	52 - 3	39-1	GC131 01600	36 - 3	5			
52939 90330	52 - 4	61-1	GE240 00500	38 - 5	89			
52939 94230	52 - 3	39-2	GE240 01100	46 - 5	49			
52946 03900	52 - 3	45	GE240 01100	46 - 5	49-1			
52946 04000	52 - 3	46	GH245 00600	51 - 5	50-1			
52946 04100	52 - 3	47	GH245 00600	51 - 5	50-2			
52946 04200	52 - 3	48						
52946 14300	52 - 3	45-1						
52946 14400	52 - 3	48-1						
52946 18000	52 - 4	61-2						

1996年 12月 13日　初版

2020年　7月 16日　改訂

発行　**北越工業株式会社**

新潟本社･工場
新潟県燕市下粟生津3074
TEL 0256－93－5571
FAX 0256－94－7567

（無断複写･転載を禁ず）

HOKUETSU INDUSTRIES CO., LTD.

8TH FLOOR SHINJUKU SAN-EI BLDG,
22-2 NISHI-SHINJUKU 1-CHOME,SHINJUKU-KU
TOKYO 160-0023 JAPAN
TEL:81-3-3348-7281
FAX:81-3-3348-7289
URL:http//www.airman.co.jp

Copyright(C)2008 HOKUETSU INDUSTRIES CO., LTD. All Rights Reserved.

2007-94
CAT.NO.39546 03000

ちきゅうにやさしい
古紙の利用
R100 PRINTED WITH SOYINK™
この冊子はエコマーク認定の再生紙と大豆油インキを使用しています。

AIRMAN
HOKUETSU INDUSTRIES CO., LTD.